PRODUCT CATALOGUE

BEQUIPMENT

STORAGE EQUIPMENT



JB EQUIPMENT has been supplying quality storage and handling equipment for over 36 years. We pride ourselves on our competitive pricing and superior service.

SINCE 1985



STANDARD PRODUCTS IN STOCK AND READY TO SHIP



PLANNING - DESIGN - SUPPLY - INSTALLATION For any project size



PERSONALIZED SERVICE CATERED TO YOUR UNIQUE NEEDS



CUSTOM PRODUCTS - DESIGNED AND MANUFACTURED

CALL / EMAIL FOR INSTANT QUOTE

ADDRESS • 475 Edward Avenue, Unit 20 Richmond Hill, Ontario L4C 5E5

- EMAIL Info@jbequipment.ca
 - WEB jbequipment.ca
- **TELEPHONE •** 905.883.0316
 - FAX 905.883.0207

TABLE OF CONTENTS







STORAGE EQUIPMENT

Pallet Racking Shelving Mezzanines Carton Flow Storage Containers

1



Ladders Lifts and Service Carts Stock Pickers Platform Trucks Cylinder Storage Work Platforms



WAREHOUSE EQUIPMENT

Dock Equipment Lockers Storage Cabinets Wire Partitions Work Benches



BIN STORAGE

132

AkroBins Shelf Bins Nest and Stack Totes Bin Cabinets

STORAGE EQUIPMENT

- 2 Pallet Racking and Accessories
- 11 Wide Span Shelving
- **15** Boltless Shelving
- **19** E-Z Rect Shelving
- 21 Chrome Wire Shelving
- 24 Cantilever Racking
- **25** Mezzanines
- 27 Dynamic Storage Solutions
- 28 Carton Flow
- 29 Sheet and Bar Storage
- **31** Tire Storage
- 32 Stacking Containers

 \mathbb{M}

Info@jbequipment.ca

34 Collapsible Containers



- Standard sizes in stock available for immediate delivery.
- Installation and relocation
- Free consulting
- · New rack certification
- Trade-in
- Pallet rack inspections
- · Pre-start health and safety reviews





NEW AND USED - IN STOCK







www.jbequipment.ca

END FRAMES

3

- Preassembled all welded
- 18" to 60" depths
- Up to 30' high
- Powder coat finish
- Other sizes available upon request



MODEL #	WIDTH	HEIGHT
UFS3696	36"	96"
UFS36120	36"	120"
UFS36144	36"	144"
UFS36168	36"	168"
UFS36192	36"	192"
UFS36216	36"	216"
UFS4296	42"	96"
UFS42120	42"	120"
UFS42144	42"	144"
UFS42168	42"	168"
UFS42192	42"	192"
UFS42216	42"	216"
UFS4896	48"	96"
UFS48120	48"	120"
UFS48144	48"	144"
UFS48168	48"	168"
UFS48192	48"	192"
UFS48216	48"	216"

LOAD BEAMS

- Box or step style
- Capacities from 1000 lbs. to 12000 lbs. per pair
- Other sizes available upon request



BOX BEAMS (14 GA)

MODEL #	SIZE H X L	CAPACITY
UB152548	2.5" x 48"	6000 lbs.
UB153096	3" x 96"	3900 lbs.
UB153596	3.5" x 96"	5550 lbs.
UB154096	4" x 96"	6825 lbs.
UB1540108	4" x 108"	5950 lbs.
UB1750108	5" x 108"	8825 lbs.
UB1750144	5" x 144"	6125 lbs.
UB1760144	6" x 144"	8600 lbs.

ROLL FORMED STEP BEAMS

SIZE H X L	CAPACITY			
4" x 48"	10400 lbs.			
4" x 96"	5450 lbs.			
5" x 96"	7250 lbs.			
4" x 108"	4850 lbs.			
5" x 108"	6850 lbs.			
6" x 108"	9150 lbs.			
5" x 144"	5050 lbs.			
6" x 144"	6850 lbs.			
	SIZE H X L 4" x 48" 4" x 96" 5" x 96" 4" x 108" 5" x 108" 6" x 108" 5" x 144"			

SAFETY BARS

- Universal formed for box or step beams
- Welded cup style for box beams
- · Lock-in for roll formed step beams
- 2 required per skid position

UNIVERSAL

MODEL #	SIZE FRAME DEPTH	CAPACITY
US36	36"	1000 lbs.
US42	42"	1000 lbs.
US48	48"	1000 lbs.

WELDED CUP STYLE

MODEL #	SIZE FRAME DEPTH	CAPACITY
SBM36	36"	1000 lbs.
SBM42	42"	1000 lbs.
SBM48	48"	1000 lbs.

LOCK-IN STYLE

MODEL #	SIZE FRAME DEPTH	CAPACITY
SB1536	36"	1000 lbs.
SB1542	42"	1000 lbs.
SB1548	48"	1000 lbs.


*Other sizes available upon request

WIRE MESH DECKS

- Waterfall style
- Many sizes in stock
- 3 channel
- Instep and custom decks available
 upon request

MODEL #	SIZE D X L
WD3646	36" x 46"
WD4246	42" x 46"
WD4846	48" x 46"
WD3652	36" x 52"
WD4252	42" x 52"
WD4852	48" x 52"
WD3658	36" x 58"
WD4258	42" x 58"
WD4858	48" x 58"





Waterfall - 3 channels





Info@jbequipment.ca

POST PROTECTORS

5



Heavy-duty horseshoe style Model # **PP001**



Economical horseshoe style Model **# PP002**




IN STOCK

Wrap style with bull nose Model **# PP003**

FLOOR GUARDS

· Protect end of rows and walls



Wrap Style 8"H

			wildp Otylo (511
TAPERED STYLE		WRAP STYLE		
MODEL #	LENGTH	MODEL #	LENGTH	*Other sizes available upon request
TFG 42	42"	WSG 47	47"	
TFG 48	48"	WSG 53	53"	
TFG 92	92"	WSG 97	97"	
TFG 96	96"	WSG 101	101"	
TFG 99	99"	WSG 104	104"	







ROW CONNECTORS

Required to join rows together

•	-
	and the second

MODEL #	SIZE
R203	3"
R206	6"
R208	8"
R209	9"
R212	12"
R215	15"
R224	24"



6

SHIMS

- Stock
- Use to level frame



Model # ULP

· Used to lock beam to frame

LOCK PINS




Model # UR001

Model # SP001

905.883.0316

DIVIDER BARS

Use to separate product inside rack system




Info@jbequipment.ca

BACK STOP BEAMS


- Prevent pallet push through
- · Other sizes available upon request

MODEL #	LENGTH	OVERHANG
BSB966	96"	6"
BSB969	96"	9"
BSB9612	96"	12"
BSB1086	108"	6"
BSB1089	108"	9"
BSB10812	108"	12"



PALLET RACK BACK GUARDS

- · Back guards help prevent accidents by keeping pallets and their contents from falling off the back
- · Guards increase safety where pedestrian pathways are behind the rack
- Constructed using a 10 ga. frame and 2" x 2" x 10 ga. wire mesh with stiffeners
- · Available in a variety of sizes to fit most pallet rack configurations



MODEL #	DESCRIPTION
RL929	Back guard 4' x 8' w/6" brackets
RL930	Back guard 4' x 8' w/9" brackets
RL931	Back guard 4' x 8' w/12" brackets
RL932	Back guard 4' x 9' w/6" brackets
RL933	Back guard 4' x 9' w/9" brackets
RL934	Back guard 4' x 9' w/12" brackets
RL935	Back guard 4' x 10' w/6" brackets
RL936	Back guard 4' x 10' w/9" brackets
RL937	Back guard 4' x 10' w/12" brackets
RL938	Back guard 4' x 11' w/6" brackets
RL939	Back guard 4' x 11' w/9" brackets
RL940	Back guard 4' x 11' w/12" brackets
RL941	Back guard 4' x 12' w/6" brackets
RL942	Back guard 4' x 12' w/9" brackets
RL943	Back guard 4' x 12' w/12" brackets

BARRIERS

- 3" structural tube
- HD 8" x 8" base plates
- 42" high c/w midrail
- · Other sizes available on request



905.883.0316

MODEL #	LENGTH
STB24	24"
STB36	36"
STB48	48"
STB60	60"
STB72	72"
STB84	84"
STB96	96"

 \square





HAND RAIL

- 1 5/8" round tube
- HD base plate 4" x 4"
- Safety yellow
- 42" high c/w midrail
- All welded
- Other sizes available upon request

-	

MODEL #	LENGTH
HRT 24	24"
HRT 36	36"
HRT48	48"
HRT 60	60"
HRT 72	72"
HRT 84	84"
HRT 96	96"

COLUMN PROTECTORS

- Protect building's columns from damage
- 100% rust proof material, linear low density polyethylene
- Octagon configuration for more rebounding ability
- Flexible deflection design capable of handling a hit from a 7000 lb. forklift at 6 mph
- · Easy to assemble, nylon fasteners (included) for breakaway ability make these extremely versatile
- Protect columns under virtually any condition and temperature down to 0• F
- Dimensions: 22"L x 22"W x 40"H
- Weight: 42 lbs.

MODEL #	INSIDE OPENING	OPENING SHAPE
RN049	9"	Round
RN051	8" x 10"	Rectangular
RN048	8"	Square
RN052	12"	Square
RN050	10"	Square
RN047	6"	Square



BOLLARDS

- · All welded 4" tube
- HD 8"x8" base plate
- Protect warehouse equipment
- 36" high Model # **SB36**



BOLT-ON POST GUARD

Bolt to lower post on frame


HEIGHT
24"
36"





FORK ENTRY BARS

• Support non-palletized loads, e.g. wallboard, plywood and metal sheets



DRUM CRADLES

- · Designed to adapt racking to hold round objects
- The unit is completely welded

SHELF SUPPORT

- · Steel shelf support to support wood shelves
- A variety of materials, plywood, particle board or finished board can be used for the shelving



DROP-IN PANELS


- · Galvinzed steel panels providing a smooth surface
- Available in 6" or 9" standard width



STRUCTURAL FRAME REPAIR KIT


Available on request





SKID CHANNEL

 Adapt rack to the storage of semi-live and stationary skids











REEL RACK

- · Easily adjust or add levels
- · Bracket adjust in 3" increments
- · Store and dispense spools of wire rope or chain
- C/w 4 levels



BRACKETS (PAIR) Model # RRB01

STARTER UNIT Model # RRS249648 c/w 4 levels

ADD-ON UNIT Model # RRS249648AO



10

BAR STORAGE RACK

- · Easily adjust or add levels
- Brackets adjust in 3" increments
- Store lengths of conduit, wood, metal etc.
- C/w 4 levels

LOAD ARMS

12" - Model BS12 18" - Model BS18

12" ARMS 4 LEVEL

Starter Unit Model # **BS24964812** Add-On Unit Model # **BS24969812AO**



18" ARMS 4 LEVEL

Starter Unit Model # **BS24964818** Add-On Unit Model # **BS24969818AO**





Info@jbequipment.ca


www.jbequipment.ca

SYSTEM 800

One-piece welded frame

905.883.0316

- Tear-drop slot design
- Vertically adjustable on 1 1/2' centres
- Built-in safety pins
- Seamlessly welded 3/4" step beams
- Choices of drop-in mesh desks, 6" steel panels, or aspenite shelves with wood support
- In-stock



 \bowtie

Info@jbequipment.ca

IN STOCK

12

FRAMES

- One-piece welded frame design
- 14 ga. steel roll formed posts
- 14 ga. seamlessly welded tube bracing
- Welded-on steel foot plates with 1/4" holes for floor anchoring




MODEL #	DEPTH	HEIGHT
801 1872	18"	72"
801 1896	18"	96"
801 18120	18"	120"
801 2472	24"	72"
801 2484	24"	84"
801 2496	24"	96"
801 24120	24"	120"
801 3072	30"	72"
801 3096	30"	96"
801 30120	30"	120"
801 3672	36"	72"
801 3696	36"	96"
801 36120	36"	120"

BEAMS

- · Seamlessly welded steel beams for extra strength
- · 2 rivets on each end plate for easy installation
- · Built-in self locking mangalloy safety pins



MODEL #	DIMENSIONS	UDL CAPACITY
802 4803	48" x 3"	2200 lb
802 7203	72" x 3"	1800 lb
802 9603	96" x 3"	1400 lb
802 4802	48" x 2"	1500 lb
802 7202	72" x 2"	1100 lb
802 9602	96" x 2"	750 lb







Info@jbequipment.ca

SUPPORTS

- · Provides extra supports for wood shelves
- Recommended for 30" and 36" depths



MODEL #	LENGTH	THICKNESS
807 24	24"	1"
807 30	30"	1"
807 36	36"	1"

SIZE

4"

MODEL #

800 RC



• Required to join back to

ROW CONNECTORS


back rows together


W	IR	FN	FC	KS
ΨV	IN		EU	C J

- · Galvanized in-step steel wire decks
- 7 ga. steel wire
- 14 ga. steel support channels
- Specially designed to fit perfectly in system 800
 wide span shelving

MODEL #	DEPTH	WIDTH
804 18	16 1/4"	24"
804 24	22 1/4"	24"
804 30	28 1/4"	24"
804 36	34 1/4"	24"
















STEEL DECKS

- · Galvanized drop-in steel panels
- 17 ga. steel
- Specially designed to fit perfectly in system 800
 wide span shelving

MODEL #	DEPTH	WIDTH
805 18	16 1/4"	6"
805 24	22 1/4"	6"
805 30	28 1/4"	6"
805 36	34 1/4"	6"





WOOD DECKS

- Canadian made 5/8 oriented strand brand (OSB)
- · Economically priced alternative to all-metal shelves

MODEL #	DEPTH	LENGTH
808 1848	16 1/4"	471/2"
808 1878	16 1/4"	711/2"
808 1896	16 1/4"	951/2"
808 2448	22 1/4"	471/2"
808 2472	22 1/4"	711/2"
808 2496	22 1/4"	951/2"
808 3048	28 1/4"	471/2"
808 3072	28 1/4"	711/2"
808 3096	28 1/4"	951/2"
808 3648	34 1/4"	471/2"
808 3672	34 1/4"	711/2"
808 3696	34 1/4"	951/2"





www.jbequipment.ca

Info@jbequipment.ca

SYSTEM 200

- Economically priced, heavy duty interlock boltless industrial shelving
- · Designed for maximum strength and durability
- · Easy assembly and rearrangement no nuts and bolts or tools required
- Compatible with metalware no-bolt interlock shelving
- In-stock





OFFICE STORAGE











SHELVES

- Formed with return bend on all bottom edges for increased strength and capacity
- Manufactured in 19 ga. steel
- Punched to allow installation of shelf dividers




MODEL #	LENGTH	WIDTH
201 1236	36"	12"
201 1242	42"	12"
201 1248	48"	12"
201 1536	36"	15"
201 1542	42"	15"
201 1548	48"	15"
201 1836	36"	18"
201 1842	42"	18"
201 1848	48"	18"
201 2436	36"	24"
201 2442	42"	24"
201 2448	48"	24"



POSTS

- Punched on 2" vertical increments to accept up to 2 standard compression shelf clips
- · Allows common posting between adjacent bays of shelving
- Manufactured in 15 ga. steel

MODEL #	LENGTH
205 76	76"
205 88	88"
205 100	100"
205 124	124"








www.jbequipment.ca



SIDE AND BACK BRACES

- Bolted "X" bracing for side and back
- · Bracing on side and back maintain rigidity of units
- Braces sold in pairs



MODEL #	LENGTH
207 37	37"
207 43	43"






GUSSETS

- · Used when access to both sides of unit is required
- · Use instead of, or in combination with, braces










SHELF CLIPS

Standard compression shelf clip







BACK TO BACK CLIP

200FP

• To join rows of shelving together to take a double row









19 E-Z RECT BOLTLESS SHELVING

- · Excellent for bin boxes, small parts and bulk storage
- · Ideal for short or wide span shelving applications
- · Versatile shelving that can be used for high-rise or multi-level shelving systems
- · Short or wide span shelving with 4 basic parts and a full range of accessories to suit any need
- Excellent for bin boxes, small parts and bulk storage
- · Instant adjustment on 2" centres to achieve desired shelf levels
- Finished in standard gray electrostatic baking enamel
- Height: 48" to 144"
- Depth: 12" to 48"
- Width: 36" to 96"
- Please call with your requirements

TYPE 1









E-Z RECT BOLTLESS SHELVING 20

A · POST


B · FRAME CONNECTOR

A minimum of 4 required for each shelving section. Frame connectors are recommended as shelf rests for maximum loading

C · SHELF RESTS

For standard loads 4 required for each shelf

- D · KICK PLATES
- **E** · FLOOR PLATES
- F · WOODEN SHELF
- $\mathbf{G} \cdot \mathbf{SHELF} \mathbf{BAR}$
- H · GARMENT ROD SUPPORT
- I POST CONNECTOR A minimum of 3 required for each end frame
- J · POST SPLICE
- $\mathbf{K} \boldsymbol{\cdot} \textbf{SECTIONAL SHELVES}$



 \square

Info@jbequipment.ca

NOTE:

When engineering shelving layouts, allow the following extras to accomodate outside frame dimensions: 1 1/4" for width of units; 1 1/2" for each frame used in shelving run.





www.jbequipment.ca

21 CHROME WIRE SHELVING

INDUSTRIAL GRADE CHROME WIRE SHELVES

- Thick support wires
- Variety of sizes






CHROME WIRE SHELVES

MODEL #	LENGTH						
S1424C	14" x 24"	S1824C	18" x 24"	S2124C	21" x 24"	S2424C	24" x 24"
S1430C	14" x 30"	S1830C	18" x 30"	S2130C	21" x 30"	S2430C	24" x 30"
S1436C	14" x 36"	S1836C	18" x 36"	S2136C	21" x 36"	S2436C	24" x 36"
S1442C	14" x 42"	S1842C	18" x 42"	S2142C	21" x 42"	S2442C	24" x 42"
S1448C	14" x 48"	S1848C	18" x 48"	S2148C	21" x 48"	S2448C	24" x 48"
S1454C	14" x 54"	S1854C	18" x 54"	S2154C	21" x 54"	S2454C	24" x 54"
S1460C	14" x 60"	S1860C	18" x 60"	S2160C	21" x 60"	S2460C	24" x 60"
S1466C	14" x 66"	S1866C	18" x 66"	S2166C	21" x 66"	S2466C	24" x 66"
S1472C	14" x 72"	S1872C	18" x 72"	S2172C	21" x 72"	S2472C	24" x 72"

POSTS

- · Clearly numbered with adjustable leveling bolts
- Top post cap
- 1" increments





CHROME WIRE SHELVING 22

THREADED STEM CASTERS

- · Add mobility to stationary units
- · Fits easily and securely to posts
- Non-marking

MODEL #	SIZE
C5SPS	5" Swivel Caster
C5SPB	5" Sxivel Caster with Brake



Threaded stem caster C5SPS

Threaded stem caster

with brake C5SPB



ADD-ON "S" HOOK

- · Use add-on "S" hook instead of posts
- · Use in corners to create "L" shaped shelving





UTILITY BASKET

- Transport documents and other items
- · Easily attaches to shelf





CHROME HANDLES

- · Designed for added ease of use
- · Allows hands to be kept within cart width

MODEL #	SIZE
SPH14C	14"
SPH18C	18"
SPH21C	21"
SPH24C	24"



905.883.0316

 \bowtie Info@jbequipment.ca

()www.jbequipment.ca

23 CHROME WIRE SHELVING

ENCLOSURE PANELS

 Panels enclosure sides and backs to prevent items from falling off

•	0
MODEL #	SIZE
EP1834C	18" x 34"
EP2434C	24" x 34"
EP1463C	14" x 63"
EP1863C	18" x 63"
EP2463C	24" x 63"
EP1474C	14" x 74"
EP1874C	18" x 74"
EP2474C	24" x 74"



POST JOINING CLAMP

Increase stability of shelving units by joining posts

MODEL#



DONUT BUMPERS

Non-marking protect walls



NON MARKING POST LEVELER

Sturdy post leveler that will not mark floors





SHELF DIVIDER

- Keeps shelf organized
- · Attaches at any point on the shelf

MODEL #	SIZE
SD814C	14" x 8"H
SD818C	18" x 8"H
SD821C	21" x 8"H
SD824C	24" x 8"H





CANTILEVER RACKING 24

- · Designed to store a variety of products with unrestricted front access for standard and oversized items
- Reduces handling time and increased flexibility of storage positions
- Provides quick access and accommodates loads with no vertical obstructions
- Custom designs available to easily meet your exact requirements






Standard arm with welded end stop



Standard arm with removable pipe stop



Standard arm



STANDARD COLUMN HEIGHTS 6' to 24'

STANDARD ARM LENGTHS 18" to 60"

CAPACITIES

Per column 3 800 lbs. - 100 000 lbs. Per arm 624 lbs. - 8 300 lbs.







25 MEZZANINES

- Transforms wasted overhead space into valuable floor space at a fraction of the cost of new construction
- · Designed to meet specific customer and building code requirements
- Standard capacity is 125 lbs. / sq. ft. but can be adjusted to suit any capacity and deflection criteria
- Modular designs allow for future additions, modifications and relocation if necessary
- Structural review and stamped drawings are available by both Professional Engineers and Architects



CROSS OVER



OPEN WEB JOIST



STRUCTURAL

 \square

Info@jbequipment.ca





MEZZANINES 26

STANDARD COMPONENTS

TRUSSES

- Pre-engineered open web steel joint or structural wide flange designs are manufactured from 50ksi
 material
- Standard heights range from 8" to 14" with larger profiles available to meet specific requirements
- Standard lengths range from 8' to 20' and are adjusted accordingly to meet your location requirements

COLUMNS

- Typically range from 3"sq. 6"sq. H.S.S.
- · Designed to suit specific loading conditions
- · Customer is advised to check the conditions of existing concrete slab and sub base

HANDRAILS

- 42" high and manufactured from H.S.S. materials
- Vertical picket design with 5" kick plate meets current Provincial and Municipal building requirements

STAIR CASES

- Constructed using rigid structural components and can be designed for direct or side entry to the mezzanine platform
- · Egress calculations are used to determine the quantity and placement of stair sets for each project
- Intermediate landings must be installed for any mezzanines with top of deck height over 12' 0"

GATES

Available in a variety of designs for easy loading of the mezzanine

FLOORING OPTIONS

 Include corrugated galvanized roof deck with plywood or checker plate, rod and bar grating, open steel plank and Mezz-Tread





27 DYNAMIC STORAGE SOLUTIONS

PUSH BACK

- · Eliminates wasted aisle space in your warehouse
- Reduces maintenance costs and safety concerns associated with Drive-In systems
- Push Back storage has a 30% utilization improvement versus Drive-In systems
- Push Back storage is the best choice for high density, fast moving distribution in warehouses that can utilize a First In, Last Out (FILO) storage system
- Our captured cart design, which prevents cart lift out by fork truck operators, is one of many integrated safety features unmatched in the industry

PALLET FLOW

- Palletrak flow systems are designed for each Pallet Flow application and are engineered to integrate with other material handling systems
- Palletrak maximizes storage density with a flow through gravity fed design, allowing the pallet to flow to the discharge position for removal
- Palletrak is the easiest way to install Pallet Flow due to the nosplice beam mount design
- Industry leading brake features make it the safest and most durable Pallet Flow system on the market
- First-In, First-Out (FIFO) systems are used extensively in feed picking applications

DRIVE-IN/DRIVE-THRU RACKING

- · Ideal for high density pallet storage applications
- Drive-In/Drive-Out racking are unique FIFO, FILO styles of racking that have higher storage densities than any other racking systems
- Drive-In enables standard fork truck access into the face of the system
- Capable of storing almost any pallet size or weight














CARTON FLOW 28


VERSIFLOW

- Drop into existing pallet rack system
- Maximize storage capacity
- FIFO picking
- Stronge carbonate wheels
- Fully assembled tracks
- Please call for assistance when ordering this product







Entry guide



Full length guide






Before - Static racking

After - Interroll versiflow

FLOSTAR CARTON FLOW

- Drop into existing pallet rack system
- Maximize storage capacity
- FIFO picking
- 7/8" DIA aluminum rollers 36" long to 144"
- Fully assembled tracks
- Complete with brackets
- 6", 9", 12" or 15" widths
- Please call for assistance when ordering this product





Info@jbequipment.ca

www.jbequipment.ca

29 SHEET AND BAR STORAGE

BAR STORAGE RACK

- Vertical Bar Storage Rack
- 1 1/2" angle construction
- Three sections capable of carrying 12' bars
- Predrilled for floor anchoring
- Durable blue powder coat finish

MODEL#	CAPACITY	SHIPPING SIZE W X L X H	WEIGHT
VBSR-2436	3000 lbs.	24" x 36" x 84"	70 lbs.

HORIZONTAL BAR MOBILE CART

- 36" x 60"
- 8" mr casters
- 1200 lb. capacity
- Extended handle for maneuverability *Model # HBMC3660-8MR

BAR CRADLE TRUCKS

- Designed for efficient handling of long material
- Tilt design allows truck to turn within its own radius
- Cradle design facilitates loading and unloading
- $\boldsymbol{\cdot}$ Two 12" phenolic wheels and four 6" swivel phenolic bolt-on casters
- 5000 lb. capacity
- Durable blue enamel finish

MODEL #	DIMENSIONS W X D X H	# OF CRADLES	WEIGHT
ML128	28" x 60" x 29"	2	215 lbs.
ML130	28" x 96" x 29"	3	300 lbs.
ML131	28" x 120" x 29"	3	365 lbs.





VBSR-2436

HBMC3660-8MR



ML130

SHEET AND BAR STORAGE 30

VERTICAL BAR RACKS

- All-welded steel construction
- Vertically stores bars up to 10' long
- Four 24" deep dividers
- Overall dimensions: 48"W x 24"D x 60"H
- Capacity: 3000 lbs.
- Durable blue enamel finish
 Model # RL383

STANDARD VERTICAL SHEET RACKS

- All-welded steel construction
- · Designed for vertically storing sheet goods
- Constructed of heavy gauge steel 1 1/4" tube for bays and a heavy gauge steel 1" x 2" rectangular tube for the frame
- Each bay can hold up to 1000 lbs.
- Overall dimensions: 84"W x 50"L x 36"H
- Number of bays: 4
- Distance between bays: 10"
- Durable blue enamel finish
 Model # RL384

VERTICAL SHEET STORAGE RACKS

- Accommodates multiple sheet sizes
- All-welded steel construction, 1 1/4" OD round tube dividers
- Two 27"H uprights, two 36"H uprights and one 42"H upright
- Four equal size openings of 7 1/2" clear
- · Holes for anchoring to the floor recommended
- Overall dimensions: 36" x 48" x 43 1/2"
- Capacity: 750 lbs. per pay total of 3000 lbs.
- Durable blue enamel finish
 Model # RN014









Info@jbequipment.ca

TIRE STORAGE 31

WELDED FRAME TIRE RACKS

- Ideal storage solution for all sizes of tires ranging from passenger car to industrial truck
- · Welded uprights are fabricated from 14 ga. steel heavy-duty steel beams install easily without tools, nuts or bolts
- · Beams are adjustable along 2" increments
- · Light gray powder coat finish

MODEL#	RACK TYPE	CAPACITY	DIMENSIONS	WEIGHT
RL103	Starter	27	72" x 18" x 72"	103 lbs.
RL106	Add-on	27	72" x 18" x 72"	84 lbs.



WALL-MOUNTED TIRE RACK

- 60" of available tire space, holding up to 6 tires (depending on size)
- · Wall-mounted to keep tires out of the way until needed
- 1 5/16" round tube construction
- 4 pre-drilled plates for secure mounting
- · Heavy duty all-welded construction
- Durable blue powder coat finish

MODEL#	HEIGHT	BASE SIZE	TIRE CAPACITY
TR-WM	25"	27" x 82"	6 (size dependent)

MOBILE TIRE RACK

- 2 shelves with 7 tire capacity each
- 1 5/16" round tube construction
- Heavy duty all-welded construction
- Two rigid and two swivel 5" mold on rubber casters
- Durable blue powder coat finish

MODEL#	HEIGHT	BASE SIZE	TIRE CAPACITY
TR-R	72"	27" x 82"	14 (size dependent)

905.883.0316



 \square



STACKING CONTAINERS 32

- Our rigid welded containers are ideal for a wide range of shipping, processing and storage applications
- Stackable up to five when loaded, their heavy gauge split tube or structural steel frame construction
 produces a rugged yet economical product
- Standard cup feet and four way access make these containers safe and easy to handle
- Standard sizes are available in both solid sheet and expanded mesh

SOLID BASE WITH DROP GATES

- Size: 34 1/2" x 40 1/2" x 32 1/4" O.H
- Capacity: 3000 lbs. 15cu. ft.
- 3/4-13 expanded metal sides
- Solid sheet floor
- Two half drop gates on short sides
 Model # SCE-S-GW2



ALL MESH WITH DROP GATES

- Size: 34 1/2" x 40 1/2" x 32 1/4"
- Capacity: 2500 lbs. /15 cu. ft.
- 3/4-13 expanded metal sides
- 3/4-13 expanded metal floor
- Two half drop gates on short sides
 Model # SCE-E-GW2









www.jbequipment.ca

33 STACKING CONTAINERS

SOLID BASE AND SIDES WITH DROP GATES

- Size: 34 1/2" x 40 1/2" x 32 1/4" O.H
- Capacity: 3000 lbs. 15cu. ft.
- Solid sheet sides
- Solid sheet floor
- Two half drop gates on short sides
 Model # SCS-S-GW2



OVERSIZED WITH DROP GATES

- Size: 40" x 48" x 40" O.H
- Capacity: 4000 lbs. /29 cu. ft.
- . 3/4-13 expanded metal sides
- Solid sheet floor
- Two half drop gates on short sides
 Model # NCE-S-GS2





COLLAPSIBLE CONTAINERS 3

WIRE MESH - STEEL BIN

- Knocked down 2 gate
- Size: 40 1/2" x 34 1/2" x 32" overall height
- Load capacity: 3000 lbs.
- Inside usable volume: 18 cubic feet
- Half-drop gates on both 34 1/2" sides
- Wire mesh 2" x 1" c/c x .148" (9 gauge) . 4 sides
- Sheet metal floor on tubing base structure
- Steel bin with standard zinc-galv. plated finish
 Model # KD2GW-01





2 Gates open

Collapsed

SHEET METAL - STEEL BIN

- Knocked down 2 gate
- Size: 40 1/2" x 34 1/2" x 32" overall height
- · Load capacity: 3000 lbs.
- Inside usable volume: 18 cubic feet
- Half-drop gates on both 34 1/2" sides
- Sheet metal floor on 4 sides with safety edges
- · Sheet metal floor on tubing base structure
- Steel bin with standard zinc-galv. plated finish
 Model # KD2GS-01



Collapsed



2 Gates open








COLLAPSIBLE CONTAINERS 35

STACKING RACKS

- Rugged all-welded 2" square tubing steel construction
- · Utilize warehouse airspace and lower the chances of damage that is associated with bulk stacking
- · Designed for storage of loose and palletized goods
- · Holds 4000 lbs. per rack and can be stacked four high
- · Posts and bases are sold separately

MODEL #	INSIDE DIMENSIONS W X D	DIMENSIONS W X D
OPEN BASE		
RL414	38" x 44"	42" x 48"
RL415	44" x 48"	48" x 48"
CLOSED BASE		
RL416	38" x 44"	42" x 48"
RL417	44" x 48"	48" x 48"

MODEL #	DESCRIPTION	DIMENSIONS W X D
RL418	42" side rail	42" x 48"
RL419	48" side rail	48" x 48"
RL420	42" upright post-rack of 4	2" x 42"
RL421	48" upright post-rack of 4	2" x 48"
RL422	60" upright post-rack of 4	2" x 60"



COLLAPSIBLE WIRE CONTAINERS

- · Welded, square mesh wire allows full visibility and excellent ventilation
- · Foldable and constructed of durable 3-gauge wire
- 4-way entry for easy use with lift trucks
- · Convenient drop gate design for easy access to products
- · Safety rating plates with static load capacity and static load height
- Stack up to four high
- 4" under clearance

MODEL #	DIMENSIONS W X D	HEIGHT	DROP GATE	MESH DIA.	CAPACITY
CF464	32" x 40" x 34 1/2"	28"	40" side	2" x 2"	4000 lbs.
CF465	40" x 48" x 30 1/2"	24"	48" side	2" x 2"	4000 lbs.
CF466	40" x 48" x 36 1/2"	30"	48" side	2" x 2"	4000 lbs.
CF467	40" x 48" x 36 1/2"	30"	40" end	2" x 2"	4000 lbs.
CF468	40" x 48" x 42 1/2"	36"	48" side	2" x 2"	4000 lbs.



CF466



905.883.0316

HANDLING EQUIPMENT

- **37** Rolling Steel Ladders
- 41 Crossover Ladder
- 42 Ladder Options
- 43 Shelf Lift
- 44 Service Carts
- 51 Wire Carts
- 53 Stock Pickers
- 55 Bulk Utility Carts
- 59 Platform Trucks
- 63 Panel Carts
- 65 Box Carts
- 67 Stock Carts
- 68 Shelf Carts and Dollies
- 69 Cylinder Storage
- 70 Cylinder Carts
- 72 Drum Trucks and Rockers
- 74 Appliance Trucks
- 75 Hand Trucks
- 79 Pallet Trucks
- 83 Lift Equipment
- 85 Push Stackers
- 88 Self Dumping Hoppers
- 89 Work Platforms
- 91 Conveyors
- 92 Forklift Accessories

37 STANDARD ROLLING STEEL LADDERS

MOBILE LADDER STANDS - STANDARD

- 42" high handrail
- 15" deep platform
- 1" x 16 ga. round tubing construction
- 6" x 2" polyolefin rear wheels
- 5" x 1 1/4" RSX rubber swivel casters
- Positive floor locking trip step mechanism
- 24" wide x 7 1/2" deep non-slip perforated step material
- 33" overall width
- Painted blue enamel



- 1" x 16 ga. round tubing construction
- 3" swivel spring loaded casters
- 24" wide x 7 1/2" deep non-slip perforated step material

3NH shown

- 26" overall width
- 300 lb. capacity
- Painted blue enamel




*Meets or exceeds CSA Safety Standards as per ANSI A14.7 and OSHA 1910.27

EQUIPMENT

905.883.0316

6H shown






SAFETY ANGLE ROLLING STEEL LADDERS 38

MOBILE LADDER STANDS - SAFETY ANGLE

- 50 Degree Safety Angle Ladder
- 42" high handrail
- 19" deep platform
- 8" x 2" polyolefin rear wheels
- 5" x 1 1/4" RSX rubber swivel casters
- · Positive floor locking trip step mechanism
- 24" wide x 9.5" deep non-slip perforated step material
- 33" overall width
- Painted blue enamel

6SH	shown

MODEL #	STEPS	PLATFORM HEIGHT	STEP WIDTH	BASE SIZE
3SNH*	3	30"	24"	26" x 42"
3SH*	3	30"	24"	26" x 42"
4SNH*	4	40"	24"	26" x 50.5"
4SH	4	40"	24"	33" x 55"
5SNH*	5	50"	24"	26" x 58.5"
5SH	5	50"	24"	33" x 63.25"
6SH	6	60"	24"	33" x 71.5"
7SH	7	70"	24"	33" x 79.75"
8SH	8	80"	28"	36" x 88"
9SH	9	90"	28"	36" x 96.25"
10SH	10	100"	28"	36" x 104.5"
11SH	11	110"	28"	36" x 112.75"
12SH	12	120"	28"	36" x 121"
13SH	13	130"	28"	36" x 129.25"
14SH	14	140"	28"	36" x 137.5"
15SH	15	150"	28"	36" x 145.75"
16SH	16	160"	28"	36" x 154"



B EQUIPMENT





ROTATE ROLLING STEEL LADDERS 39

MOBILE LADDER STANDS - ROTATES IN PLACE

HR RIP MOBILE LADDER STANDS

- Rotates in Place (RIP) to reduce turning radius in tight situations
- 1" x 16 ga. round tube construction
- 42" high handrail
- 15" platform depth
- · Positive floor locking trip step mechanism
- 7 1/2" deep, non-slip, raised, perforated, dimpled tread pattern
- 400 lb. capacity
- · Ships knocked down assembly required

OPTIONS:

Front or side walk-through (comes with safety chains or gate) Extended platform Please call for details



8HR shown

MODEL #	STEPS	PLATFORM HEIGHT	STEP WIDTH	BASE SIZE
6HR	6	54"	28"	46" x 36"
7HR	7	63"	28"	50" x 36"
8HR	8	72"	28"	56" x 37"
9HR	9	81"	28"	62" x 37"
10HR	10	90"	28"	67" x 37"
11HR	11	99"	28"	71" x 37"
12HR	12	108"	28"	78" x 37"
13HR	13	117"	28"	83" x 37"
14HR	14	126"	28"	87" x 37"
15HR	15	135"	28"	92" x 37"
16HR	16	144"	28"	98" x 37"



SAFETY ANGLE RIP ROLLING STEEL LADDERS 40

SHR RIP SAFETY ANGLE MOBILE LADDER STANDS

- Rotates in Place (RIP) to reduce turning radius in tight situations
- 50° safety angle ladder
- 1" x 16 ga. round tube construction
- 42" high handrail
- 19" platform depth
- · Positive floor locking trip step mechanism
- 9 1/2" deep, non-slip, raised, perforated, dimpled tread pattern
- 400 lb. capacity
- · Ships knocked down assembly required

OPTIONS:

Front or side walk-through (comes with safety chains or gate) Extended platform

MODEL #	STEPS	PLATFORM HEIGHT	STEP WIDTH	BASE SIZE
6SHR	6	60"	28"	66" x 37"
7SHR	7	70"	28"	72" x 37"
8SHR	8	80"	28"	81" x 37"
9SHR	9	90"	28"	89" x 37"
10SHR	10	100"	28"	97" x 37"
11SHR	11	110"	28"	105" x 37"
12SHR	12	120"	28"	114" x 37"
13SHR	13	130"	28"	123" x 37"
14SHR	14	140"	28"	133" x 37"
15SHR	15	150"	28"	139" x 37"
16SHR	16	160"	28"	148" x 37"

7SHR shown



% 905.883.0316

Info@jbequipment.ca

41 CROSSOVER LADDER

- Provides safe walkway over conveyors, machinery, pipes and other obstacles
- 1" x 16 ga. round tube construction
- Standard perforated, raised, dimpled step
- 60° standard slope
- 400 lb. capacity
- Ships fully assembled
- Durable blue powder coat finish

 HCD - 60 shown

MODEL #	STEPS	PLATFORM HEIGHT	CLEARANCE	STANDING SIZE
4HCO - 30	4	30" x 24"	34.5" x 13"	62" x 29" x 78"
4HCO - 45	4	45" x 24"	34.5" x 28"	77" x 29" x 78"
4HCO - 60	4	60" x 24"	34.5" x 43"	92" x 29" x 78"
5HCO - 30	5	30" x 24"	43.5" x 13"	73" x 29" x 87"
5HCO - 45	5	45" x 24"	43.5" x 28"	87" x 29" x 87"
5HCO - 60	5	60" x 24"	43.5" x 43"	102" x 29" x 87"
6HCO - 30	6	30" x 24"	52.5" x 13"	83" x 29" x 96"
6HCO - 45	6	45" x 24"	52.5" x 28"	98" x 29" x 96"
6HCO - 60	6	60" x 24"	52.5" x 43"	113" x 29" x 96"



LADDER OPTIONS 42



HEAVY-DUTY STEP STOOL

- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- 16 1/2" overall height
- Capacity: 500 lbs.



STEP STOOL


- Tough 1-piece poly construction with anti-skid bottom
- Threaded top and expanded step
- 16" diameter base provides added stability
- Glides easily on retractable rubber casters
- 13" overall height
- Capacity: 350 lbs.
- Weight: 7 lbs.

MODEL #	MFG. #	COLOUR
OA299	2523BL	Black
OA300	2523BE	Beige



INDUSTRIAL STEP STOOL

- Durable, nestable, corrosion-proof
- Molded-in handles easy to carry
- Includes rubber feet and a non-skid tape surface
- · Capacity: 500 lbs.
- Colour: Safety yellow



MODEL #	DESCRIPTION	DIMENSIONS L X W X H	
MN531	Single step	28" x 20" x 13"	
MN532	Double step	36" x 28" x 20"	

HEAVY-DUTY INDUSTRIAL STEP STOOL

- Durable, corrosion-proof, 500 lb. cap. polyethylene construction
- 2, 3 and 4 step stools with rear opening storage compartments
- Four-step stool comes standard with handrails and casters
- · Hand holds and light weight combine for easy maneurverability
- All stools include rubber feet and non-skid tape surface
- Colour: Safety yellow

MODEL #	DESCRIPTION	DIMENSIONS L X W X H	
MN599	V599 Single step 18" x 12" x 1		
MN600	Double step	22" x 21" x 20"	
MN601	Triple step	32" x 22" x 30"	
MN644	Quad step w/casters	43" x 22 1/2" x 66"	





Info@jbequipment.ca



43 SHELF LIFT

ESL ELECTRIC MOBILE LADDER STANDS

- 12 volt low maintenance Dry Cell Battery c/w on board charger system
- Industrial contract limit switches at top and bottom position for additional safety
- Requires 110 volt duplex power outlet for battery charger (not included)
- Heavy duty 300 lb. capacity cargo shelf, 30" x 30"
- Integral shelf column mounted vertically, on back of ladder stand c/w extended reinforced chassis
- 42" high handrail
- 22 1/2" platform depth
- Two 5" x 1 1/4" RSX rubber swivel casters and two 6" x 2" mold on rubber casters
- Positive floor locking trip step mechanism
- 7 1/2" deep, non-slip, raised, perforated, dimpled tread pattern

9H - ESL shown

the state of the second

MODEL #	STEPS	PLATFORM HEIGHT	STEP WIDTH	BASE SIZE	•
7H - ESL	7	63"	28"	87" x 36"	
8H - ESL	8	72"	28"	92" x 36"	
9H - ESL	9	81"	28"	97" x 36"	*Complian with makile ladder standards ANCI 14.7 and
10H - ESL	10	90"	28"	102" x 36"	*Complies with mobile ladder standards ANSI 14.7 and OSHA 1910.29
11H - ESL	11	99"	28"	107" x 36"	*Complies with applicable safety standards as outlined in
12H - ESL	12	108"	28"	114" x 36"	Ontario Occupational Health and Safety Act, Regulation 851 *Maximum rated load: 400 lbs. (one person only)

BEQUIPMENT

905.883.0316



TWO-SHELF SERVICE CARTS

- 14 ga. steel trays with 1 1/2" lips up (option: lips down)
- 1 1/2" x 1 1/2" x 1/8" angle corner posts
- Heavy duty all-welded construction
- Two swivel and two rigid casters
- 1" diameter tube push handle on swivel end
- 25 7/8" clearance between shelves
- Durable blue powder coat finish



THREE-SHELF SERVICE CARTS

- 14 ga. steel trays with 1 1/2" lips up (option: lips down)
- 1 1/2" x 1 1/2" x 1/8" angle corner posts
- Heavy duty all-welded construction
- Two swivel and two rigid casters
- 1" diameter tube push handle on swivel end
- 12 1/8" clearance between shelves
- Durable blue powder coat finish



 \square

Info@jbequipment.ca

18x30SC3-5RSX

OPTIONS: Locking swivel casters

Ľ.	
905.883.0316	

MODEL #	SHELF SIZE	OVERALL HEIGHT
16x30SC2-5RSX	16" x 30"	35"
18x24SC2-5RSX	18" x 24"	35"
18x30SC2-5RSX	18" x 30"	35"
18x36SC2-5RSX	18" x 36"	35"
20x36SC2-5RSX	20" x 36"	35"
20x43SC2-5RSX	20" x 43"	35"
24x36SC2-5RSX	24" x 36"	35"
24x42SC2-5RSX	24" x 42"	35"
24x42SC2-8PN	24" x 42"	39"
24x48SC2-5RSX	24" x 48"	35"
24x48SC2-8PN	24" x 48"	39"
30x60SC2-5RSX	30" x 60"	35"
30x60SC2-8PN	30" x 60"	39"

OPTIONS:

Front or side walk-through (comes with safety chains or gate) Extended platform Fold-down handrail

MODEL #	SHELF SIZE	OVERALL HEIGHT	5" Rubber
16x30SC3-5RSX	16" x 30"	35"	o
18x24SC3-5RSX	18" x 24"	35"	o
18x30SC3-5RSX	18" x 30"	35"	o
18x36SC3-5RSX	18" x 36"	35"	o
20x36SC3-5RSX	20" x 36"	39"	o
20x36SC3-8PN	20" x 36"	35"	
24x43SC3-5RSX	24" x 43"	35"	o
24x43SC3-8PN	24" x 43"	39"	
24x36SC3-5RSX	24" x 36"	35"	o
24x36SC3-8PN	24" x 36"	39"	
24x36SC3-10PN	24" x 36"	42"	
24x42SC3-5RSX	24" x 42"	35"	o
24x42SC3-8PN	24" x 42"	39"	
24x42SC3-10PN	24" x 42"	42"	
24x48SC3-5RSX	24" x 48"	35"	0
24x48SC3-8PN	24" x 48"	39"	
24x48SC3-10PN	24" x 48"	42"	
30x60SC3-5RSX	30" x 60"	35"	o
30x60SR3-8PN	30" x 60"	39"	
30x60SR3-10PN	30" x 60"	42"	

FOUR-SHELF SERVICE CARTS

- 14 ga. steel trays with 1 1/2" lips up (option: lips down)
- 1 1/2" x 1 1/2" x 1/8" angle corner posts
- Heavy duty all-welded construction
- $\boldsymbol{\cdot}$ Two swivel and two rigid casters
- 1" diameter tube push handle on swivel end
- 16 1/8" clearance between shelves
- Durable blue powder coat finish



MODEL #	SHELF SIZE	OVERALL HEIGHT
18x30SC4-5RSX	18" x 30"	61"
18x36SC4-5RSX	18" x 36"	61"
20x36SC4-5RSX	20" x 36"	61"
20x36SC4-8PN	20" x 36"	65"
20x43SC4-5RSX	20" x 43"	61"
20x43SC4-8PN	20" x 43"	65"
24x36SC4-5RSX	24" x 36"	61"
24x36SC4-8PN	24" x 36"	65"
24x36SC4-10PN	24" x 36"	68"
24x42SC4-5RSX	24" x 42"	61"
24x42SC4-8PN	24" x 42"	65"
24x42SC4-10PN	24" x 42"	68"
24x48SC4-5RSX	24" x 48"	61"
24x48SC4-8PN	24" x 48"	65"
24x48SC4-10PN	24" x 48"	69"
30x60SC4-5RSX	30" x 60"	61"
30x60SC4-8PN	30" x 60"	65"
30x60SC4-10PN	30" x 60"	69"

20x36SC4-5RSX

OPTIONS:

Locking swivel casters

FIVE-SHELF SERVICE CARTS

- 14 ga. steel trays with 1 1/2" lips up (option: lips down)
- 1 1/2" x 1 1/2" x 1/8" angle corner posts
- Heavy duty all-welded construction
- Two swivel and two rigid casters
- 1" diameter tube push handle on swivel end
- 11 3/4" clearance between shelves
- Durable blue powder coat finish

24x36SC5-5RSX



MODEL #	SHELF SIZE	OVERALL HEIGHT
18x30SC5-5RSX	18" x 30"	61"
18x36SC5-5RSX	18" x 36"	61"
20x36SC5-5RSX	20" x 36"	61"
20x36SC5-8PN	20" x 36"	65"
20x43SC5-5RSX	20" x 43"	61"
20x43SC5-8PN	20" x 43"	65"
24x36SC5-5RSX	24" x 36"	61"
24x36SC5-8PN	24" x 36"	65"
24x36SC5-10PN	24" x 36"	68"
24x42SC5-5RSX	24" x 42"	61"
24x42SC5-8PN	24" x 42"	65"
24x42SC5-10PN	24" x 42"	68"
24x48SC5-5RSX	24" x 48"	61"
24x48SC5-8PN	24" x 48"	65"
24x48SC5-10PN	24" x 48"	69"
30x60SC5-5RSX	30" x 60"	61"
30x60SC5-8PN	30" x 60"	65"
30x60SC5-10PN	30" x 60"	69"





46

OC-ORDER CARTS

- · Help keep loose papers organized with sloped shelf on front of cart
- · Available with two (OC2) or three (OC3) shelves
- 14 ga. steel trays with 1 1/2" lips up (option: lips down)
- · Heavy duty all-welded construction
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters (5RSX)
- Push handle on swivel end
- 24" x 12" deep paper holder
- 24" x 3/4" clearance between shelves on 2-shelf unit
- 12 1/4" clearance between shelves on 3-shelf unit



2-SHELF MODEL

MODEL #	SHELF SIZE	OVERALL HEIGHT
16x30OC2-5RSX	16" x 30"	35"
18x240C2-5RSX	18" x 24"	35"
18x30OC2-5RSX	18" x 30"	35"
18x36OC2-5RSX	18" x 36"	35"
20x36OC2-5RSX	20" x 36"	35"
24x36OC2-5RSX	24" x 36"	35"
24x42OC2-5RSX	24" x 42"	35"
24x48OC2-5RSX	24" x 48"	35"

3-SHELE MODEL

MODEL #	SHELF SIZE	OVERALL HEIGHT
16x30OC3-5RSX	16" x 30"	35"
18x24OC3-5RSX	18" x 24"	35"
18x30OC3-5RSX	18" x 30"	35"
18x36OC3-5RSX	18" x 36"	35"
20x36OC3-5RSX	20" x 36"	35"
24x36OC3-5RSX	24" x 36"	35"
24x42OC3-5RSX	24" x 42"	35"
24x48OC3-5RSX	24" x 48"	35"

24x36OC3-5RSX

UC-UTILITY CARTS

- Available with two or three shelves
- 14 ga. steel trays with 1 1/2" lips up (option: lips down)
- Heavy duty all-welded construction
- 1" x 14 ga. tube handles and posts
- Two swivel and two rigid 5" x 1 1/4" blue ribbon non-marking casters (5RSX)
- 26" between shelves on UC2
- 12 1/4" between shelves on the UC3
- Durable blue powder coat finish

Caster type & Size for 2 & 3 Shelf Models

• 2 rigid & 2 swivel 5" x 1 1/4" RSX Rubber Casters



24x36l	102 50	20V
248300	103-91	۲OΛ

MODEL #

1	MODEL #	SHELF SIZE	OVER
	3-SHELF MODEL		
	24x48UC2-5RSX	24" x 48"	
	24x36UC2-5RSX	24" x 36"	
	18x30UC2-5RSX	18" x 30"	

MODEL #	SHELF SIZE	OVERALL HEIGHT
18x30UC3-5RSX	18" x 30"	40"
24x36UC3-5RSX	24" x 36"	40"
24x48UC3-5RSX	24" x 48"	40"

SHELF SIZE

EQUIPMENT

OVERALL HEIGHT

40"

40"

40"



 \square

Info@jbequipment.ca

PLASTIC UTILITY SERVICE CARTS

- Durable structural foam construction will not dent, rust or bend
- Non-marking 4" casters
- Capacity: 500 lbs. evenly distributed

MODEL #	DIMENSIONS - W X D X H
ML618	17 1/2" x 34 1/4" x 32"
ML619	25 3/4" x 40 1/4" x 32"

ML619



PLASTIC FLAT SHELF UTILITY SERVICE CARTS

- Durable structural foam construction will not dent, rust or bend
- Non-marking 4" casters
- Flat top shelf makes loading and unloading of heavy boxes easy
- Capacity: 500 lbs. evenly distributed

MODEL #	DIMENSIONS - W X D X H
ML620	25 1/2" x 40 1/4" x 32"



FLAT SHELF UTILITY CARTS

- · Ergonomic handle design improves control and worker safety
- · Flat design makes loading and unloading of heavy boxes and parts easier
- · Easy to reach tool/accessory hooks and storage area
- Top shelf perimeter channel retains small items
- Constructed from sturdy structural foam that will not rust, dent nor chip
- Two swivel and two fixed 5" non-marking TPR casters
- Capacity is based on evenly distributed weight

MODEL #		CAPACITY	DIMENSIONS - W X D X H
BLACK	BEIGE		
ML456	ML457	500 lbs.	19" x 37 3/8" x 33 1/4"
ML458	ML459	500 lbs.	25 7/8" x 43 7/8" x 33 1/4"
ML460	ML461	750 lbs.	25 1/4" x 54" x 38"





Info@jbequipment.ca

HEAVY-DUTY UTILITY CARTS

- Ergonomic handle design improves control and worker safety
- · Easy to reach tool/accessory hooks and storage area
- 2 3/4" deep top shelf securely holds contents
- Constructed from sturdy structural foam that will not rust, dent nor chip
- Two swivel and two fixed casters
- · Capacity is based on evenly distributed weight



MODEL #		CASTER TYPE	CAPACITY	DIMENSIONS - W X D X H
BLACK	BEIGE			
ML448	ML449	5" non-marking TPR	500 lbs.	177/8" x 39" x 331/4"
ML450	ML451	5" non-marking TPR	500 lbs.	257/8" x 451/4" x 371/8"
ML452	-	8" pneumatic	500 lbs.	257/8" x 451/4" x 371/8"
ML453	-	5" non-marking TPR	750 lbs.	26" x 55" x 323/4"
ML454	-	8" pneumatic	750 lbs.	26" x 55" x 353/4"

LIGHT-DUTY UTILITY CARTS

- Durable plastic construction
- Comes with middle shelf and two handles
- Shelves are flat with retaining beaded edges
- 4" swivel non-marking casters
- Capacity is based on evenly distributed weight
- Colour: platinum





MODEL #	CAPACITY	SHELF SIZE - W X D X H	
MH223	200 lbs.	19" x 34" x 38"	
CART WITH ENCLOSED END PANELS			
MH829	300 lbs.	18" x 31" x 371/2"	



Info@jbequipment.ca

MOBILE CABINETS AND WORK CENTRES

- Raised ergonomic handle reduces wrist and back strain
- Open front top for easy access to work surface
- 3-outlet, surge protected power strip, 15' cord and wrap (UL/CSA listed)
- Two swivel with brake and two fixed 5" casters
- 4" deep drawers support 40 lbs. and feature locking system
- Metal reinforced structural foam shelves
- · Capacity is based on evenly distributed weight
- Shipped knocked-down

MODEL #	DESCRIPTION	CAPACITY	DIMENSIONS - W X D X H
MH681	4 drawers	500 lbs.	185/8" x 405/8" x 383/8"
MH685	4 drawers and cabinet	750 lbs.	261/4" x 49" x 38"
MH686	4 drawers and cabinet	750 lbs.	263/8" x 585/8" x 381/4"



MH681



TRADES CARTS

- Use as mobile workbench
- Mobile workbench with 4 compartmentalized boxes and 2 versatile storage bins holds large items and fits in tight spaces
- Mounting bracket serves as an electrical cord wrap and convenient handle bin to keep small tools/parts
- Constructed of lightweight, durable black plastic
- · 6" casters (2 with brakes)
- Also available with a fully enclosed, lockable storage compartment
- Dimensions: 19 1/4"W x 38"D x 33 3/8"L
- Capacity: 180 lbs. (top shelf)
- Capacity: 150 lbs. (bottom shelf) evenly distributed

MODEL #	WEIGHT
MK744	50 lbs.
MK745	68 lbs.







Info@jbequipment.ca

SERVICE CARTS

- · Versatile, durable carts perform a wide variety of tasks
- · Molded shelves won't rust, dent or require painting
- Plastic construction is easy to clean and minimizes noise
- · Convenient handles and compact size enhance maneuverability
- · Assists in complying with HACCP guidelines
- · Non-marking swivel casters reduce touch-up cleaning



FG345700



FG409400



FG342100

FG335588

FG409600

MODEL #	COLOUR	DESCRIPTION	DIMENSIONS - L X W X H	CAPACITY
FG342100	plat, bla	Utility cart with 3" diameter Swivel casters and end panels	33.63" x 18.63" x 36.63"	150 lbs.
FG345700	BLA	Utility cart with lockable doors, sliding drawer and 4" diameter swivel casters	33.63" x 18.63" x 37.75"	200 lbs.
FG335588	PLAT	Utility cart with enclosed end panels	31" x 18" x 37.5"	300 lbs.
FG409400	GRAY	Instrument cart with lockable doors and sliding drawers	40.63" x 20" x 37.8"	300 lbs.
FG409600	BLA	4 shelf cart, open sided	40.63" x 20" x 51"	300 lbs.

 \bowtie

Info@jbequipment.ca



51 WIRE CARTS

UTILITY CARTS

- Durable dependable transport solution that is easy to maneuver
- Highly rigid construction that is easily adjustable at 1" increments
- Two handles, indicated number of shelves and casters
- Capacity: 600 lbs. evenly distributed
- Shipped knocked down



WIRE SHELF CARTS

- Open-wire shelf design minimizes dust and increases air circulation and visibility
- High quality chromate shelves and posts prevent corrosion
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- Capacity: 600 lbs. evenly distributed
- Shipped knocked down

905.883.0316

MJ533



 \square

Info@jbequipment.ca

2 SHELVES

CAPACITY	DIMENSIONS - W X D X H
36.5 lbs.	30" x 18" x 39"
40.25 lbs.	36" x 18" x 39"
44.75 lbs.	48" x 18" x 39"
54 lbs.	60" x 18" x 39"
47.75 lbs.	36" x 24" x 39"
53.75 lbs.	48" x 24" x 39"
63.5 lbs.	60" x 24" x 39"
	36.5 lbs. 40.25 lbs. 44.75 lbs. 54 lbs. 47.75 lbs. 53.75 lbs.

3 SHELVES

O ONLEVEO		
MODEL #	CAPACITY	DIMENSIONS - W X D X H
MJ539	45 lbs.	30" x 18" x 39"
MJ540	50 lbs.	36" x 18" x 39"
MJ541	57 lbs.	48" x 18" x 39"
MJ542	72 lbs.	60" x 18" x 39"
MJ543	61 lbs.	36" x 24" x 39"
MJ544	70 lbs.	48" x 24" x 39"
MJ545	85 lbs.	60" x 24" x 39"

4 SHELVES

4 JILLVLJ		
MODEL #	CAPACITY	DIMENSIONS - W X D X H
RL600	56 lbs.	36" x 18" x 63"
RL601	65 lbs.	48" x 18" x 63"
RL602	83 lbs.	60" x 18" x 63"
RL603	69 lbs.	36" x 24" x 63"
RL604	81 lbs.	48" x 24" x 63"
RL605	95 lbs.	60" x 24" x 63"
MJ527	64 lbs.	36" x 18" x 74"
MJ528	74 lbs.	48" x 18" x 74"
MJ529	94 lbs.	60" x 18" x 74"
MJ530	78 lbs.	36" x 24" x 74"
MJ531	90 lbs.	48" x 24" x 74"
MJ532	110 lbs.	60" x 24" x 74"

5 SHELVES

• • • • • • • • • • • • • • • • • • • •		
MODEL #	CAPACITY	DIMENSIONS - W X D X H
MJ533	68 lbs.	36" x 18" x 86"
MJ534	78 lbs.	48" x 18" x 86"
MJ535	98 lbs.	60" x 18" x 86"
MJ536	82 lbs.	36" x 24" x 86"
MJ537	94 lbs.	48" x 24" x 86"
MJ538	114 lbs.	60" x 24" x 86"



WIRE CARTS 52

STAINLESS STEEL STANDARD-DUTY UTILITY CARTS

- Durable dependable and easy to maneuver carts with extended handles
- Highly rigid construction that is easily adjustable at 1" increments
- Capacity: 375 lbs.
- Shipped knocked down



WITH WIRE SHELVES

MODEL #	# OF SHELVES	DIMENSIONS - W X L X H			
RG444	2	18" x 24" x 39"			
RG445	2	18" x 30" x 39"			
RG446	2	18" x 36" x 39"			
RG447	2	24" x 36" x 39"			
RG448	3	18" x 24" x 39"			
RG449	3	18" x 30" x 39"			
RG450	3	18" x 36" x 39"			
RG451	3	24" x 36" x 39"			

WITH SOLID SHELVES

MODEL #	# OF SHELVES	DIMENSIONS - W X L X H		
RG452	2	18" x 24" x 39"		
RG453	2	18" x 30" x 39"		
RG454	2	18" x 36" x 39"		
RG455	2	24" x 36" x 39"		
RG456	3	18" x 24" x 39"		
RG457	3	18" x 30" x 39"		
RG458	3	18" x 36" x 39"		
RG459	3	24" x 36" x 39"		

HEAVY-DUTY UTILITY CARTS

- Carts consist of two or three wire shelves with plastic split sleeves, two one-piece handles and donut bumpers
- Available with 5" resilient rubber casters or 5"
- poly casters
- Capacity: 900 lbs.



 \bowtie

Info@jbequipment.ca

WITH POLY CASTERS

MODEL #	# OF SHELVES	DIMENSIONS - W X L
MB515	2	18" x 36"
MB533	3	18" x 36"
MB525	2	24" x 36"
MB543	3	24" x 36"
MB529	2	24" x 48"
MB547	3	24" x 48"
MB531	2	24" x 60"
MB549	3	24" x 60"





53 STOCK PICKERS

PICK AND TRANSPORT MATERIAL WITHOUT The NEED FOR A SEPARATE LADDER !

TWO SHELF STOCK PICKER

- 14 ga. steel construction with 1" diameter tube
- Spring-loaded ladder locks to floor when weight is applied
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters (5RSX)
- Heavy duty all-welded construction
- Durable blue powder coat finish

SHELF SIZES:

 Top
 24"W x 36"L

 Bottom
 24"W x 43"L

Atx36-362-5RSX

THREE SHELF STOCK PICKER

- 14 ga. steel construction with 1" diameter tube
- Spring-loaded ladder locks to floor when weight is applied
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters (5RSX)
- Heavy duty all-welded construction
- Durable blue powder coat finish

SHELF SIZES:

Тор	24"W x 36"L
Middle	24"W x 391/2"L
Bottom	24"W x 43"L

MODEL #	# OF SHELVES	SHELF CLEARANCE	# OF STAIRS
24x36-362-5RSX	2	25" - 7/8"	3
24x36-363-5RSX	3	12" - 1/8"	3





STOCK PICKERS

THREE SHELF HIGH DUTY STOCK PICKER

- 14 ga. steel construction with 1" diameter tube
- 5 step spring loaded ladder locks to floor when weight is applied
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters (5RSX)
- Heavy duty all-welded construction
- 20"W x 12"D 14 ga. removable top shelf
- Durable blue powder coat finish

SHELF SIZES:

Тор	20"W x 43"L
Middle	20"W x 461/2"L
Bottom	20"W x 50"L

THREE SHELF HIGH PLATFORM STOCK PICKER

- Slanted shelf design
- 14 ga. steel construction with 1" diameter tube
- Spring-loaded ladder locks to floor when weight is applied
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters (5RSX)
- Heavy duty all-welded construction
- Durable blue powder coat finish

SHELF SIZES:

Тор	20"W x 29"L
Middle	20"W x 36"L
Bottom	20"W x 43"L

MODEL #	# OF SHELVES	SHELF CLEARANCE	# OF STAIRS
24x43-363H-5RSX	3	12" - 1/8"	5
24x43-364-5RSX	3	27" - 7/8"	5







()



REGULAR STARCARTS

- · Used for moving bulk materials
- Rotomoulded 3/16" polyethylene body is supported by a treated polywood base
- · Easy to maneuver with 4-3" thread guard casters, two rigid and two swivel, mounted in a diamond caster pattern
- Lids are available on models 125A and 145A



MODEL #	BU.	CU.	INSIDE - L X W X H	OUTSIDE - L X W X H	MAX LOAD
125A	10	12'	35" x 23" x 25"	39" x 27" x 29"	400 lbs.
135A	12	15'	37" x 25" x 26"	41" x 29" x 31"	400 lbs.
145A	14	16'	38" x 26" x 28"	43" x 31" x 33"	400 lbs.

HEAVY-DUTY OVERSIZED STARCARTS

- Treated plywood undercarriage, tapered for shipping and storage
- Standard colour is gray
- Models 160B and 180B come standard with 5" casters
- Model 195B comes standard with 6" casters



MODEL #	BU.	CU.	INSIDE - L X W X H	OUTSIDE - L X W X H	MAX LOAD
160B	18	22'	54" x 30" x 25"	59" x 35" x 32"	800 lbs.
180B	19	24'	48" x 30" x 30"	53" x 35" x 38"	800 lbs.
195B	38	46'	72" x 36" x 33"	78" x 42" x 42"	1600 lbs.

ECONOCARTS

Our most economical STARCARTS!

- · Designed for lighter loads Comes in two sizes: 8 bu. and 10 bu.
- · Both are rotomoulded from black recycled plastic and feature thread guard all-swivel casters
- 111ECS has 2 1/2" casters
- 125EC has 3" casters



MODEL #	BU.	CU.	OUTSIDE - L X W X H	MAX LOAD	
111ECS	8	9'	36.5" x 24.5" x 26"	175 lbs.	
MODEL #	BU.	CU.	INSIDE - L X W X H	OUTSIDE - L X W X H	MAX LOAD





 \square



BULK HANDLING STARCARTS

- Molded plastic base
- 6" neoprene casters
- Easily accessible sidewall
- Heavy ribbing for maximum durability
- Capacity: 1000 lbs.

MODEL #	BU.	CU.	DIMENSIONS - L X W X H
1700 B	30	37'	48" x 28" x 55"
1800 B	37	45'	48" x 28" x 66"

JUMBO STARCARTS

- Capable of holding 60 cubic feet
- Capacity: 1500 lbs.
- 6" thread guard casters, two rigid and two swivel, mounted on a recessed plywood base
- 6" thread guard casters in diamond or corner pattern
- · Easily accessable cut-out option customized



1700 B



1750 B

840 B

MODEL #	BU.	CU.	INSIDE - L X W X H	OUTSIDE - L X W X H	MAX LOAD
840 B	30	38'	60" x 40" x 28"	62" x 44" x 38"	1200 lbs.
850 B	48	60'	62" x 42" x 42"	65" x 45" x 54"	1500 lbs.

CONVERTIBLE LINEN TRUCKS

- Removable re-enforced plastic shelves drop down to create a secure door
- 6" Heavy Duty non-marking neoprene casters provide 1500 lb. load capacity
- · Heavy Duty ribbing ensures maximum durability
- Smooth plastic design eliminates chances of linen snags
- There is no exposed metal to rust

905.883.0316

- Seamless plastic provides a sanitary easy to clean surface
- · Equipped with molded in handles for easy, controlled movement

MODEL #	BU.	CU.	DIMENSIONS - L X W X H	OPTIONS:
1750B	37	46'	48" x 28" x 73.5"	• Closed or open top • Cart colour • Shelf colour
C.			Σ	

Info@jbequipment.ca



HEAVY DUTY DOUBLE WALL STARCARTS

- Durable and impact resistant
- Combined single wall body with a double wall box-style lip
- Steel undercarriage and ergonomic molded in handles



MODEL #	BU.	CU. FT.	CU. YDS.	OUTSIDE - L X W X H	MAX LOAD	WHEELS	CASTERS
730 B	14	16	0.6	48" x 31" x 34.5"	1000 lbs.	10"	5"
750 B	19	24	0.9	60" x 31.5" x 35.5"	1000 lbs.	12"	5"
770 B	32	39	1.5	72" x 35.5" x 40"	1500 lbs.	12"	6"

REGULAR DUTY TECHTRUCKS

- Rotationally moulded from FDA approved polyethylene
- With 4 models to choose from it can handle up to 2 cubic yards weighing up to 800 lbs.
- · Enables operator to handle large loads easily



420 LT

441 LT

460 LT

480 LT

MODEL #	VOLUME CUBIC YDS.	OUTSIDE - L X W X H	MAX LOAD	WHEEL DIAMETER
420 LT	5/8	58" x 28" x 37"	400 lbs.	10" + 4"
441 LT	1.1	63" x 35" x 40"	500 lbs.	10" + 3"
460 LT	1.5	80" x 43" x 53"	600 lbs.	12" + 4" (2)
480 LT	2	74" x 47" x 57"	800 lbs.	12" + 5" (2)



ECONO TECHTRUCKS

- Economical way to move large lighter loads!
- Molded from 100% black recycled polyethylene
- Rolls on 10" polyolefin rear wheels and hard rubber casters
- Nestable to minimize shipping and storage costs
- Move up to 5/8 cubic yards of bulky materials weighing up to 300 lbs.



MODEL #	VOLUME CUBIC YDS.	OUTSIDE - L X W X H	MAX LOAD	WHEEL DIAMETER
420 EC	5/8	58" x 28" x 37"	300 lbs.	10" + 4"

EASY ACCESS STARCARTS

- The ergonomically designed Easy Access Starcart will reduce stress and strain on the lower back
- The sidewall cut-out gives easy access to contents inside
- · 5" threadguard casters in diamond or corner pattern



MODEL #	BU.	CU.	INSIDE - L X W X H	OUTSIDE - L X W X H	MAX LOAD
165 B	18	21'	41" x 27" x 32"	46" x 31" x 39"	900 lbs.
175 B	21	24'	41" x 27" x 42"	46" x 31" x 49"	900 lbs.
185 B	21	24'	58" x 27" x 32"	63" x 31" x 39"	900 lbs.





Info@jbequipment.ca

PLATFORM TRUCKS 59

SDL - LIGHT DUTY PLATFORM TRUCKS

- Economical steel deck platform truck
- 14 ga. reinforced deck
- 1" diameter push handle welded on swivel end
- Two swivel and two rigid 5" casters
- 800 lbs. capacity
- Heavy duty welded construction
- Durable blue powder coat finish

MODEL #	DECK SIZE	HEIGHT
18x36-SDL-4RSX	18" x 36" x 6 1/2"	33"
20x36-SDL-4RSX	20" x 36" x 6 1/2"	33"
20x43-SDL-4RSX	20" x 43" x 6 1/2"	33"
24x36-SDL-4RSX	24" x 36" x 6 1/2"	33"
24x48-SDL-4RSX	24" x 48" x 6 1/2"	33"
24x60-SDL-4RSX	24" x 60" x 6 1/2"	33"

18x36-SDL-4RSX

SD - MEDIUM DUTY PLATFORM TRUCKS

- Medium duty steel deck platform truck
- 14 ga. reinforced deck
- · Removable handle which fits on either end
- Two swivel and two rigid 5" casters
- · 1200 lbs. capacity
- · Heavy duty welded construction
- Durable blue powder coat finish



MODEL #	DECK SIZE	HEIGHT	5" RUBBER	5" POLY Urethane
24x36-SD-5RSX	24" x 36" x 8 3/4"	35"	0	
24x36-SD-5PUL	24" x 36" x 8 3/4"	35"		0
24x48-SD-5RSX	24" x 48" x 8 3/4"	35"	o	
24x48-SD-5PUL	24" x 48" x 8 3/4"	35"		o
24x60-SD-5RSX	24" x 60" x 8 3/4"	35"	o	
24x60-SD-5PUL	24" x 60" x 8 3/4"	35"		o
30x48-SD-5RSX	30" x 48" x 9 1/4"	36"	0	
30x48-SD-5PUL	30" x 48" x 9 1/4"	36"		0
30x60-SD-5RSX	30" x 60" x 9 1/4"	36"	o	
30x60-SD-5PUL	30" x 60" x 9 1/4"	36"		o
36x60-SD-5RSX	30" x 60" x 9 1/4"	36"	o	
36x60-SD-5PUL	30" x 60" x 9 1/4"	36"		0
36-72-SD-5RSX	36" x 72" x 9 1/4"	36"	0	
36-72-SD-5PUL	36" x 72" x 9 1/4"	36"		0

24x48-SD-5PUL

 \square

Info@jbequipment.ca



PLATFORM TRUCKS

60

HEAVY DUTY STEEL PLATFORM TRUCKS

- Heavy duty steel deck platform truck
- 14 ga. reinforced deck
- · Removable handle which fits on either end
- Two swivel and two rigid casters
- Up to 2000 lbs. load capacity
- · Heavy duty welded construction
- Durable blue powder coat finish



HEAVY DUTY	RUBBERMAID PL	ATFORM TRUCKS

- · Improved maneuverability with variable grip height handle
- Virtually maintenance free
- · Built-in safety features
- Perimeter deck channel retains small items
- Textured deck surface reduces load slippage
- · Rugged construction provides maximum load support
- · Four molded-in tie-down slots for securing loads with tie-down straps or bungees

MODEL #	DECK SIZE WXLXH	HEIGHT	6" MOLDED Rubber	8" MOLDED Rubber
24x36-SDH-6MR	24" x 36" x 10"	37"	0	
24x36-SDH-8MR	24" x 36" x12"	39"		0
24x48-SDH-6MR	24" x 48" x 10"	37"	o	
24x48-SDH-8MR	24" x 48" x 12"	39"		o
24x60-SDH-6MR	24" x 60" x 10"	37"	o	
24x60-SDH-8MR	24" x 60" x 12"	39"		o
30x48-SDH-6MR	30" x 48" x 10 1/2"	37"	o	
30x48-SDH-8MR	30" x 48" x 12 1/2"	39"		o
30x60-SDH-6MR	30" x 60" x 10 1/2"	37"	o	
30x60-SDH-8MR	30" x 60" x 12 1/2"	39"		o
36x60-SDH-6MR	30" x 60" x 10 1/2"	37"	o	
36x60-SDH-8MR	30" x 60" x 12 1/2"	39"		0
36-72-SDH-6MR	36" x 72" x 10 1/2"	37"	o	
36-72-SDH-8MR	36" x 72" x 12 1/2"	39"		0

MODEL #	DIMENSIONS LXW	CAPACITY	CASTER TYPE
FG440300	36" x 24"	2000 lbs.	6" TPR
FG440600	36" x 24"	2000 lbs.	6" polyolefin
FG443600	48" x 24"	2000 lbs.	8" TPR
FG443610	48" x 24"	2000 lbs.	8" pneumatic
FG444100	48" x 24"	2000 lbs.	8" polyolefin
FG446600	60" x 30	2000 lbs.	8" TPR
FG446610	60" x 30"	2000 lbs.	8" pneumatic
FG447100	60" x 30"	2000 lbs.	8" polyolefin
FG9T1100	70" x 40"	2000 lbs.	6" TPR
FG9T1200	70" x 40"	2000 lbs.	8" pneumatic
FG9T2100	70" x 40"	2000 lbs.	8" polyolefin

FG440300



905.883.0316

 \square Info@jbequipment.ca



SPECIALTY PLATFORM TRUCKS



ALUMINUM PLATFORM TRUCKS

61

- · 40% lighter on average, than steel or wood-and-steel platform trucks
- Corrosion resistant for extra long life
- · Corner sockets at both ends allow handles to be used on either end of the truck
- Rubber corner bumpers prevent damage to walls and furniture

8" PNEUMATIC CASTERS

PLATFORM SIZE	CAPACITY	SMOOTH DECK MODEL #	WEIGHT	TREAD PLATE DECK MODEL #	WEIGHT
24" x 36"	1400 lbs.	ML901	51 lbs.	ML904	52 lbs.
24" x 48"	1400 lbs.	ML902	55 lbs.	ML905	57 lbs.
30" x 60"	1400 lbs.	ML903	66 lbs.	ML906	68 lbs.

8" MOLD-ON RUBBER CASTERS

PLATFORM SIZE	CAPACITY	SMOOTH DECK MODEL #	WEIGHT	TREAD PLATE DECK MODEL #	WEIGHT
24" x 36"	2000 lbs.	ML925	64 lbs.	ML928	65 lbs.
24" x 48"	2000 lbs.	ML926	68 lbs.	ML929	70 lbs.
30" x 60"	2000 lbs.	ML927	79 lbs.	ML930	71 lbs.

TRIPLE TROLLEY

- Sturdy structural form deck with non skid platform
- Three position handle; push, pull or fold flat
- 250 lb. capacity Model# FG440000
- 500 lb. capacity Model# FG440100







SPECIALTY PLATFORM TRUCKS

INSTITUTIONAL PLATFORM TRUCKS

- Ideal truck for institutional application hospitals, restaurants, shopping centers, offices, industry anywhere a quite ride and a professional appearance in required
- 14 ga. steel deck with 2" lip underneath
- Non-skid rubber surface means product will not shift during use
- Rubber corner bumpers protect walls and furniture
- \cdot 1 ${\scriptstyle 1/4"}$ tubular chrome handle with end panel contains small packages
- 5" non-marking rubber casters for a smooth ride (two swivel, two rigid)
- Capacity: 1200 lbs.
- Shipping knocked down

MODEL #	DIMENSIONS	WEIGHT
MB190	36" x 24"	64 lbs.
MB208	48" x 24"	70 lbs.
MB207	48" x 30"	88 lbs.
MB209	60" x 30"	100 lbs.

FOLDING PLATFORM TRUCKS

- Interlocking aluminum frame has a dual length platform: 16" x 20" or 16" x 28"
- · Ideal when a solid, portable platform truck is required
- Folds down to a compact: 91/2" x 16" x 20"
- Comes standard with vinyl corner bumpers
- 5" rubber casters
- Capacity: 300 lbs. evenly distributed

FOLDING HANDLE PLATFORM TRUCKS

- Heavy-gauge steel construction; non-skid vinyl-coated deck
- 33 1/2" handle height
- Vinyl, wrap around bumper protects walls and furniture
- 5" rubber casters
- Capacity: 400-660 lbs. evenly distributed



MB190



Info@jbequipment.ca

63 PANEL CARTS

DRYWALL CART

- Heavy duty construction
- 1 5/16" heavy tube construction
- 14 ga. reinforced steel deck
- Two swivel and two rigid casters
- Durable blue powder coat finish

DESCRIPTION

5" x 1 1/4" rubber

8" x 2" phenolic

22x44-DW-5RSX	
7"	
7"	

A-FRAME CART

MODEL #

22x44-DW-5RSX

22x44-DW-8PH

· For handling plywood or any awkward panels or sheets

CAPACITY

1000 lbs.

2500 lbs.

SHIPPING SIZE

24" x 44" x 47"

24" x 44" x 47"

- 1 1/2" angle construction
- 48" high from deck
- Capacity: 800 lbs.
- Two swivel and two rigid 5" x 1 1/4" blue rubber casters
- Durable blue powder coat finish

HEAVY DUTY A-FRAME CART

- 1 1/2" angle construction
- 52" high from deck
- Capacity: 2000 lbs.
- Two swivel and two rigid 8" molded rubber casters
- Durable blue powder coat finish

MODEL #	CAPACITY	SHIPPING SIZE W X L X H
24x36-AF-5RSX	1000 lbs.	24" x 36" x 55"
30x42-AF-5RSX	1000 lbs.	30" x42" x 55"
36x72-AF-5RSX	1000 lbs.	36" x 72" x 55"
24x36-AFH-8MR	2000 lbs.	24" x 36" x 62"
30x42-AFH-8MR	2000 lbs.	30" x 42" x 62"
36x72-AFH-8MR	2000 lbs.	36" x 72" x 62"



905.883.0316



PANEL CARTS 64

STANDARD DUTY LUMBER CART

- Designed to hold plywood, drywall, tools etc.
- 1 1/2" angle construction
- 14 ga. reinforced steel deck
- Capacity: 800 lbs.
- Two swivel and two rigid 5" x 1 1/4" blue rubber casters
- Durable blue powder coat finish

MODEL #	SHIPPING SIZE W X L X H	CASTERS
24x36-ELT-5RSX	24" x 36" x 48"	5" casters
24x36-ELT-6MR	24" x 36" x 48"	6" casters

PANEL TRUCK

- · Ideal for moving large sheet material and long parts
- 1 5/16" round tube construction
- 8 1/4" spaced upright dividers at 30" and 42" off the deck
- 14 ga. reinforced deck
- Standard 6" rubber casters or 5" natural rubber precision bearing casters
- · Heavy duty all-welded construction
- Capacity: 2500 lbs.
- Durable blue powder coat finish







PANEL TRUCK			
MODEL #	DESK SIZE	OVERALL Height	NUMBER OF Casters
3048PT-4-5NRPB	30" x 48"	53"	4
3048PT-4-6RSX	30" x 48"	53"	4
3048PT-6-5NRPB	30" x 48"	53"	6
3048PT-6-6RSX	30" x 48"	53"	6
3060PT-4-5NRPB	30" x 60"	53"	4
3060PT-4-6RSX	30" x 60"	53"	4
3060PT-6-6RSX	30" x 60"	53"	6
3060PT-6-6RSX	30" x 60"	53"	6

SINGLE LEVEL PANEL TRUCK

MODEL #	DESK SIZE	OVERALL Height	NUMBER OF Casters
3048PT-SL-4-5NRPB	30" x 48"	41"	4
3048PT-SL-4-6RSX	30" x 48"	41"	4
3048PT-SL-6-5NRPB	30" x 48"	41"	6
3048PT-SL-6-6RSX	30" x 48"	41"	6
3060PT-SL-4-5NRPB	30" x 60"	41"	4
3060PT-SL-4-6RSX	30" x 60"	41"	4
3060PT-SL-6-6RSX	30" x 60"	41"	6
3060PT-SL-6-6RSX	30" x 60"	41"	6

JB €QUIPMENT



BOX CARTS 65

STEEL OR MESH BOX CART

- 1" x 16 ga. round tube construction
- 14 ga. reinforced deck
- 24" high sides of 14 ga. steel or 2" x 2" mesh (above deck)
- · Push handle on swivel end
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters

THREE-SIDED STEEL OR MESH BOX CART

• 48" high sides of 14 ga. steel or 2" x 2"

- · Heavy duty welded construction
- Capacity: 1000 lbs.

• 14 ga. reinforced deck

mesh (above deck)

Durable blue powder coat finish



STEEI

JILLL	
MODEL #	BOX SIZE
24x36-SBC-5RSX	24" x 36"
24x48-SBC-5RSX	24" x 48"
30x60-SBC-5RSX	30" x 60"
36x60-SBC-5RSX	36" x 60"
36x72-SBC-5RSX	36" x 72"
MEON	

MESH

X	MODEL #	BOX SIZE
~	24x36-MBC-5RSX	24" x 36"
	24x48-MBC-5RSX	24" x 48"
	30x60-MBC-5RSX	30" x 60"
	36x60-MBC-5RSX	36" x 60"
	36x72-MBC-5RSX	36" x 72"

STEEL

MODEL #	BOX SIZE
24x36-TSS-5RSX	24" x 36"
24x48-TSS-5RSX	24" x 48"
30x60-TSS-5RSX	30" x 60"
36x60-TSS-5RSX	36" x 60"
36x72-TSS-5RSX	36" x 72"
MESH	
WLJII	
MODEL #	BOX SIZE
	BOX SIZE 24" x 36"
MODEL #	
MODEL # 24x36-TSM-5RSX	24" x 36"
MODEL # 24x36-TSM-5RSX 24x48-TSM-5RSX	24" x 36" 24" x 48"

24x48-TSS-5RSX



24x48-SBC-5RSX



BOX CARTS 66

ROLLING LOCK-UP SECURITY CART

- Mesh walls for visibility and identification
- · Heavy duty all welded construction
- Double swinging doors, with padlock pin latches
- 8" x 3" 12 ga. fork pockets
- Two swivel and two rigid casters, 5" mold on rubber or 6" blue rubber non-marking casters
- Durable blue powder coat finish



RLSC-2-5MOR

RLSC-4-5MOR

SHELF CLEARANCE MODEL # # OF SHELVES SHELF SIZE HEIGHT RLSC-2-5MOR 2 24" x 48" 32 1/2" 771/2" RLSC-3-5MOR 3 24" x 48" 21 1/4" 771/2" **RLSC-4-5MOR** 4 24" x 48" 15 1/2" 771/2" RLSC-2-6RSX 2 24" x 48" 32 1/2" 771/2" RLSC-3-6RSX 3 24" x 48" 21 1/4" 771/2" RLSC-4-6RSX 4 24" x 48" 15 1/2" 771/2"



905.883.0316

Info@jbequipment.ca

67 STOCK CARTS

SM1853 - QUICK TURN STOCK CART

- 1" x 16 ga. round tubing design
- Four 5" x 1 1/4" blue rubber swivel non-marking casters
- 8" x 2" solid rubber center load wheels
- Heavy duty all-welded construction
- 10 1/2" deck height
- Durable blue powder coat finish

H5B - HIGH DECK STOCK CART

- 1" x 16 ga. round tubing design
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters
- · Heavy duty all-welded construction
- 26" deck height
- Durable blue powder coat finish

\frown			
	MODEL #	WHEEL SIZE/TYPE	CAPACITY
	SM1853-5RSX	5x1.25 blue rubber & 8x2 solid rubber	1000 lbs.
SM1	853-5RSX		



MODEL #

LT5B-5RSX

MODEL # L5B-5RSX

L5B-5RSX

LT5B-5RSX

WHEEL SIZE/TYPE

5x1.25 blue rubber

WHEEL SIZE/TYPE

5x1.25 blue rubber

L5B - LOW DECK STOCK CART

- 1" x 16 ga. round tubing design
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters
- · Heavy duty all-welded construction
- 12" deck height
- Durable blue powder coat finish

LT5B - SOLID DECK STOCK CART

- 1" x 16 ga. round tubing design
- 14 ga. solid top measuring 18" x 36"
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters
- Heavy duty all-welded construction
- 28" deck height
- Durable blue powder coat finish

B EQUIPMENT





CAPACITY

800 lbs.

CAPACITY

800 lbs.

SHELF CARTS AND DOLLIES 68

FAS - FOLD-AWAY SHELF CARTS

- 8" wide x 13" deep fold away shelf
- 18" wide x 47" deep steel deck
- · Complete with small tray for pens and miscellaneous items
- Heavy duty all-welded construction
- Non-marking rubber corner bumpers
- Two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters
- 36" overall height
- Durable blue powder coat finish

3024 STEEL DRUM DOLLIES

- Designed to move and store 45 gallon drums
- All-welded industrial construction
- 3" flatbar construction on 3024-R and 3024-F only
- 24" inner diameter
- Four 3" polyolefin swivel casters
- Durable blue powder coat finish

STEEL DECK DOLLIES

- 14 ga. reinforced steel deck
- · Four 4" phenolic swivel casters
- · Option: SDDH handle sold separately
- Durable blue powder coat finish



MODEL #	CASTER SIZE/TYPE	CAPACITY	SHIPPING SIZE
18x18-AFD-4PH	4" x 1.25" phenolic	1200 lbs.	18" x 18" x 6"
18x24-AFD-4PH	4" x 1.25" phenolic	1200 lbs.	18" x 24" x 6"
24x24-AFD-4PH	4" x 1.25" phenolic	1200 lbs.	24" x 24" x 6"

	6	3
3024	3024-R	3024-F
ANGLE FR	AME DOLLIES	
• 1 1/2" ang	le frame construction	

- · Four 4" phenolic swivel casters
- Durable blue powder coat finish



MODEL #	CASTER SIZE/TYPE	CAPACITY	SHIPPING SIZE
18x18-AFD-4PH	4" x 1.25" phenolic	1200 lbs.	18" x 18" x 6"
18x24-AFD-4PH	4" x 1.25" phenolic	1200 lbs.	18" x 24" x 6"
24x24-AFD-4PH	4" x 1.25" phenolic	1200 lbs.	24" x 24" x 6"


EQUIPMENT







MODEL # CASTER SIZE/TYPE CAPACITY **SHIPPING SIZE** 18" x 54" x 36" 18x47FAS-5RSX 5" x 1.25 rubber caster 1000 lbs. 18x47FAS-5RSX (shelf folded away) 18x47FAS-5RSX



69 CYLINDER STORAGE

LIQUID PROPANE GAS CYLINDER CAGE

- Heavy duty construction
- 1 1/2" angle frame construction
- \cdot 2" x 2" welded wire mesh sides and door for venting
- Sheet metal top and base
- $\boldsymbol{\cdot}$ Top is sloped to drain away rain and water
- Double-hinged door c/w padlock hasp
- $\boldsymbol{\cdot}$ Legs pre-drilled for floor anchoring
- \cdot G-12 comes complete with middle shelf
- Durable yellow powder coat finish
- Ships fully assembled

GS-10

- Ten gas cylinder capacity (9" diameter)
- 1 1/2" angle frame construction
- 2" x 2" welded wire mesh sides and door
- Solid 14 ga. top and solid 14 ga. reinforced floor
- Single-hinged door c/w padlock hasp
- Legs pre-drilled for floor anchoring
- Durable yellow powder coat finish
- Ships fully assembled



GS-20

MODEL # GS-6

GS-12

- Twenty gas cylinder capacity (9" diameter)
- 1 1/2" angle frame construction
- \cdot 2" x 2" welded wire mesh sides and door
- Solid 14 ga. top and solid 14 ga. reinforced floor

CYLINDER CAPACITY

6

12

SHIPPING SIZE

30" x 39" x 37

30" x 39" x 72

GS-6


- Double-hinged door c/w padlock hasp
- Legs pre-drilled for floor anchoring
- Durable yellow powder coat finish
- Ships fully assembled



www.jbequipment.ca

Info@jbequipment.ca

CYLINDER CARTS 70



905.883.0316

Info@jbequipment.ca

71 CYLINDER CARTS

GCLC-K SWIFT-LIFT GAS CYLINDER LIFT CART

- Safely and efficiently transport your gas cylinders
- For use with "K" size bottles (9" 10" diameter)
- · Heavy duty all-welded construction
- Ergonomically balanced for easy transport
- Low maintenance mechanical winch device
- Mount and dismount on welding machines
- Provides 18" lift
- For indoor or outdoor use
- · Eliminate back, shoulder and knee strain injuries
- Durable blue powder coat finish

MODEL #	WHEEL SIZE/TYPE
GCLC-K	15" x 3" solid rubber wheels





702 HEAVY DUTY SINGLE CYLINDER CART

- Loop handle
- Fold-out rear leg with single 21/2" swivel caster
- 1" x 14 ga. tube construction
- Durable blue powder coat finish

MODEL #	TOE PLATE SIZE	WHEEL SIZE/TYPE	CAPACITY
702-10PN	14" x 7"	10" x 3" pneumatic	600 lbs.

703 HEAVY DUTY SINGLE CYLINDER CART

- Loop handle
- Fold-out rear leg with single 21/2" swivel caster
- 1" x 14 ga. tube construction
- Durable blue powder coat finish

MODEL #	TOE PLATE SIZE	WHEEL SIZE/TYPE	CAPACITY
703-10PN	14" x 7"	10" x 3" pneumatic	600 lbs.

 \square

Info@jbequipment.ca

905.883.0316





DRUM TRUCKS AND ROCKERS

3003 OPEN DRUM TRUCK

- For 45 gallon drums
- · Easy loading low profile frame
- T-bar pull handle
- Two 8" solid rubber wheels and one 5" swivel rubber caster
- Durable blue powder coat finish

MODEL #	CASTER/WHEEL SIZE/TYPE	CAPACITY
3003	8" x 2" solid rubber + 5" x 1.25" rubber caster	1000 lbs.



- · Economical and safe method of upending, moving or dispensing steel drums
- Four 3" polyolefin wheels
- Durable blue powder coat finish



- · Economical and safe method of upending, moving or dispensing steel drums
- Two 3" polyolefin wheels and two swivel 2.5" rubber casters
- Durable blue powder coat finish

MODEL #	CASTER/WHEEL SIZE/TYPE	CAPACITY
3014	3" polyolefin	1000 lbs.
3014-SW	2.5" swivel rubber & 3" polyolefin	1000 lbs.










 \bowtie

73 DRUM TRUCKS

905.883.0316



Info@jbequipment.ca

APPLIANCE TRUCKS 74

	0 0			
1284 - EC		MODEL #	WHEEL SIZE/TYPE	CAPACITY
Roller stair-climbers		1284-EC-8SR	8" x 2" solid rubber	800 lbs.
Eccentric bar locking system c/w	┣┩╭┣┫	1284-EC-8C	8" x 2" cushion rubber	600 lbs.
two-piece belt				
Non-marking vinyl on contact surfaces				
• Durable blue powder coat finish				
Durable blue powder coat inish				
	T B			
1284, 1284 V		MODEL #	WHEEL SIZE/TYPE	CAPACITY
Standard ratchet locking system		1284-8SR	8" x 2" solid rubber	800 lbs.
Roller stair-climbers		1284-8C	8" x 2" cushion rubber	600 lbs.
		1284V-8SR	8" x 2" solid rubber	1200 lbs.
Flip out casters give extra support to		1284V-8C	8" x 2" cushion rubber	900 lbs.
heavy loads on 1284V				
Non-marking vinyl on contact surfaces				
Durable blue powder coat finish	C C C			
1284 - AR		MODEL #	WHEEL SIZE/TYPE	CAPACITY
 Auto-rewind ratchet locking system 		1284-AR-8SR	8" x 2" solid rubber	800 lbs.
Roller stair-climbers	1	1284-AR-8C	8" x 2" cushion rubber	600 lbs.
Non-marking vinyl on contact systems				
Durable blue powder coat finish				
1284V - AR		MODEL #	WHEEL SIZE/TYPE	CAPACITY
-		1284V-AR-8SR	8" x 2" solid rubber	1200 lbs.
Standard locking system	$\wedge \rho$	1284V-AR-8C	8" x 2" cushion rubber	900 lbs.
Available with auto-rewind ratchet	NA			
locking system	\bowtie			
Roller stair-climbers				
Non-marking vinyl on contact systems				
 Flip out casters give extra support to 	LINV			
heavy loads on 1284V	ZAA			
Durable blue powder coat finish				



ALUMINUM HAND TRUCKS 75

ALUMINUM HAND TRUCKS

- Strong lightweight hand truck provides exceptional durability and versatility
- Weld-free design for easy maintenance
- 500 lb. capacity on all models
- Shipped knocked down



MODEL #	NOSE PLATE	HEIGHT	WHEELS	WEIGHT
MN024	14" x 7 1/2"	48"	8" mold-on	17.5 lbs.
MN025	18" x 7 1/2"	48"	8" mold-on	20.5 lbs.
MN026	14" x 7 1/2"	52"	10" pneumatic	21.5 lbs.
MN027	18" x 7 1/2"	48"	8" mold-on	20 lbs.
MN028	18" x 7 1/2"	52"	10" pneumatic	23 lbs.
MN029	18" x 7 1/2"	52"	10" flat-free	20 lbs.
MN030	14" x 7 1/2"	52"	10" pneumatic	22 lbs.
MN031	18" x 10"	52"	10" pneumatic	26.5 lbs.
MN032	18" x 10"	52"	10" flat-free	23 lbs.
MN033	18" x 7 1/2"	52"	10" pneumatic	23.5 lbs.
MN034	14" x 7 1/2"	48"	10" flat-free	20 lbs.

HAND TRUCK ACCESSORIES	
FRAME EXTENSION	S
MN021	MN022
Size: 17"	Size: 23

Size: 23"

STAIR CLIMBER MN015



10" pneumatic



MN013 8" mold-on rubber



NOSE EXTENSIONS

MN019

Size: 20" Will not fit on models MN031, MN032 or MN033 **MN020**

Size: 27"

Will not fit on models MN031, MN032 or MN033



905.883.0316

CONVERTIBLE HAND TRUCKS 76

CONVERTIBLE HAND TRUCK - ALUMINUM

- Nose plate W x D: 18" x 10"
- Hand truck capacity: 600 lbs.
- Hand truck height: 52"
- Platform truck capacity: 1250 lbs.



CONVERTIBLE HAND TRUCK - STEEL

- Convertible handtruck
- Converts from handtruck to platform truck
- Straight back design, low loop
- 1 5/16" x 14 ga. tube (handless are 1" x 4" ga. tube)
- Wheel guards
- Durable blue powder coat finish
- Capacity: 600 lbs.

905.883.0316

• Weight: 45 lbs.

CONVERTIBLE HAND TRUCK - NYLON

- Hand truck capacity: 600 lbs.
- Hand truck height: 49 1/2"
- Platform truck height: 36"
- Platform truck length: 40"



MODEL #TOE PLATEWHEEL SIZE/TYPELL3S-8SR14" x 8"8" x 2" solid rubberLL3S-8C14" x 8"8" x 2.5" cushion rubberLL3S-10PN14" X 8"10" X 3" pneumaticLL3S-10C14" x 8"10" x 2.5" cushion rubber





LL3S-8SR

 \bowtie

Info@jbequipment.ca

77 HAND TRUCKS

STANDARD LOOP HANDLE HAND TRUCK

- Basket style back
- 1" x 14 ga. tube construction
- Option: FDN fold down toe plate, 24" deep
- Durable blue powder coat finish
- Capacity: 600 lbs.

MODEL #	TOE PLATE	WHEEL SIZE/TYPE
ELB-8SR	14" x 8"	8" x 2" solid rubber
ELB-8C	14" x 8"	8" x 2.5" cushion rubber
ELB-10PN	14" x 8"	10" x 3" pneumatic
ELB-10C	14" x 8"	10" x 2.5" cushion rubber
ELB-FDN-8SR	14" x 8"	8" x 2" solid rubber
ELB-FDN-8C	14" x 8"	8" x 2.5" cushion rubber
ELB-FDN-10PN	14" x 8"	10" x 3" pneumatic
ELB-FDN-10C	14" x 8"	10" x 2.5" cushion rubber



STANDARD DOUBLE GRIP HANDLE HAND TRUCK

- Basket style back
- 1" x 14 ga. tube construction
- Option: FDN fold down toe plate, 24" deep
- Durable blue powder coat finish
- Capacity: 600 lbs.

TOE PLATE	WHEEL SIZE/TYPE
14" x 8"	8" x 2" solid rubber
14" x 8"	8" x 2.5" cushion rubber
14" x 8"	10" x 3" pneumatic
14" x 8"	10" x 2.5" cushion rubber
14" x 8"	8" x 2" solid rubber
14" x 8"	8" x 2.5" cushion rubber
14" x 8"	10" x 3" pneumatic
14" x 8"	10" x 2.5" cushion rubber
	14" x 8" 14" x 8" 14" x 8" 14" x 8" 14" x 8" 14" x 8" 14" x 8"





HAND TRUCKS 78

D-HANDLE HAND TRUCK

- Basket style back
- 1" x 14 ga. tube construction
- Option: FDN fold down toe plate, 24" deep
- Durable blue powder coat finish
- Capacity: 600 lbs.

r		MODEL #	TOE
		DHB-8SR	14"
		DHB-8C	14"
		DHB-10PN	14"
		DHB-10C	14"
		DHB-FDN-8SR	14"
		DHB-FDN-8C	14"
		DHB-FDN-10PN	14"
		DHB-FDN-10C	14"

DEL #	TOE PLATE	WHEEL SIZE/TYPE
3-8SR	14" x 8"	8" x 2" solid rubber
B-8C	14" x 8"	8" x 2.5" cushion rubber
-10PN	14" x 8"	10" x 3" pneumatic
3-10C	14" x 8"	10" x 2.5" cushion rubber
DN-8SR	14" x 8"	8" x 2" solid rubber
DN-8C	14" x 8"	8" x 2.5" cushion rubber
ON-10PN	14" x 8"	10" x 3" pneumatic
DN-10C	14" x 8"	10" x 2.5" cushion rubber



WHEEL



88R 8" solid rubber wheel

SUPER HEAVY DUTY HAND TRUCK

- Basket style back
- 1" x 14 ga. tube construction
- Tube stair glides
- Durable blue powder coat finish
- Capacity: 600 lbs.
- (SHL-8SR capacity: 800 lbs.)

TOE PLATE	WHEEL SIZE/TYPE
14" x 8"	8" x 2" solid rubber
14" x 8"	8" x 2.5" cushion rubber
14" x 8"	10" x 3" pneumatic
14" x 8"	10" x 2.5" cushion rubber
14" x 8"	8" x 2" solid rubber
14" x 8"	8" x 2.5" cushion rubber
14" x 8"	10" x 3" pneumatic
14" x 8"	10" x 2.5" cushion rubber
	14" x 8" 14" x 8"





10PN 10" pneumatic wheel

WAREHOUSE HANDT RUCK

- Slanted back design
- Double grip handle
- 1 5/16" tube construction
- Open toe plate
- Durable blue powder coat finish
- Capacity: 1200 lbs.



 \bowtie

Info@jbequipment.ca

MODEL #	TOE PLATE	WHEEL SIZE/TYPE
3051-8SR	20" x 6.5"	10" x 2" molded rubber







PALLET TRUCKS 79

PREMIUM HAND PALLET TRUCK

- Multi purpose to lift and move cargo
- · Chrome piston and ram for smooth operation
- Excellent turning angle of 210 degrees
- · Ergonomic handle
- Entry exit rollers
- · Epoxy powder coat finish



IN STOCK

PPT5500 21/27

Capacity • 5500 lbs. Fork width • 21"/27" Fork length • 48" Lowered height • 2.9" Raised height • 7"

ECONOMY PALLET TRUCK

- Multi purpose to lift and move cargo
- · Excellent turning angle of 190 degrees
- · Ergonomic handle
- · Leak proof hydraulic system
- · Epoxy powder coat finish

EPT5500 27/48

Capacity • 4400 lbs. Fork width • 27"/48" Fork length • 48" Lowered height • 2.9" Raised height • 7"



905.883.0316

SPECIALTY PALLET TRUCKS 80

EXTRA LONG PALLET TRUCK

Ideal for over-sized pallets



PT3300 XL

- Capacity 3300 lbs.
- Fork width 27"
- Fork length 72"
- Lowered height 2.9"
- Raised height 7"

STAINLESS STEEL PALLET TRUCK

- Ultimate pallet truck for cold storage
- Can work in very low temperature such as in freezers and coolers



PT4400 SS

Capacity • 4400 lbs. Fork width • 27" Fork length • 48" Lowered height • 2.9" Raised height • 7.5"

4 - WAY PALLET TRUCK

Enter cheap and CPC pallets from all sides



LOW PROFILE PALLET TRUCK

· Ideal design for low profile applications



PT4400

Capacity • 4400 lbs. Fork width • 32"

- Fork length 48"
- Lowered height 2"
 - Raised height 6"

PT3000 LP

- Capacity 3000 lbs.
- Fork width 21"
- Fork length 48"
- Lowered height 2"
 - Raised height · 6"





Info@jbequipment.ca

81 PALLET TRUCKS

PALLET TRUCK WITH SCALE

- Weigh and move cargo in one step
- Combines two major functions allowing you to weigh cargo at any time and any location
- Powder supply via rechargeable battery or an 86~264VAC input
- Available in pounds or kilograms, with weight measurement up to 2 decimals



PT4400 S

- Capacity 4400 lbs.
- Fork width 27"
- Fork length 45"
- Lowered height 3"
 - Raised height 8"

HIGH LIFT PALLET TRUCK (MANUAL)

- Ergonomically designed
- Telescopic jack provides light
 pumping force and greater rigidity
- Support legs come into operation automatically preventing unit from moving when forks are raised
- Reduces physical effort and considerably improves the ergonomic conditions at work stations by raising the trucks to the desired height
- · 2 lateral stabilizers to ensure good stability when raised

PT2200 HLM

- Capacity 2200 lbs.
- Fork width 27"
- Fork length 48"
- Lowered height 3.3"
 - Raised height 32"

HIGH LIFT PALLET TRUCK (ELECTRIC)

• Lift and lower with ease, ergonomically designed



PT2200 HLE

- Capacity 2200 lbs. Fork width • 27" Fork length • 48"
- Lowered height 3.3"
 - Raised height 32"



905.883.0316

POWERED PALLET TRUCKS 8

POWERED PALLET TRUCK - EPJ-30

- · Combines economy with productivity
- · A low cost, high-performance alternative to hand pallet trucks
- · Built to accommodate the freight-handling needs of the busiest warehouses
- · DC drive motor delivers steady acceleration and travel speeds
- Electric travel, lift and lower controls (located on the handle) are designed to allow unit operation with either hand
- Anti-rollback feature delivers maximum power when traveling up-or downhill
- Multi-function control handle incorporates butterfly-style thumb controls
- Travel speed: 2.5mph (unloading) 2.15mph (loaded)
- Capacity: 3000 lbs.
- Fork size: 27" x 45"
- Integral 24V 65AH maintenance free rechargeable batteries and internal 110V charger included
- · Hydraulic pump with overload relief valve

POWERED PALLET TRUCK - EPJ-40

- Designed specifically to address the unique demands of lift gate and local delivery applications
- · More compact than a regular powered pallet truck
- · Supports easier maneuverability when working in loaded trailers
- Vertically mounted AC drive motor delivers steady acceleration and travel speeds
- Electric travel, lift and lower controls (located on the handle) are designed to allow unit operation with either hand
- · Tapered and compact forks support greater maneuverability
- Travel speed: 2.8mph (unloaded) 2.5mph (loaded)
- · Multi-function control handle incorporates butterfly-style thumb controls
- Fork size: 27" x 45"
- Two 12V AGM 85AH maintenance free batteries with 10AMP qqoVAC plug-in charger
- · Hydraulic pump with overloa relief valve



REQUIPMENT

Info@jbequipment.ca

83 MOBILE LIFT TABLES

SCISSOR LIFT TABLES

MOBILE LIFT TABLE

- Valuable material handling equipment for use as a feeding table on assembly line
- Easy action foot operated hydraulic lift for raising table top to desired level (powered unit excluded)
- Hand operated table descent control (powered unit excluded)
- Over load by-pass valve protects operator and pump



IN STOCK

LT660 P

Capacity • 660 lbs. Table size • 20" x 32" Lowered height • 12" Raised height • 36"

LT330

Capacity • 330 lbs. Table size • 18" x 30" Lowered height • 9" Raised height • 30"



LT440

Capacity • 440 lbs. Table size • 20" x 40" Lowered height • 12" Raised height • 40"

LT660

Capacity • 660 lbs. Table size • 20" x 32" Lowered height • 11" Raised height • 34"



LT770

Capacity • 770 lbs. Table size • 20" x 36" Lowered height • 14" Raised height • 52"





LIFT STACKERS 8

WINCH-OPERATED EASY LIFTS

- · Ideal for use in factory, office or shipping department
- Can perform numerous functions from lifting objects and positioning production at best working height, to moving light loads without tying up heavy equipment
- Maneuvers easily in areas too narrow for a lift truck
- Two swivel casters under forks allow the sop lifter to do a 360° turn on twice the length of the base

MA479

Capacity • 500 lbs. at 10" load center Height • 60" Platform size • 20" x 20" Lowered platform height • 4 1/2" Lift above floor • 52" Wheels • 6" diameter Swivel casters • 3" diameter Weight • 98 lbs.





HYDRAULIC STACKER

- Allow workers to maneuver and lift heavy loads safely to comfortable needed height
- Foot pedal folds safely out of the way
- Front 5" polyurethane casters and rear 3" polyurethane wheels and allows loads to move easily

MN397

Capacity • 880 lbs. Overall dimensions • 22 1/2"W x 39"D x 67 3/4"H Platform dimensions • 25 3/4"L x 22 3/4"W Lowered platform height • 4" Raised platform height • 60" Weight • 174 lbs.

> **%** 905.883.0316

Info@jbequipment.ca

85 MANUAL PUSH STACKERS

S2200 M

- · Economical lift to handle tasks such as transporting dies and molds, skids and pallets
- Precision engineered for smooth performance and exceptional durability
- · Lifting function operated by foot and hand controls

Capacity • 2200 lbs. Adj straddle • 50" Fork length • 36" Lowered height • 2.6" Raised height • 60"

WPS

- Modern and highly versatile work positioning stacker for all modern material handling needs
- · Intermediate-duty and with a lift height of up to 150"
- · Manually propelled with up/down level control mounted on dash
- · 12V system comes with low-maintenance deep cycle battery
- Built-in 10AMP plug-in battery charger for 115V/ 1PH/ 60Hz power supply
- · Foot pedal parking brake supports instant stop action
- · Ergonomic spring-loaded steering handle with comfort grip
- Straddle legs adjust to three positions for varying pallet sizes
- Sturdy operator protection screen preserves visibility

Capacity • 2200 lbs. at 24" load center

Lift heights • 130" / 150"

Fork size • 42" standard, 31" OD adjustment on pin-style forks

XPS

- Ergonomic alternative to manual lifting, intermediate duty stacking and pallet positioning applications
- Up/down lever control mounted on dash and operator protection screen
- Dual push handles mounted at comfort height level on mast
- 12 volt powered lift system, manually propelled
- 12 volt minimum maintenance deep cycle battery and built-in charger for 110/ 1/ 60 plug-in
- Straddle legs adjust to three positions for varying pallet sizes

Capacity • 2200 lbs. at 24" load center Lift heights • 63" / 98" / 118" Fork size • 42" standard long forged forks



905.883.0316







POWERED WALKIE STACKERS 86

BGL - 22

- Counterbalanced stacker is a cost-effective solution for the stacking and transportation of palletized loads that a straddle stacker or reach truck cannot handle as efficiently
- · AC drive motor delivers steady acceleration and travel speeds
- Neutral braking resists rollback on ramps
- Creep speed control allows for easier maneuvering at low speeds in tight places
- Travel, lift, lower and tilt functions are located in the ergonomic operator handle
- Premium AGM battery pack with integral 110V charger

Capacity • 2200 lbs. Lift heights • 104" / 128" / 157" Load center • 24" Fork size • 42" standard Tall load backrest • 35"

king reach

BGS - 30

- · Technologically advanced but user-friendly
- Built-in productivity enhancements, superior AC power and a short turning radius for crowded facilities all ensure efficient performance during the most demanding warehouse applications
- 24V AC drive motor
- 24V ZAPI programmable travel controller supports simple and precise truck positioning
- Creep speed control allows for easier maneuvering at low speeds in tight places
- Travel speed remains constant relative to throttle position regardless of the load
- Regenerative braking kicks in when the forks are 12" above height
- Travel, lift, lower and tilt functions are located in the ergonomic operator handle
- · 3" adjustable straddle legs support easy positioning in racked aisles
- Bolt-on high-visibility mast

Capacity • 3000 lbs. Lift heights • 104" / 126" / 142" / 157" / 177" Fork size • 42" standard Travel speed • 3.4mph (unloaded) and 3.1 mph (under load)









POWERED WALKIE STACKERS

BGNR - 30

- Power steering for maximum control and efficiency
- 24V AC drive motor
- · ZAPI programmable travel controller supports simple and precise truck positioning
- Creep speed control allows for easier maneuvering at low speeds in tight places
- Travel speed remains constant relative to throttle position regardless of the load
- Regenerative neutral braking
- Travel, lift, lower and tilt functions are located in the ergonomic operator handle, which can be operated with either hand
- · Hand grips fit the operator's hand comfortably, reducing fatigue
- · High visibility I-beam mast with dual lifting chains
- Pantograph stroke extends the fork carriage beyond the straddle legs
- Integral tilt and sideshift
- 3" straddles are fixed at either 34" ID/42"OD or 42" ID/50"OD
- · Heavy-duty two-piece head cover protects major components from impact damage

Capacity • 3000 lbs. Lift heights • 106" / 126" / 157" Battery Package • 224 AH Fork size • 42" standard Travel speed • 3.4mph (unloaded) and 3.1mph (loaded)



OPTIONS

- 10" single load wheel
- Straddle ID/OD of 34/43 or 42/50
- ClearView polycarbonate mast guard
- 224 AH AGM battery pack with 110V charger
- · 255 AH industrial battery with external charger

SELF DUMPING HOPPER 88

- Simple "wedge box" balanced design, allowing the box to dump and return to position without assistance, under normal operating conditions
- · Heavy-duty base with integral fork pockets to allow safe transportation and use
- Box available in 1/8" or 3/16" sheet metal
- Self-aligning "trap-free" guide system for smooth operation
- · Positive locking lever latch release system for easy control
- · Heavy duty all-welded steel construction
- Durable blue powder coat finish
- Fork pockets:
- 3" x 7 1/2" at 23" c/c for the 1, 1 1/2 and 2 cubic yard hopper
- 3" x 7 1/2" at 21 7/8" c/c for the 3/4 yard hopper
- 3" x 7 1/2" at 9 3/4" c/c for the 1/2 yard hopper



 \bowtie

Info@jbequipment.ca



MUDEL #	THICKNESS OF BUX Sheet Metal	BUX SIZE Cubic yard	BUX SIZE W X L X H
SDH-050-018	1/8"	0.5	24" x 53" x 29"
SDH-075-018	1/8"	0.75	36" x 53" x 29"
SDH-100-018	1/8"	1	36" x 61" x 34"
SDH-150-018	1/8"	1.5	54" x 61" x 34"
SDH-200-018	1/8"	2	72" x 61" x 34"
SDH-100-316	3/16"	1	36" x 61" x 34"
SDH-150-316	3/16"	1.5	54" x 61" x 34"
SDH-200-316	3/16"	2	72" x 61" x 34"



89 WORK PLATFORMS

WORK PLATFORMS

- Available in two sizes: 36"W x 36"D and 48"W x 48"D
- 42" high sides with 72" high back to protect workers from mast of fork truck
- 2" x 2" welded wire mesh cage
- Non-skid checker plate platform
- Lockable swing gate
- 8"W x 3"H fork pockets with safety chain 26" center-to-center dimension
- All-welded heavy duty construction
- Capacity: 800 lbs.
- Available with two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters
- Durable blue powdered coat finish
- Meets ASME B56.1 Safety Standard

MODEL #	CASTERS	WEIGHT
36x36-WP	No	160 lbs.
36x36-WP-5RSX	Yes	170 lbs.
48x48-WP	No	220 lbs.
48x48-WP-5RSX	Yes	230 lbs.



36x36-WP



48x48-WP

IR EQUIPMENT

WORK PLATFORMS 90

ELEVATED WORK PLATFORMS

- Available with a 48" high deck or a 72" high deck
- 42" high sides with 72" high back to protect workers from mast of fork truck
- 2" x 2" welded wire mesh cage
- Non-skid platform
- Lockable swing gate
- 8"W x 3"H fork pockets with safety chain 26" center-to-center dimension
- All-welded heavy duty construction
- Capacity: 800 lbs.
- Available with two swivel and two rigid 5" x 1 1/4" blue rubber non-marking casters
- Durable blue powder coat finish
- Meets applicable ASME B56.1 Safety Standard

MODEL #	HEIGHT
36x36x48-WP	48"
36x36x72-WP	72"



AERIAL LIFT FALL PROTECTION KITS

- · Full-body harness with permanently attached 6' tubular shock-absorbing lanyard
- Universal fit
- Harness certified to CSA standard Z259.10, Class A
- Lanyard certified to CSA standard Z259.11, Class E4
- SAH515 Harness with 6' tubular lanyard
- SAH516 With carrying bag







91 ROLLER CONVEYORS

STEEL CONVEYOR, 1 3/8" ROLLERS

- Sturdy and economical, these units have 1 3/8" diameter x 18 gauge steel rollers installed on a 2 1/2" x 1 1/2" formed 12 gauge steel frame
- 10' lengths

STEEL CONVEYOR, 17/8" ROLLERS

- These heavy-duty rollers are 1 7/8" diameter x 16 gauge installed on a 3 1/2" x 1 1/2" formed 10 gauge steel frame
- 10' lengths

MODEL #	BFR Width	CENTER TO Center		MODEL #	BFR Width	CENTER TO Center
STEEL CONVE	YORS - 13	/8" ROLLERS		STEEL CONVE	YORS - 17	8" ROLLERS
MA144		2"	and the second sec	MA165		3"
MA145	15"	3"		MA166	18"	41/2"
MA146		4"		MA167		6"
MA147		6"	NATHING'S	MA169		3"
MA148		2"		MA170	21"	41/2"
MA149	18"	3"	KIN	MA171		6"
MA150		4"		MA173		3"
MA151		6"		MA174	24"	41/2"
MA156		2"		MA175		6"
MA157	24"	3"				

CONVEYOR SUPPORTS

MA158

MA159


• H Frames Used in permanent support installations

4" 6"

• Specify for use with a 2 1/2" or 3 1/2" frame conveyor

MODEL #	BFR Width	ADJUSTABLE Height
MA128	15"	24" - 36"
MA129	15"	35" - 48"
MA130	18"	24" - 36"
MA131	18"	35" - 48"
MA132	21"	24" - 36"
MA133	21"	35" - 48"
MA134	24"	24" - 36"
MA135	24"	35" - 48"

905.883.0316



 \square

Info@jbequipment.ca

90°CURVED SECTIONS

- 90° curved conveyors with a 30° inside radius
- Straight 1 1/2" rollers, 2 1/2" channel

	MODEL #	BFR Width	2CENTRE TO Centre
	STEEL		
	-	2"	15"
	MA098	3"	15"
6	MA099	4"	15"
	MA101	2"	18"
	MA102	3"	18"
	MA103	4"	18"
	MA104	2"	24"
	MA105	3"	24"
	MA106	4"	24"

FLEXIBLE CONVEYORS 92

FLEXIBLE/EXPANDABLE CONVEYORS

- These portable, extendible flexible conveyors enable you to move loads around bends or in a straight line
- · Conveyors set up quickly and fold up into compact units for efficient storage when not in use

Skatewheel Conveyors have a 4:1 expansion ratio. Adjustable height from 28 1/2" to 41 1/2". 5" swivel casters with brakes. 1 1/4" aluminum side plates. Structural steel supports. 200 lb. capacity per linear foot. Steel skate wheels are self-tracking for package control around curves and bends; eliminates need for side rails

Roller Conveyors are ideal for handling odd shaped boxes, bags and cartons that could get hung up on skatewheel conveyors. Adjustable height from 30" to 421/2". 5" swivel casters with brakes. 11/2" aluminum side plates. Zinc plated 13/8" diameter steel rollers. 150 lb. capacity per linear foot



SKATEWHEEL CONVEYORS - 200 LB. CAPACITY PER LINEAR FOOT

MODEL #	WIDTH	LENGTH		LEG SETS	SKATE WHEELS
		FOLDED	EXPANDED	PER UNIT	PER AXLE
MA037	18"	3"	12"	4	7
MA038	18"	4"	16"	5	7
MA039	18"	5"	20"	6	7
MA040	18"	6"	24"	7	7
MA042	24"	3"	12"	4	8
MA043	24"	4"	16"	5	8
MA044	24"	5"	20"	6	8
MA045	24"	6"	24"	7	8

ROLLER CONVEYORS - 150 LB. CAPACITY PER LINEAR FOOT

MODEL #	WIDTH	LENGTH		LEG SETS	SKATE WHEELS
		FOLDED	EXPANDED	PER UNIT	PER AXLE
MA052	18"	4'	12'	4	5
MA053	18"	5'4"	16'	5	5
MA054	18"	6'8"	20'	6	5
MA055	18"	8'	24'	7	5
MA057	24"	4'	12'	4	5
MA058	24"	5'4"	16'	5	5
MA059	24"	6'8"	20'	6	5
MA060	24"	8'	24'	7	5

FORKLIFT ACCESSORIES 93

PALLET PULLER

- Pulls pallets to within forklift's reach
- · Dual pin scissor action for increased clamping pressure
- Solid steel construction
- 2000 lbs. capacity
- Extended frame 17" x 9.5"
- Open frame 12" x 12"
- Max jaw opening 4.5" Model # 45PP



STEEL DRUM GRABBERS

- Lift and transport one 55 ga. steel drum without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum or rolling hoops
- · Heavy gauge grabber slides onto truck forks and is locked with two turn down screws
- · Capacity: 1000 lbs. Model # DC424

MODEL #	DESCRIPTION	FORK POCKET Inner Diameter
DC424	Single drum grabber	5.5" x 2"

FORK EXTENSIONS

- · Handle large and odd shaped loads with increased stability and minimum damage
- Available in 4", 5" and 6" fork widths, lengths are from 54" to 96"
- Locking bar keeps extensions in place
- · Easy to use slide-on design
- Fork fits up to 2" thick
- Convenient on/off design
- Fork extension not to exceed 150% more than existing fork length





905.883.0316

WALL BRACKET

- To keep fork extension out of the way when not in use
- One wall bracket required for each pair of forks

MODEL #	DIMENSIONS	WEIGHT
ML282	6" x 8"	5 lbs.









MODEL #	FORK WIDTH	FOR EXTENSION	LENGTH
ML346	4"	5"	72"
ML347	5"	6"	72"
ML348	4"	5"	96"
MF775	4"	5"	54"
MF776	4"	5"	63"
MF778	4"	5"	84"
MF781	5"	6"	54"
MF782	5"	6"	63"
MF784	5"	6"	84"
MF785	5"	6"	96"
MF787	6"	7"	54"
MF788	6"	7"	63"
MF789	6"	7"	72"
MF790	6"	7"	84"
MF791	6"	7"	96"




WAREHOUSE EQUIPMENT

- 95 Dock Boards
- 96 Dock Plates
- 97 Walk Ramps
- 98 Dock Equipment
- **101** Dock Lights
- **102** Mirrors and Fans
- **103** Security Gates
- 104 PVC Strip Seal Curtains
- 105 Lockers
- **109** Storage Cabinets
- **110** Economical Safety Storage Cabinets
- **112** Premium Safety Storage Cabinets
- **113** Wire Mesh Partitions
- 115 Wire Mesh Products
- 117 Custom Workbenches
- **119** Pedestal Workbenches
- 120 Economical Workbenches
- **121** Drawer Cabinets
- 124 Mobile Benches
- 125 Scales
- 127 Work Stools
- 128 Shop Desks
- 129 Containers
- 131 Safety Signs

www.jbequipment.ca

94

95 DOCK BOARDS



ALUMINUM DOCK BOARDS

- For use with delivery truck or loading dock applications
- · Steel legs fit between dock and truck to prevent movement
- · Curb design adds strength and prevents equipment run off
- Check height from box of truck to dock (height difference)
- Use the selection chart to determine required capacity and size of dock board
- Options available: Forklift handles



MODEL #	AXLE LOAD Capacity	MAX. HEIGHT Difference	WIDTH	WIDTH Inside Curbs	LENGTH	WEIGHT	MODEL #	AXLE LOAD Capacity	MAX. HEIGHT Difference	WIDTH	WIDTH Inside Curbs	LENGTH	WEIGHT
A8-5436	8000 lbs.	5"	54"	51"	36"	106 lbs.	A10-6636	10000 lbs.	5"	66"	63"	36"	148 lbs.
A8-5448	8000 lbs.	7"	54"	50"	48"	149 lbs.	A10-6648	10000 lbs	7"	66"	62"	48"	197 lbs.
A8-5460	8000 lbs.	9"	54"	50"	60"	188 lbs.	A10-6660	10000 lbs	9"	66"	62"	60"	256 lbs.
A8-5472	8000 lbs.	11"	54"	50"	72"	236 lbs.	A10-6672	10000 lbs	11"	66"	62"	72"	317 lbs.
A8-6036	8000 lbs.	5"	60"	57"	36"	115 lbs.	A10-7248	10000 lbs	7"	72"	69"	48"	210 lbs.
A8-6048	8000 lbs.	7"	60"	56"	48"	160 lbs.	A10-7260	10000 lbs	9"	72"	68"	60"	273 lbs.
A8-6060	8000 lbs.	9"	60"	56"	60"	201 lbs.	A10-7272	10000 lbs	11"	72"	68"	72"	337 lbs.
A8-6072	8000 lbs.	11"	60"	56"	72"	251 lbs.	A10-7284	10000 lbs	13"	72"	68"	84"	403 lbs.
A8-7230	8000 lbs.	4"	72"	69"	30"	110 lbs.	A12-6036	12000 lbs.	5"	60"	57"	36"	137 lbs.
A8-7236	8000 lbs.	5"	72"	69"	36"	135 lbs.	A12-6048	12000 lbs.	7"	60"	56"	48"	190 lbs.
A8-7248	8000 lbs.	7"	72"	68"	48"	181 lbs.	A12-6060	12000 lbs.	9"	60"	56"	60"	249 lbs.
A8-7260	8000 lbs.	9"	72"	68"	60"	227 lbs.	A12-7236	12000 lbs.	5"	72"	69"	36"	158 lbs.
A8-7272	8000 lbs.	11"	72"	68"	72"	282 lbs.	A12-7248	12000 lbs.	7"	72"	68"	48"	217 lbs.
A8-7284	8000 lbs.	13"	72"	68"	84"	340 lbs.	A12-7284	12000 lbs.	13"	72"	68"	84"	423 lbs.
A10-5436	10000 lbs.	5"	54"	51"	36"	127 lbs.							
A10-5448	10000 lbs.	7"	54"	50"	48"	176 lbs.							
A10-5460	10000 lbs.	9"	54"	50"	60"	222 lbs.							
A10-5472	10000 lbs.	11"	54"	50"	72"	276 lbs.							
A10-6060	10000 lbs.	9"	60"	56"	60"	239 lbs.							
A10-6072	10000 lbs.	11"	60"	56"	72"	297 lbs.							

BEQUIPMENT



DOCK PLATES 96

ALUMINUM DOCK PLATES

- Skid resistant safety tread deck
- $\boldsymbol{\cdot}$ Beveled edges allow smooth access from either end
- Bend at upper end prevents both ends of plate to lie flat
- Steel legs fit between dock and truck; preventing movement when in use
- High tensile aluminum alloy construction; no welds to break
- For use with delivery truck or loading dock applications
- Check height from box of truck to dock (height difference)
- Use the selection chart to determine required capacity and size of dock plate

MODEL #	SIZE W X L	MAX. HEIGHT Difference	AXLE LOAD Capacity	WEIGHT
AL 4824	48" x 24"	3"	1800 lbs.	36 lbs.
A 4824	48" x 24"	3"	4500 lbs.	48 lbs.
AHD 4824	48" x 24"	3"	8000 lbs.	63 lbs.
AL 4830	48" x 30"	4"	1450 lbs.	44 lbs.
A 4830	48" x 30"	4"	3600 lbs.	60 lbs.
AHD 4830	48" x 30"	4"	6400 lbs.	79 lbs.
AL 4836	48" x 36"	5"	1250 lbs.	52 lbs.
A 4836	48" x 36"	5"	3000 lbs.	70 lbs.
AHD 4836	48" x 36"	5"	5400 lbs.	94 lbs.
AL 4842	48" x 42"	6"	1050 lbs.	60 lbs.
A 4842	48" x 42"	6"	2600 lbs.	82 lbs.
AHD 4842	48" x 42"	6"	4600 lbs.	110 lbs.
AL 4848	48" x 48"	7"	900 lbs.	67 lbs.
A 4848	48" x 48"	7"	2200 lbs.	92 lbs.
AHD 4848	48" x 48"	7"	4000 lbs.	124 lbs.
AL 4854	48" x 54"	8"	760 lbs.	76 lbs.
A 4854	48" x 54"	8"	1700 lbs.	103 lbs.
AHD 4854	48" x 54"	8"	3300 lbs.	140 lbs.
AL 4860	48" x 60"	9"	600 lbs.	83 lbs.
A 4860	48" x 60"	9"	1500 lbs.	114 lbs.
AHD4860	48" x 60"	9"	2700 lbs.	155 lbs.
AL 4872	48" x 72"	11"	400 lbs.	100 lbs.
A 4872	48" x 72"	11"	1100 lbs.	136 lbs.
AHD 4872	48" x 72"	11"	2000 lbs.	184 lbs.



COMBINATION BOARDS

For a height differential exceeding 11" use a ramp in combination with dock plate. Each plate can be converted to an equivalent-size ramp. *Available upon request

MODEL #	SIZE W X L	MAX. HEIGHT Difference	AXLE LOAD Capacity	WEIGHT
AL 6024	60" x 24"	3"	2200 lbs.	43 lbs
A 6024	60" x 24"	3"	5600 lbs.	59 lbs.
AHD 6024	60" x 24"	3"	10000 lbs.	79 lbs.
AXHD 6024	60" x 24"	3"	15600 lbs.	98 lbs.
AL 6030	60" x 30"	4"	1800 lbs.	54 lbs.
A 6030	60" x 30"	4"	4200 lbs.	72 lbs.
AHD 6030	60" x 30"	4"	8000 lbs.	96 lbs.
AXHD 6030	60" x 30"	4"	12000 lbs.	124 lbs.
AL 6036	60" x 36"	5"	1500 lbs.	63 lbs.
A 6036	60" x 36"	5"	3700 lbs.	86 lbs.
AHD 6036	60" x 36"	5"	6700 lbs.	114 lbs.
AXHD 6036	60" x 36"	5"	10500 lbs.	141 lbs.
AL 6042	60" x 42"	6"	1300 lbs.	73 lbs.
A 6042	60" x 42"	6"	3200 lbs.	86 lbs.
AHD 6042	60" x 42"	6"	5800 lbs.	132 lbs.
AXHD 6042	60" x 42"	6"	8500 lbs.	172 lbs.
AL 6048	60" x 48"	7"	1100 lbs.	83 lbs.
A 6048	60" x 48"	7"	2800 lbs.	113 lbs.
AHD 6048	60" x 48"	7"	5000 lbs.	151 lbs.
AXHD 6048	60" x 48"	7"	7800 lbs.	186 lbs.
AL 6060	60" x 60"	9"	880 lbs.	102 lbs.
A 6060	60" x 60"	9"	2200 lbs.	140 lbs.
AHD 6060	60" x 60"	9"	3800 lbs.	189 lbs.
AXHD 6060	60" x 60"	9"	5800 lbs.	233 lbs.

Info@jbequipment.ca

97 WALK RAMPS

ALUMINUM WALK RAMPS

- Quality aluminum walk ramps complete with traction grip ensure safe, non-slip use in both wet and dry conditions
- For use with delivery truck or loading dock applications
- Check height from floor or box of truck or dock to the pavement
- Use the selection chart to determine length of ramp to accommodate a safe and gradual slope



	OVERALL Width	SPACING of hook	MODEL #	LOAD Capacity	MAX 20 Incline	MINIMUM 8	WIDTH Overall	WIDTH Inside Curbs	LENGTH	WEIGHT
	24"	19"	AWKR-P-2.5-24-6H	2500 lbs.	22"	10"	24"	22"	6"	55 lbs.
	26"	21"	AWKR-P-2.5-26-6H	2500 lbs.	22"	10"	26"	24"	6"	58 lbs.
	32"	27"	AWKR-P-2.5-32-6H	2500 lbs.	22"	10"	32"	30"	6"	66 lbs.
	38"	33"	AWKR-P-2.5-38-6H	2500 lbs.	22"	10"	38"	36"	6"	75 lbs.
			AWKR-P-2-24-8H	2000 lbs.	30"	13"	24"	22"	8"	72 lbs.
WALK		TH PERFORATED	AWKR-P-2-26-8H	2000 lbs.	30"	13"	26"	24"	8"	76 lbs.
			AWKR-P-2-32-8H	2000 lbs.	30"	13"	32"	30"	8"	88 lbs.
IKAC	TION GRIP		AWKR-P-2-38-8H	2000 lbs.	30"	13"	38"	36"	8"	100 lbs.
-			AWKR-P-1.7-24-10H	1700 lbs.	38"	16"	24"	22"	10"	90 lbs.
			AWKR-P-1.7-26-10H	1700 lbs.	38"	16"	26"	24"	10"	95 lbs.
			AWKR-P-1.7-32-10H	1700 lbs.	38"	16"	32"	30"	10"	110 lbs.
		L	AWKR-P-1.7-38-10H	1700 lbs.	38"	16"	38"	36"	10"	124 lbs.
			AWRK-P-1.5-24-12H	1500 lbs.	46"	19"	24"	22"	12"	108 lbs.
			AWRK-P-1.5-26-12H	1500 lbs.	46"	19"	26"	24"	12"	114 lbs.
			AWRK-P-1.5-32-12H	1500 lbs.	46"	19"	32"	30"	12"	132 lbs.
1100		APRON MOUNT	AWRK-P-1.5-38-12H	1500 lbs.	46"	19"	38"	36"	12"	149 lbs.
Πυυ		APRON MOUNT	AWRK-P-1.3-24-14H	1300 lbs.	55"	22"	24"	22"	14"	126 lbs.
			AWRK-P-1.3-26-14H	1300 lbs.	55"	22"	26"	24"	14"	133 lbs.
			AWRK-P-1.3-32-14H	1300 lbs.	55"	22"	32"	30"	14"	153 lbs.
	1 Star	//////	AWRK-P-1.3-38-14H	1300 lbs.	55"	22"	38"	36"	14"	174 lbs.
			AWRK-P-1-24-16H	1000 lbs.	62"	26"	24"	22"	16"	144 lbs.
			AWRK-P-1-26-16H	1000 lbs.	62"	26"	26"	24"	16"	152 lbs.
			AWRK-P-1-32-16H	1000 lbs.	62"	26"	32"	30"	16"	175 lbs.
			AWRK-P-1-38-16H	1000 lbs.	62"	26"	38"	36"	16"	198 lbs.





DOCK EQUIPMENT 98

RUBBER WHEEL CHOCKS

- Constructed of reinforced rubber
- Resists tearing, abrasions, impacts, corrosion, sun, salt and oil
- Handle on back for easy placement
- 9 7/8"L x 7 1/8"W x 7 1/2"H Model # KH032



ALUMINUM WHEEL CHOCKS

- High in strength but lightweight
- Resists the effects of oil, salt, corrosion and weather
- Non-sparking

MODEL #	DIMENSIONS L X W X H
KH023	6" x 7" x 6"
KH022	7" x 10 3/4" x 8"
	КН022

RUBBER CHOCKS

- Fabricated of a tough rubber compound
- · Reinforced for maximum wearability and strength

KH600

MODEL #	TYPE	DIMENSIONS LXWXH
KH600	Handle	9" x 8" x 6"
KH601	Eyebolt	9" x 8" x 6"

LAMINATED RUBBER CHOCKS

- Designed to fit curvature of tire for a strong grip
- Extra heavy duty laminated rubber and steel construction for use with heavy utility trucks and equipment

Model # KH603



ICE CHOCKS

- Formed steel
- "Tooth" like bottom assures reliable grip
- Maximum holding power for snow and ice
- Overall dimensions: 10 $_{1/2}$ "L x 8"W x 9 $_{1/4}$ "H
- Powder-coated safety yellow
 Model # KH964



URETHANE WHEEL CHOCKS

- Safety orange for greater visibility
- Molded-in hole through width of chock for attaching security chain (chain sold separately)
- Dimensions: 11"L x 8"W x 8"H Model # KH897







Info@jbequipment.ca

DOCK EQUIPMENT 99

^{18&#}x27; SECURITY CHAIN W/HOOK Model # KH027



10" X 14" CAUTION SIGNS

- · Black letters on yellow field
- Vinyl

Model # SAT137 english Model # SEE554 french





WHEEL CHOCK WALL BRACKETS

- Sturdy yellow metal construction
- Fits wheel chocks up to 10" wide
- Prevents loss of chock Model # KH963

MOLDED DOCK BUMPERS

- · Protects building and dock area
- · Shockproof, tear and freeze resistant

-					
MODEL #	ТҮРЕ	FACE SIZE	OVERALL PROJECTION		
KH005	Rectangular	13" x 10"	4"		
KH009	Rectangular	18" x 10"	4"	KH005	KH009
				141000	141000

LAMINATED RUBBER DOCK BUMPERS

- Unlimited applications in factories, warehouses and docks
- · Ideal for projecting above low docks, rub rails against walls, marine dock protections
- · Greater longevity of bumpers is achieved because rubber laminates are manufactured from reclaimed truck tires
- · Manufactured under pressure exceeding 1500 lbs. to absorb over 80% of the impact

KH719

4 " PROJECTION					6" PROJECTION
MODEL #		DIMEN	ISIONS		MODEL #
	A"	B "	C"	D"	
HORIZONTAL STYLE					HORIZONTAL ST
KH719	4"	10"	12"	5"	KH729
KH720	4"	12"	12"	7"	KH730
KH721	4"	12"	14"	7"	KH731
KH722	4"	12"	18"	7"	KH732
KH723	4"	12"	24"	7"	KH733
KH724	4"	12"	36"	7"	KH734
VERTICAL STYLE			1		VERTICAL STYLE
KH725	4"	20"	11"	71/2"	KH735
KH726	4"	24"	11"	91/2"	KH736
	1EN	Γ			

6 PRUJECTIUN				
MODEL #	DIMENSIONS			
	A "	B "	C"	D"
HORIZONTAL STYLE				
KH729	6"	10"	12"	5"
KH730	6"	12"	12"	7"
KH731	6"	12"	14"	7"
KH732	6"	12"	18"	7"
KH733	6"	12"	24"	7"
KH734	6"	12"	36"	7"
VERTICAL STYLE				
KH735	6"	20"	11"	71/2"
KH736	6"	24"	11"	91/2"







DOCK EQUIPMENT 100

TRAILER STABILIZING JACKS

- . Keeps tractor-less trailers leveled while being loaded or unloaded
- · Prevents accidents if wheel support collapses
- Stabilizes vehicle against load shifts
- Lowered height: 39 1/2"
- Raised height: 51"
- Removable 37 1/2" positioning and ratcheting handle
- 8" diameter support pad
- 8" wheels
- 100 000 lbs. supporting capacity each
- 40 000 lbs. lifting capacity
 Model # KH777

POLYETHYLENE WALL PROTECTORS

- · Non-corrosive and ideal for either indoor or outdoor applications
- · Mounts to building walls to protect them from scratches and dents
- Overall dimensions: 48"L x 2 1/4"T x 6 1/4"H
- Installation hardware not included
- Includes: 3/8" counter sunk mounting holes and reverse tapered ends to overlap when used with multiple units
- Weight: 3 lbs.
- Safety yellow for high visibility Model # KH812

POLYETHYLENE CORNER PROTECTORS

- · Ideal for application where corners are exposed
- 2 1/4" wide shock absorbing molded polyethylene design to provide ample impact protection
- Dimensions: 10"W x 6 1/2"D x 40 1/2"H
- Weight: 3 lbs.
- Safety yellow for high visibility Model # KH813











101 DOCK LIGHTS

STANDARD DOCK LIGHT

- The adjustable models allow flexible horizontal and vertical positioning
- 1.5" 14 gauge square steel tubing
- Two-piece wall bracket assures secure mounting
- Available with either metal head or with a "cool to the touch" polycarbonate head that will not dent or break
- Comes with wire lamp guard
- Suitable for PAR-38 LED lamps



MODEL #	ARM LENGTH	HEAD TYPE
ADJUSTABLE SINGLE	STRUT	
XA213	40"	Metal
XA208	60"	Metal
XC446	40"	Polycarbonate
XC447	60"	Polycarbonate
DOUBLE STRUT - HO	RIZONATAL POSITION	NING ONLY
XA212	24"	Metal
XA211	40"	Metal
XA214	60"	Metal
XA349	90"	Metal
XC448	24"	Polycarbonate
XC449	40"	Polycarbonate
XC450	60"	Polycarbonate
XC451	90"	Polycarbonate
ADJUSTABLE DOUBL	E STRUT	
XA619	40"	Metal
XA620	60"	Metal
XA621	90"	Metal
XC623	40"	Polycarbonate
XC624	60"	Polycarbonate
	ENT 90"	Polycarbonate

LED LOADING DOCK LIGHT

Heavy Duty

- Rugged cast aluminum housing with LEDs built-in to the dock light housing
- Uses only 18 watts of energy
- Provides more light than a 300-watt spot light
- Ideal for food service industries or refrigerated warehouses
- LED light head is completely sealed with a shatterproof polycarbonate lens
- No fragile filament or glass parts to break
- On/off switch and strain relief located in the recessed back plate
- · Rated for wet locations IP66, NEMA4
- All LED models have an average life of 60 000 hours



MODEL #	
MODEL #	ARM LENGTH
ADJUSTABLE SINGLE	STRUT
XC696	24"
XC697	40"
XC698	60"
DOUBLE STRUT	
XC692	24"
XC693	40"
XC694	60"
XC695	90"
ADJUSTABLE DOUBLE	E STRUT
XC699	40"
XC700	60"
XD023	H.D. LED head only

MIRRORS AND FANS 102

DOME MIRRORS

- Prevent accidents and increase surveillance due to blind corners
- Constructed of acrylic for added durability
- $\boldsymbol{\cdot}$ All mirrors have a black protective edge and hanging clips
- $\boldsymbol{\cdot}$ Full dome mirrors come with hanging chains and hooks

FULL DOME		HALF DOME	
MODEL #	MIRROR DIA.	MODEL #	MIRROR DIA.
SEJ875	20"	SEJ879	20"
SEJ876	24"	SEJ880	24"
SEJ877	31"	SEJ881	31"
SEJ878	47"	SEJ882	47"

INDUSTRIAL-DUTY AIR CIRCULATING FANS

• Fully enclosed 2-speed motor

All-metal construction, chrome grill stand and base painted black


- $\boldsymbol{\cdot}$ Can be used in oscillating or non-oscillating mode
- · Pedestal models feature adjustable height and heavy-duty round base for added stability
- 6' SJ T power cord
- Stem length for pedestal 89-124 cm
- Arm length wall: 32 cmv

MODEL #	DESCRIPTION	HEIGHT		BASE DIAMETER	CFM	
		CM	HP	CM	HIGH	LOW
OSCILLATING						
EA282	26" Pedestal	140-175	1/4	60	7525	4050
EA283	30" Pedestal	145.5-180.5	1/3	68.8	8778	6780
EA284	26" Wall Mount	55	1/4	-	7525	4050
NON-OSCILLATING						
EA571	30" Pedestal	154-198	1/3	68.8	8400	6650

INDUSTRIAL DIRECT DRIVE DRUM FANS

- . 120 V/160 Hz, 2 speed motor
- · All-metal construction, painted black
- 6' SJ T power cord
- 6" casters with easy moving handle

MODEL #	BLADE SIZE	HP	WATTS	CFM	
				HIGH	LOW
EA286	28"	2/5	290	8050	6500
EA288	36"	3/5	405	11200	9100









Half Dome












103 SECURITY GATES

GALVANIZED FOLDING SECURITY GATES

- Secure outside access during the day and add security at night with heavy-duty, 14 gauge steel folding gates
- Constructed of galvanized steel U channels riveted using aircraft quality rivets for durability
- With double folding gates center drop pin rests in your pre-drilled holes to secure gate when extended
- Locks can be located on right or left side of single gates

• Durable 2" steel zinc-plated and welded to the frame, rubber casters that fully retract when not in use



SINGLE FULDING GATES					
MODEL # Opens left	MODEL# Opens right	WIDTH	HEIGHT Collapsed	HEIGHT Expanded	
KA065	KA066	6' to 7'	6.5'	6'	
KA067	KA068	6' to 7'	7'	6.5'	
KA069	KA070	6' to 7'	7.5'	7'	
KA071	KA072	6' to 7'	8'	7.5'	
KA073	KA074	6' to 7'	8.5'	8'	
KA075	KA076	7' to 8'	6.5'	6'	
KA077	KA078	7' to 8'	7'	6.5'	
KA079	KA080	7' to 8'	7.5'	7'	
KA081	KA082	7' to 8'	8'	7.5'	
KA083	KA084	7' to 8'	8.5'	8'	
KA085	KA086	8' to 9'	7'	6.5'	
KA087	KA088	8' to 9'	7.5'	7'	
KA089	KA090	8' to 9'	8'	7.5'	
KA031	KA032	9' to 10'	7'	6.5'	
KA033	KA034	9' to 10'	8'	7.5'	

DOUBLE FOLDING GATES

DOODEE I OEDINO GATEO					
MODEL #	WIDTH	HEIGHT Collapsed	HEIGHT Expanded		
KA026	6' to 8'	6.5'	6'		
KA027	6' to 8'	7'	6.5'		
KA028	6' to 8'	7.5'	7'		
KA029	6' to 8'	8'	7.5'		
KA030	6' to 8'	8.5'	8'		
KA001	8' to 10'	6.5'	6'		
KA002	8' to 10'	7'	6.5'		
KA003	8' to 10'	7.5'	7'		
KA004	8' to 10'	8'	7.5'		
KA005	8' to 10'	8.5'	8'		
KA006	10' to 12'	6.5'	6'		
KA007	10' to 12'	7'	6.5'		
KA008	10' to 12'	7.5'	7'		
KA009	10' to 12'	8'	7.5'		
KA010	10' to 12'	8.5'	8'		

CINCLE FOLDING GATES



PVC STRIP SEAL CURTAINS 104

IDEAL TO SAVE ENERGY, REDUCE NOISE AND CONTROL SMOKE AND DUST!

- Standard PVC recommended for temperatures -23 degrees to 66 degrees
- · Low temp PVC recommended for temperatures -40 degrees to 66 degrees
- 6", 8" and 12" wide strips available
- 50 and 100% overlap
- Flush or angle mount

Ordering instructions: Provide opening size, height x width

STANDARD DOOR SIZES W X H 50% overlap	MODEL#	STRIP DIMENSIONS
4' x 8'	PVC48968	8"
4' x 9'	PVC481088	8"
4' x 10'	PVC481208	8"
6' x 8'	PVC72968	8"
6' x 9'	PVC721088	8"
6' x 10'	PVC721208	8"
8' x 8'	PVC96968	8"
8' x 9'	PVC961088	8"
10' x 10'	PVC1201208	8"



- * Special door sizes available upon request
- * 100% overlap available upon request
- * Please specify mounting requirements "angle" or "flush" mount

OPTIONAL

 Sliding track assembly, including: Carriers, wall hangers and track Please call for a quote







LOCKERS 105

ALL-WELDED STANDARD STEEL LOCKERS

- Rugged, all-welded steel lockers will provide years of maintenance free service
- · Designed for industrial, commercial, mining, institutional, sports, educational and government facilities
- Dimensions: 12"W x 18"D x 72"H
- Single tier lockers include hat shelf and three hooks
- · Double and triple tier lockers have two hooks per opening
- Baked enamel gray paint finish (beige also available)
- Recessed base colour: black
- Ventilated lockers available

Bank of 1 Ventilation holes on frame cross piece Bank of 2 20-gauge steel doors 16-gauge steel frame Bank of 3 Scratch-proof recessed plastic pocket Doors are flush to . frame





Bank of 4



OPTIONS:



LOCKERS 106



SINGLE TIER

MODEL #	BANK OF	WEIGHT	
BASIC STYLE			
FJ151	1	52 lbs.	
FJ152	2	96 lbs.	
FJ153	3	139 lbs.	
FJ154	4	183 lbs.	
W/SLOPE TOP			
FJ176	1	56 lbs.	
FJ177	2	104 lbs.	
FJ178	3	151 lbs.	
FJ179	4	199 lbs.	
W/RECESSED	BASE		
FJ224	1	56 lbs.	
FJ225	2	104 lbs.	
FJ226	3	151 lbs.	
FJ227	4	199 lbs.	
W/RECESSED	BASE & S	LOPE	
FJ200	1	60 lbs.	
FJ201	2	112 lbs.	
FJ202	3	163 lbs.	
FJ203	4	215 lbs.	
W/PERFORATED DOORS			
FJ478	1	52 lbs.	
FJ479	2	96 lbs.	
FJ480	3	139 lbs.	
FJ481	4	183 lbs.	

100	
	T T
	F

DOUBLE TIER

DUUBLE HEK				
MODEL #	BANK OF	WEIGHT		
BASIC STYLE				
FJ155	1	53 lbs.		
FJ156	2	98 lbs.		
FJ157	3	141 lbs.		
FJ158	4	187 lbs.		
W/SLOPE TOP				
FJ180	1	57 lbs.		
FJ181	2	106 lbs.		
FJ182	3	153 lbs.		
FJ183	4	203 lbs.		
W/RECESSED	BASE			
FJ228	1	57 lbs.		
FJ229	2	106 lbs.		
FJ230	3	153 lbs.		
FJ231	4	203 lbs.		
W/RECESSED	BASE & S	LOPE		
FJ204	1	61 lbs.		
FJ205	2	114 lbs.		
FJ206	3	165 lbs.		
FJ207	4	219 lbs.		
W/PERFORATED DOORS				
FJ482	1	53 lbs.		
FJ483	2	98 lbs.		
FJ484	3	141 lbs.		
FJ485	4	187 lbs.		

TRIPLE TIER MODEL # **BANK OF** WEIGHT BASIC STYLE FJ159 1 55 lbs. FJ160 2 100 lbs. FJ161 3 142 lbs. 189 lbs. FJ162 4

W/RECESSED BASE & SLOPE			
FJ208	1	63 lbs.	
FJ209	2	116 lbs.	
FJ210	3	167 lbs.	
FJ211	4	222 lbs.	
W/PERFORATED DOORS			
FJ486	1	54 lbs.	
FJ487	2	99 lbs.	
FJ488	3	140 lbs.	
FJ489	4	186 lbs.	



LOCKERETTES

MODEL #	BANK OF	WEIGHT
BASIC STYLE		
FJ171	1	56 lbs.
FJ172	2	112 lbs.
FJ173	3	168 lbs
FJ174	4	224 lbs.
W/PERFORATI	ED DOORS	6
FJ490	1	50 lbs.
FJ491	2	100 lbs.
FJ492	3	150 lbs.
FJ493	4	200lbs.



Info@jbequipment.ca

107 LOCKERS

STANDARD WELDED GEAR LOCKERS

- Gear lockers are ideal for athletic team rooms, fire fighters equipment or any other application where
 easy access to uniforms and/or equipment is required
- · Open face and perforated sides make these lockers fully accessible and ventilated
- · Lockable safety box and foot locker allows for safely storing of valuable goods
- · Lower shelf functions as a bench which eliminates the need for locker room benches
- · Base model includes: safety box, upper shelf and coat bar

	MODEL #		DIMENSIONS
LIGHT GREY	BEIGE	RED	W X D X H
BASE MODEL			
FJ895	FJ894	FJ896	24" x 24" x 72"
FJ901	FJ900	FJ902	30" x 24" x 72"
FJ907	FJ906	FJ908	36" x 24" x 72"
W/FOOT LOCK	ER & LOWE	R SHELF	
FJ898	FJ897	FJ899	24" x 24" x 72"
FJ904	FJ903	FJ905	30" x 24" x 72"
FJ910	FJ909	FJ911	36" x 24" x 72"



DELUXE WELDED GEAR LOCKERS

- . Deluxe gear lockers provide security with optimum ventilation for valuable equipment and uniforms
- Wardrobe design interior provides the flexibility to store all different kinds of materials and clothing
- Lower lateral drawer allows you to stow heavier bulky items such as boots or gear bags
- · Base model includes three half shelves, one full width shelf, coat bar and lockable doors

MODEL #		DIMENSIONS	
LIGHT GREY	BEIGE	RED	W X D X H
BASE MODEL			
FJ913	FJ912	FJ914	36" x 24" x 72"
W/ LATERAL DRAWER			
FJ916	FJ915	FJ917	24" x 24" x 72"



LOCKER ROOM BENCHES

- Necessary for any locker room
- Features black powder coated legs that can be used free-standing, or bolted to the floor (wood-top)



MODEL #	DIMENSIONS - LX W X H	ТҮРЕ
FB002	72" x 12" x 17"	Steel
RL871	48" x 9 1/4" x 16 1/2"	Wood
RL872	60" x 9 1/4" x 16 1/2"	Wood
RL873	72" x 9 1/4" x 16 1/2"	Wood
RL874	96" x 9 1/4" x 16 1/2"	Wood

Info@jbequipment.ca

LOCKERS 108

16-DOOR ARCHETTES

- · Ideal for confined spaces
- 16 lockable compartments
- Bar for hanging garments
- Compartments are 12"W x 18"D x 12"H
- Overall dimensions 72"W x 18"D x 72"H
- Light gray

MODEL #	COLOUR
FL359	Grey
FL360	Charcoal

WELDED WALL HUNG CABINETS

- . Suitable for areas where floor space is limited
- Dimensions: 36"W x 12"D x 30"H
- Includes: fully adjustable shelf, recessed handle and cylinder lock

MODEL #	COLOUR
FL781	Grey
FL782	Beige

HEAVY-DUTY CABINET DOLLIES

- . Makes cabinets fully mobile
- Allows for easy access during cleaning
- Two rigid and two swivel with brake, 5" poly casters
- Capacity: 800 lbs.
- Assembly required

MODEL #	DIMENSIONS - W X D
FI292	36" x 18"
FI293	36" x 24"
FI294	48" x 18"
FI295	48" x 24





()

www.jbequipment.ca









109 STORAGE CABINETS

HEAVY-DUTY STORAGE CABINETS

- · Heavy-duty all welded integral construction
- All cabinets are double door with a single high quality two point locking handle
- · All standard cabinets come with 4 adjustable shelves on 2" increments
- · Doors close quietly & fit flush with the frame of the cabinet

MODEL #	WIDTH	DEPTH	HEIGHT
ASM 362042	36"	20"	42"
ASM 362072	36"	20"	72"
ASM 362472	36"	24"	72"
ASM 362442	36"	24"	42"
ASM 482072	48"	20"	72"
ASM 482042	48"	20"	42"
ASM 482472	48"	24"	72"
ASM 482442	48"	24"	42"







ECONOMICAL ALL WELDED STORAGE CABINETS

- Suitable for office, plant, school or institutional storage needs Fully adjustable shelves, recessed handle, cylinder lock and coat rods (wardrobe and combination types)
- · Choose from Hi-Boy, Lo-Boy, wardrobe, and combination cabinets
- · Lo-Boy comes with 2 shelves
- · Capacity: 150 lbs. evenly distributed

 \square

Info@jbequipment.ca

FB041

MODEL #		DESCRIPTION	DIMENSIONS
CHARCOAL	BLACK		W X D X H
FJ856	FJ859	Hi-Boy	36" x 18" x 72"
FJ867	FJ865	Wardrobe	36" x 18" x 72
FJ861	FJ862	Combination	36" x 18" x 72
FJ863	FJ868	Lo-Boy	36" x 18" x 40"
FJ873	FJ876	Additional shelf	36" x 16" x 1"









ECONOMICAL SAFETY STORAGE CABINETS 110

- · Designed and labeled by the underwriters
- Laboratories of Canada C1275
- Quality constructed from 18 gauge steel
- Double wall welded construction
- 2" between the inner and outer walls filled with a fire proof insulating material
- Door sill raised 2" above the bottom of the cabinet to All cabinets double door style, extra shelves form a liquid-tight well
- Three point lock on door
- · Adjustable satin coat galvanized shelves permit storing of various size containers

- · 2" threaded vents, one on each side, allow for ventilation
- Fire baffle covers each vent
- · Painted with safety yellow enamel, with red bi-lingual letters, warning
- "FLAMMABLE KEEP FIRE AWAY"
- available slight additional charge





www.jbequipment.ca

MODEL #

WB30

WB45

WB-S

111 SAFETY STORAGE CABINETS

WALL MOUNTED AND STACKABLE MODELS

- Designed to be used as a single cabinet, to fit on top of standard 30 gallon cabinets or on top of each other
- Ideal for segregating flammables or to increase the capacity of your current cabinet



WALL MOUNTED CABINETS

- Maximum storage in a compact size
- These cabinets will hold up to 24 gallons of flammable liquids without taking up valuable floor space
- Furnished with brackets for easy wall mounting or can be placed on a bench top
- Equipped with five adjustable shelves which can be positioned to meet your specific needs

MODEL #	DESCRIPTION	TEST LAB Approval	# OF Shelves	CAPACITIES	DIMENSIONS - H X W X D
WMA112	12. gal. self-latch standard 2-door	FM+t	1	Stackable on A130 cabinet	18" x 43" x 18"
WMA118	18. gal. self-latch standard 2-door	FM+t	1	Stackable on A130 cabinet	24" x 43" x 18"
WMA124	24. gal. self-latch standard 2-door	FM+t	5	For mounting on wall	44" x 43" x 12"
WMA324	24. gal. self-close, self-latch safe t-door	FM+t	5	For mounting on wall	46" x 43" x 12"

OXYGEN GAS/LIQUID PROPANE VERTICAL SECURITY STORAGE CABINETS

- Lockable mesh doors with slide bolt hasp (no lock)
- All welded ready to use
- 13 gauge flattened mesh sides
- 14 gauge top
- 11/2" x 3/16" thick corner angles
- · Foot pads with pre-drilled holes

- Powder coated safety yellow
- Safety signage in large red letters
- Adjustable safety retention chains



LIQUID PROPANE VERTICAL SECURITY

MODEL #	DESCRIPTION	SHELVES	CAPACITY	DIMENSIONS - H X W X D	
HWLP2VS	Vertical gas cylinder cabinet	1	2	35" x 18" x 30"	
HWLP4VS	Vertical gas cylinder cabinet	1	4	35" x 30" x 30"	
HWLP6VS	Vertical gas cylinder cabinet	1	6	35" x 42" x 30"	
HWLP8VS	Vertical gas cylinder cabinet	2	8	70" x 30" x 30"	
HWLP12VS	Vertical gas cylinder cabinet	2	12	70" x 33" x 38"	
HWLP0G	Combination cylinder cabinet	2	Combo	70" x 62" x 38"	

Meets OSHA 1910.110 NFPA 58-113 Standard Meets CSA B149.2







PREMIUM SAFETY STORAGE CABINETS 112

- Keep flammable liquids close to the work area in a safe and organized way while limiting employee exposure with SECURALL Safety Storage Cabinets
- Choose from a large selection of models from 4 gallons to 90 gallons
- They are designed to meet safety requirements whenever a job involves the handling of flammable liquids
- · Smaller cabinets are convenient where space is limited



MODEL #	TEST LAB APPROVAL	# OF SHELVES	CAPACITIES	DIMENSIONS - H X W X D
A105	FM+t	1	MISC. sized containers	35" x 24" x 18"
A110	FM+t	1	MISC. sized containers	44" x 24" x 18"
A130	FM+t	1	6/5 gal. safety cans	44" x 43" x 18"
A145	FM+t	2	9/5 gal. safety cans	65" x 43" x 18"
A160	FM+t	2	12/5 gal. safety cans	65" x 34" x 34"
A190	FM+t	2	18/5 gal. safety cans	65" x 43" x 34"

* Complies with OSHA regulations FM-Factory Mutual Approved t-All cabinets are designed in accordance with specifications set forth by the National Fire Protection Associaton







113 WIRE MESH PARTITIONS

- · Ideal for secure lock up; tool cribs, bonded warehouses and stock rooms
- Optional accessories: Service counter, dutch door, cylinder locks, push bars

PANELS

- 2" x 2" x 10 gauge wire mesh
- 10 gauge frame (stiffeners included on all applicable sizes)
- Pre-drilled modular components allow for quick and easy installation

	+++		
+++	+++		
	+++		
+++			
+++			
+++			
		-	
	+++		
	+++		



POSTS

• 2" x 2" 16 gauge square tube with a 2" x 6" base plate

FENCE POSTS				
MODEL #	DIMENSIONS - W X D X H			
WP99	2" x 2" x 8'3"			
WP123	2" x 2" x 10'3"			
WP147	2" x 2" x 12'3"			

FENCE PANELS

MODEL #	DIMENSIONS - w x h
WP6096	5' x 8'
WP4896	4' x 8'
WP3696	3' x 8'
WP2496	2' x 8'

BEQUIPMENT

905.883.0316

STANDARD SWING GATES

MODEL #	DIMENSIONS - w x h
SG3684	3' x 7'
SG4884	4' x 7'
SG3696	3' x 8'
SG4896	4' x 8'

SWING GATES HEAVY DUTY

MODEL #	DIMENSIONS - W X H
SG3684HD	3' x 7'
SG4884HD	4' x 7'
SG3696HD	3' x 8'
SG4896HD	4' x 8'

 \square

Info@jbequipment.ca

STANDARD SLUING GATESMODEL #DIMENSIONS - W X HSLG48964' x 8'

020.000	
SLG6096	5' x 8'
SLG7296	6' x 8'
SLG8496	7' x 8'
SLG9696	8' x 8'


SLIDING GATES HEAVY DUTY


MODEL #	DIMENSIONS - W X H
SLG4896HD	4' x 8'
SLG6096HD	5' x 8'
SLG7296HD	6' x 8'
SLH8496HD	7' x 8'
SLG9696HD	8' x 8'


www.jbequipment.ca

WIRE MESH PARTITIONS 114

Type A - 2 Sides







CREATE YOUR OWN CUSTOM ENCLOSURE USING THESE GUIDELINES TO DETERMINE COMPONENTS REQUIRED


SWING DOORS

Standard-Duty

- Frame constructed with 11/4" x 11/4" angle iron frame
- · May swing outwards to the left or to the right
- Fasteners are included

Heavy-Duty

- Frame constructed with 11/4" x 11/4" square tube and 1" x 1" angle iron
- Fasteners are included



SLIDING GATES

Standard-Duty

- Frame constructed with 11/2" x 11/2" angle iron frame
- All sliding doors may slide open to the left or to the right

Heavy-Duty

- Frame constructed with 11/4" x 11/4" square tube and 1" x 1" angle iron
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width



Info@jbequipment.ca

www.jbequipment.ca

115 WIRE MESH PRODUCTS

PERIMETER GUARDS

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 491/2" overall height and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on section is included
- Safety yellow or blue finish

MESH STYLE KITS

MODEL #		MODEL # DESCRIPTION	
BLUE	YELLOW		
KH945	RL848	Starter section	48" x 48"
KH946	RL849	Add-on section	48" x 48"
KH947	RL850	Starter section	96" x 48"
KH948	RL851	Add-on section	96" x 48"

MESH STYLE INDIVIDUAL COMPONENTS

MOL)EL #	DESCRIPTION	DIMENSIONS - w x h
BLUE	YELLOW		
KD036	KD130	Mesh panel	4' x 4'
KD037	KD131	Mesh panel	8' x 4'
KH861	KD129	Post universal	491/2"H



WIRE MESH LOCKERS

- All steel
- Powder coat finish
 Ideal for condo or industrial lockups
- Panels shall be electric welded mesh 2' x 2' x 1/8' framed by 11/4" x 11/4" x 12 g. formed angles
- All doors whether single or double tier shall consist of electric welded mesh 2' x 2' x 1/8' framed by 11/4" x 11/4" x 12 g. formed angle
- Call for inquiry






905.883.0316

WIRE MESH PRODUCTS 116

WIRE MESH PALLET RACK GUARDS

- Back guards help prevent accidents by keeping pallets and their contents from falling off the back of the rack
- These guards increase safety where pedestrian pathways are behind the rack
- Constructed using a 10 ga. frame, and 2" x 2" 10 ga. wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- $\boldsymbol{\cdot}$ Guard brackets are designed to fit almost any style of rack
- Durable safety yellow finish

MODEL #	HEIGHT	LENGTH	OVERHANGING BRACKETS (4 PER PANEL)
4896MG6	48"	96"	6"
4896MG8	48"	96"	8"
3696MG6	36"	96"	6"
3696MG8	36"	96"	8"
2496MG6	24"	96"	6"
2496MG8	24"	96"	8"





 \bowtie

Info@jbequipment.ca





www.jbequipment.ca

CUSTOM WORK BENCHES 117

- · Select from the components below to build the workbench to fit your needs
- · All mounting hardware included
- All steel components are powder coated gray



A - LEGS

- · Legs static or mobile
- · Comes with knockout for standard two-outlet electrical plug
- Provides an overall height of 34" with top



MODEL #	DESCRIPTION	DIMENSIONS W X H
ML266	Pair of legs for use w/24"D top, includes stringer	22" x 32"
ML268	Pair of legs for use w/30"D or 36"D top, includes stringer	28" x 32"
ML264	Single leg for use w/24"D top	22" x 32"
ML265	Single leg for use w30"D or 36"D top	28" x 32"
ML267	Mobile kit for use w/24"D top (pair), includes stringer	22" x 32"
ML269	Mobile kit for use w/30"D or 36"D top (pair), includes stringer	28" x 32"
FG732	Leg extensions to make height adjustable from 34"-39" in 1" increments (set of 4)	-

B - DRAWERS

- · Add storage to any workbench
- All-welded heavy gauge steel
- 100% full extension with ball bearing slide mechanism

Single Drawer Units Model # FH673 15 3/8"W x 20"D x 5 5/8"H



Double Drawer Units Model # FH674 15 3/8"W x 20"D x 2 3/4"H



C - LOWER SHELVES

- Add storage to any workbench
- All-welded heavy gauge steel
- 100% full extension with ball bearing slide mechanism

FF934	
MODEL #	WIDTH
FF934	44" (for use with 48" top)
FF935	56" (for use with 60" top)
FF936	68" (for use with 72" top)
RL866	80" (for use with 84" top)
RL867	92" (for use with 96" top)



CUSTOM WORK BENCHES 118



E + F - BACK AND SIDE STOPS

E - Back Stops

- Add a 3" edge to the back of any workbench
- One per bench top

MODEL #	WIDTH
FF704	48"
FF705	60"
FF708	72"
FI317	84"
FI318	96"

F - Side Stops

- Add a 3" edge to the back of any workbench
- One per desired side to enclose

MODEL #	DEPTH
FF792	24"
FF793	30"
FF794	36"

D - NIJUN JIIELF		
Increase storage analos	MODEL #	WIDTH
Increase storage spaceIdeal for getting tools	FF956	48"
and other equipment	FF957	60"
off work surfaces	FF958	72"
• 9"D x12"H	FI319	84"
• One per workbench	FI320	96"

G - TOPS

Shop Tops

- Great top for medium-duty applications
- 1/2" double sealed resin boards laminated over 3/4" MDF core
- Overall thickness: 1 3/4"



MODEL #	DIMENSIONS - w x h
FD001	24" x 48"
FD002	24" x 60"
FH764	30" x 48"
FD004	30" x 60"
FD005	30" x 72"
FH765	30" x 84"
FH766	30" x 96"
FH767	36" x 48"
FD006	36" x 60"
FD007	36" x 72"
FH768	36" x 84"
FH769	36" x 96"

Laminated Hardware Tops -Square Edge

- Laquer finished tops for durability
- Heavy-duty solid hardware laminations for long life
- Overall dimensions: 1 3/4"

MODEL #	DIMENSIONS - w x h	
FD015	24" x 48"	
FD016	24" x 60"	
FD017	24" x 72"	
FG969	24" x 84"	
FG970	24" x 96"	
FG972	24" x 120"	
FD019	30" x 48"	
FD020	30" x 60"	
FD021	30" x 72"	
FD022	30" x 84"	
FG973	30" x 96"	
FD025	36" x 48"	
FD026	36" x 60"	
FD027	36" x 72"	
FD028	36" x 84"	
FD029	36" x 96"	

Steel Wood-Filled Tops

- Heavy-duty 14 gauge steel with formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"
- Powder coated gray



MODEL #	DIMENSIONS - w x h
FD030	24" x 48"
FD031	24" x 60"
FH871	30" x 48"
FD033	30" x 60"
FD034	30" x 72"
FH872	30" x 84"
FH873	30" x 96"
FH874	36" x 48"
FD035	36" x 60"
FD036	36" x 72"
FH875	36" x 84"
FH876	36" x 96"

BEQUIPMENT

905.883.0316



www.jbequipment.ca

PEDESTAL WORK BENCHES 119

CIISTOMIZE YOUR WORK BENCH - SELECT ANY TWO CABINETS LISTED AND ADD A TOP

- All welded heavy-gauge steel
- · Aluminum extrusion handles with gray end caps
- · Complete with locks and two keys
- 18"W x 21"D x 28"H overall cabinet size
- 30" overall height with top



Full Door Cabinets

Model # FH666 163/4"W x 21"D x 24"H Internal adjustable Shelf included



(2)163/4"W x 21"D x 12"H



2-Drawer w/One Door Cabinets Model # FH668 (2)153/8"W x 20"D x 55/8"H (1)163/4"W x 21"D x 12"H

1			
	-		
			_
		-	
			_
		-	-
	-		
100	-		

Model # FH669 (4)153/8"W x 20"D x 55/8"H

4-Drawer Cabinets



3-Drawer Cabinets Model # FH167 (2)153/8"W x 20"D x 55/8"H (1)153/8"W x 20"D x 115/8"H

Optional Pedestal Bases Model # FH672 4" high 34" high with top

EQUIPMENT

905.883.0316



LEG AND PEDESTAL COMBINATIONS

- All-welded 14-gauge steel legs
- Knockout for standard two-outlet electrical plug
- Overall height of 34" with top
- · Powder coated gray finish

MODEL #	DESCRIPTION	DIMENSIONS - D X H
ML264	Single leg for use w/24"D top	22" x 32"
ML268	Single leg for use w/30"D or 36"D top	28" x 32"
ML264	Pedestal base (max 1)	4"H

Shop Tops

- · Great top for medium- duty applications
- Overall thickness: 1 3/4"



Steel Wood-FilledTops

- Heavy-duty 14 gauge steel
- · Reinforced with wood core
- Overall thickness: 1 3/4"



Laminated Hardware Tops -Square Edge

- · Laguer finished tops for durability
- · Heavy-duty solid hardwood
- Overall dimensions: 1 3/4"



MODEL #	DIMENSIONS - w x h
FD004	30" x 60"
FD005	30" x 72"
FH765	30" x 84"
FD006	36" x 60"
FD007	36" x 72"
FH768	36" x 84"

MODEL #	DIMENSIONS - w x h	WEIGHT
FD033	30" x 60"	92 lbs.
FD034	30" x 72"	110 lbs.
FH872	30" x 84"	129 lbs.
FD035	36" x 60"	110 lbs.
FD036	36" x 72"	132 lbs.
FH875	36" x 84"	154 lbs.


MODEL #	DIMENSIONS - w x h	WEIGTH
FD020	30" x 60"	88 lbs.
FD021	30" x 72"	105 lbs.
FD022	30" x 84"	123 lbs.
FD026	36" x 60"	105 lbs.
FD027	36" x 72"	126 lbs.
FD028	36" x 84"	147 lbs.



ECONOMICAL WORK BENCHES 120

ECONOMICAL ALL WELDED WORK BENCH

- Formed 14 gauge steel top
- Heavy gauge 1.5" welded angle frame
- Fixed heights 34", 36" or 40"
- Specify required height at time of ordering







OPTIONS:

BOTTOM SHEL	F	RISER SHELF	
MODEL #	DIMENSIONS	MODEL #	DIMENSIONS
BS2460	24" x 60"	RS1260	12" x 60"
BS2472	24" x 72"	RS1272	12" x 72"
BS2484	24" x 84"	RS1284	12" x 84"
BS2496	24" x 96"	RS1296	12" x 96"

CASTERS # Set of 4 5" diameter swivel 4w locks Model # BBCS5

DRAWERS

Single Drawer Model # FH673

Double Drawer Model # FH674









Info@jbequipment.ca

www.jbequipment.ca

121 DRAWER CABINETS



Lockable Cabinets

Safety, security, reduced shrinkage All cabinets comes with individual lock and two keys Lock cores can be exchanged in the field for both keyed alike and master key systems

Ergonomic Handles

Improved safety, appearance and ergonomics When drawers are closed, handles are flush with housing so nothing protrudes

Hinged Label Holders

Easy labeling of drawer contents Drawer handles are covered with clear hinged covers for display of drawer labels

100% Full Extension Drawers

Benefit: Easy access and full use of the furthest corners of storage Continuous smooth extension even with a full load with a 400 lb. capacity

Installed Drawer Dividers

Fast, accurate identification of compartment contents are easier inventory control

Angled tops allow easy indentification of contents and can accommodate most bar code labels

Preventip Interlock System

Added safety and security


Unique, patented drawer locking system ensures that when one drawer is extended, all other drawers are locked closed to prevent accidental tip-over

Fork Truck Base With Front and Rear Covers


Transport your cabinet easily from one location to another

Exclusive Suspension System

Durable, smooth, quiet operation Suspension system has been tested against the globally respected RAL-RG 614 standard The drawers exceeded the required numbed of cycles at full load without diminished performance



DRAWER CABINETS 122




123 DRAWER CABINETS

- Overall dimensions: 281/4"W x 281/2"D x 591/2"H
- Number of drawers: 9
- Number of compartments: 124
 Model # FI141 Bright Blue
 Model # FI142 Light Gray

Drawer Configuartion:

Drawers 1-4: A Drawers 5-9: B






- Overall dimensions: 281/4"W x 281/2"D x 591/2"H
- Number of drawers: 12
- Number of compartments: 210 Model # FI145 Bright Blue Model # FI146 Light Gray

Drawer Configuartion:

Drawers 1-2, 5-6: A Drawers 3-4, 7: B Drawers 8-10: C Drawers 11-12: D




1	Am Ø
2"	
2"	
2"	
2"	
2" 2" 2" 3" 3" 3"	
3"	
3"	
5"	
5"	
5"	
5"	
5"	

- Overall dimensions: 281/4"W x 281/2"D x 591/2"H
- Number of drawers: 11
- Number of compartments: 172 Model # FI143 Bright Blue Model # FI144 Light Gray

Drawer Configuartion:

Drawers 1-4: A Drawers 5-8: B Drawers 9-10: C Drawers 11: D



- Overall dimensions: 401/4"W x 221/2"D x 591/2"H
- Number of drawers: 7
- Number of compartments: 66 5" Model # FI149 Bright Blue 5" Model # FI150 Light Gray 5"

Drawer Configuartion: Drawers 1-4: A Drawers 5-7: B

 5"


 5"

 7"

 7"

 9"


 9"



- Number of drawers: 9
- Number of compartments: 105 Model # FI151 Bright Blue Model # FI152 Light Gray

905.883.0316





MOBILE CABINETS 124

SINGLE PEDESTAL CABINETS

- Heavy gauge steel cabinet with 1" round tube frame
- Top tray lined with a rubber mat
- Full extension drawers with a capacity of 100 lbs. per drawer
- · Four 4" non-marking casters with brakes for smooth, easy rolling
- · Comes complete with locks and two keys
- Overall dimensions: 20"W x 21"D x 37"H
- Cabinet frame powder coat finish with gray shell

MODEL #	DESCRIPTION	WEIGHT
FF984	4-drawer cabinet	120 lbs.
MH801	Single door cabinet	75 lbs.

MOBILE TOOL BOX CABINETS

- A versatile unit combining tool/storage area with a work surface
- · Heavy-duty 11 ga. steel top and base
- Four 5" non-marking casters: two rigid and two swivels with brake
- Overall dimensions: 60"W x 22"D x 37"H

MODEL #	DESCRIPTION	WEIGHT
FF993	5 drawers/ 3 drawers	285 lbs.
FF994	3 drawers and side shelves	220 lbs.
FF995	5 drawers and side shelves	235 lbs.

3 Drawer cabinet with flip top panel

1 x drawer - 221/8"W x 163/4"D x 2"H 2 x drawers - 221/8"W x 163/4"D x 4"H 3 x drawers - 261/2"W x 18"D x 123/8"H Colour: Red

5 Drawer cabinet

1 x drawer - 221/8"W x 163/4"D x 2"H 2 x drawers - 221/8"W x 163/4"D x 4"H 3 x drawers - 221/2"W x 163/4"D x 613/8"H Colour: Red

INDUSTRIAL-DUTY MOBILE SERVICE CABINETS

- 16 ga. all-welded steel construction
- · Designed for moving heavy parts and tools to the job site
- · Provides a strong maintenance-free surface to work on
- Laminated hardwood top
- Four 5" non-marking casters: 2 rigid and 2 swivels with brake
- Overall dimensions: 42"W x 24"D x 37"H
- Shipped assembled

MODEL #	DESCRIPTION	WEIGHT
ML325	2 doors	235 lbs.
ML326	1 drawer/ 1 door	190 lbs.
ML 327	4 drawer/ 1 door	275 lbs.
ML328	8 drawers	300 lbs.













 (\oplus) www.jbequipment.ca




 \square Info@jbequipment.ca



125 SCALES

MSF FLOOR SCALES

- Heavy duty Floor Scales for a wide range of industrial applications such as shipping, receiving and bulk loading
- · Come as a complete calibrated unit, which includes MSDeck and a digital weight indicator
- MSDeck is a durable rigid construction which utilizes a full 6" structural channel frame welded to a checkered steel deck, providing durability and optimum performance in operations such as shock-, endor corner-loading
- Floor scales' load cells and cables are recessed within the channels
- · Easy to read 1" / 25.4mm high contrast digitals LCD display with back light
- MSF floor scales are self contained units, requiring no floor fixtures and can be easily lifted, moved, installed and re-installed to meet your changing needs





* Optional Ramps

BENCH SCALES

- Durable construction with Stainless Steel Platter
- · Indicator column and wall mount
- Bidirectional RS-232 data interface
- Easy-to read 1" / 25.4mm high LCD display with back light
- Weighing units conversion through key pay: kg, lb, oz, counting
- Auto zero tracking
- Stability and low battery indicator
- Overload and under load indication
- Auto off
- Power: AC/DC Adapter

905.883.0316

 \square

Info@jbequipment.ca

MODEL #	CAPACITY
MSG-10	22 lbs/ 10 kg
MSG-25	55 lbs/ 25 kg
MSG-50	110 lbs/ 50 kg
MSG-50L	110 lbs/ 50 kg
MSG-100	220 lbs/100 kg
MSG-250	550 lbs/ 250 kg
MSG-500	1100 lbs/ 500 kg



SCALES 126

COUNTING SCALES

- MCD dual channel counting scales are accurate, fast and versatile scales for counting and weighing applications
- Supports remote scale of up to 4 x 350 ohm load cells
- $\boldsymbol{\cdot}$ Up to 100 PLUs with description, unit and tare weight
- 3 x 6 digits LCD display with back light
- RS-232 bi-directional interface
- Platter size 11.8" x 8.9"
- Rechargeable battery with up to 70 hours of operation
- MCS Single Channel Counting Scales are designed for general counting and weighing applications
- 3 easy to read 0.6"/ 15.2mm high digits LCD displays with back light
- 5 digit total weight display
- Internal resolution 1/320 000
- Platter size 13" x 9"
- Self diagnostics at power up for circuitry and display segments

ERGONOMIC INDUSTRIAL SHOP SEATING

- Industrial chairs featuring comfortable and supportive seating that is easy to clean
- Seats made of a soft molded polyurethane material, backs formed to support the body for greater comfort and less fatigue
- Pneumatic height adjustment of 15" to 20 1/2"
- $\boldsymbol{\cdot}$ 5-prong poly on steel base with dual wheel carpet casters
- Glides recommended with footing
- OC816 and OC821 task chairs have adjustable backrest height, depth and angle



MODEL #	CAPACITY	RESOLUTION
MCD-3	6.5 lbs/ 3 kg	0.0002 lbs/ 0.1 g
MCD-6	13 lbs/ 6 kg	0.0005 lbs/ 0.2 g
MCD-15	33 lbs/ 15 kg	0.001 lbs/ 0.5 g
MCD-30	65 lbs/ 30 kg	0.002 lbs/ 1 g



MODEL #	CAPACITY	RESOLUTION
MCS-3	3 kg	0.1 g
MCS-6	6 kg	0.2 g
MCS-15	15 kg	0.5 g
MCS-30	30 kg	1 g



MODEL #	DESCRIPTION
W/CASTERS	
OC815	Operator's chair
OC816	Task chair
NH450	Operator's chair w/stool kit
NH451	Task chair w/stool kit
W/GLIDES	
OC820	Operator's chair
OC821	Task chair
NH452	Operator's chair w/stool kit
NH453	Task chair w/stool kit







OC820



127 WORK STOOLS

DELUXE SWIVEL STOOLS

- 360 swivel motion is ideal for workers who have repetitive side movement
- Seat easily adjusts to your selected height, just raise or lower the steel rod and lock securely in place
- 3/4" circular tube footrest
- Four leg cluster design has a 22" spread giving them optimum stability
- Black vinyl upholstery with a royal grey frame
- Optional casters available

OJ905 has an ergonomic self-skinned molded polyurethane foam seat and back, features lumber support, waterfall seat and 4-leg frame for superior comfort and durability

MODEL #	ADJUSTABLE HEIGHT	SEAT DIMENSIONS
OJ905	25 - 31	19" x 17"
FC670	25 - 31	19" x 17"
FC675	Set of 4 casters	-

STATIONARY AND ADJUSTABLE HEIGHT STOOLS

- Ruggedly built for long lasting service in a warehouse factory or office
- All-welded frame is a 7/8" diameter steel tube
- 14" diameter embossed steel seat has a 1/8" tempered hardboard inlay
- On the adjustable models the telescope legs have screw locks that adjust on 1" increments
- Contoured black rest constructed of 19-gauge steel
- Royal gray

	MODEL #	HEIGHT	SEAT DIMENSIONS
	STATIONARY H	IEIGHT	
A	FC649	24"	14"
B	FC647	24"	14"
	FC648	30"	14"
	ADJUSTABLE I	HEIGHT	
C	FC653	25" - 33"	14"
D	FC655	25" - 33"	14"







FC670









SHOP DESKS 128

SHOP DESKS ARE AVAILABLE IN THREE MODELS

- Manufactured from heavy gauge prime furniture grade steel
- All welded upper unit comprised of a heavy duty 9" deep riser shelf, large writing surface, and a lockable drawer
- The integral welded design with reinforced stress points give this unit extra rigidity for long lasting durability
- The extra wide drawer runs on smooth full extension ball bearing drawer slides
- The entire unit is coated in a high quality powder coat finish
- Stocked in A124 pearl gray
- Available caster kit for models AS404 and AS405
- AS403 and AS404 requires minor assembly



WALL-MOUNTED SHOP DESK

Model # AS403

- 341/2"W x 30"D x 19"H
- C/W 2 14 ga. wall mount brackets

CABINET STYLE SHOP DESK

Model # AS404

- 341/2"W x 30"D x 53"H
- C/W lower storage shelf
- 14 ga. legs

AS404

OPEN FLOOR STYLE SHOP DESK

Model # AS405

- 341/2"W x 30"D x 53"H
- All welded construction, 2 point lockable lower compartment with adjustable shelf

Lower Cabinet

- 341/2"W x 27"D x 34"H
- Comes fully assembled





Info@jbequipment.ca

129 ROUND CONTAINERS

ROUND CONTAINERS

- Durable, heavy-duty containers for a variety of uses
- All-plastic, professional-grade construction will not rust, chip, or peel and resists dents
- Strong, snap-on lids provide secure, stable stacking
- · Lids sold separately





MODEL #	COLOUR	DESCRIPTION	DIMENSIONS	CAPACITY
2620	Gray, blue, red	Container without lid	19.5" dia. x 22.88"h	20 gal.
2632	Gray, blue, red	Container without lid	22" dia. x 27.25"h	32 gal.
2643	Gray, blue, red	Container without lid	24" dia. x 31.5"h	44 gal.
2655	Gray, dark green, red	Container without lid	26.5" dia. x 33"h	55 gal.

LIDS AND TOPS

- · A wide variety for general and specialty use
- Strong, snap-on lids provide secure, stable stacking

S	tandard 2631	Dome 2647		Standard 263	7
MODEL #	COLOUR	DESCRIPTION	ווח	MENSIONS	-
2619	Gray, black, red	Standard lid for 2620 containers		3" dia. x 1.8"h	
2631	Gray, red, blue	Standard lid for 2620 containers		"dia. x 1.63"h	
2645	Gray, black, red	Standard lid for 2643 and 2655 containers		"dia. x 1.5"h	
2654	Gray, dark green, red	Standard lid for 2620 containers		'5"dia. x 2"h	
2637	Gray, red	Dome top for 2632 containers		dia. x 12.25"h	
2647	Gray, red	Dome top for 2643 containers		dia. x 12.63"h	
2657	Gray, red	Dome top for 2655 containers		"dia. x 14.5"h	
CONTAINER D	5	2640	2650		
MODEL #	COLOUR	DESCRIPTION		DIMENSIONS	CAPACITY
2640	Black	Dolly for 2620, 2632, 2643 and 2655 containers		18.25"dia. x 6.63"h	250 lbs.
2650	Black	Universal drum dolly for 2655 container		24.38"dia. x 7.13"h	500 lbs.
JB €QU	IPMENT				
Ċ	N	\bowtie			
905.883	3.0316	Info@jbequipment.ca		www.jbequi	oment.ca

ROLLOUT CONTAINERS 130

ROLLOUT CONTAINERS

50 Gallon

- Easy mobility
- Attached hinged lif fits tightly; swings back and locks
- Molded-in axle retainer adds strength
- Molded-in catch bar is compatible with automated lift systems
- Meets ANSI Z245.30-1999 for Types B and G Rollout Carts
- Insert wheel position helps prevent damage to walls and doorways

65 and 95 Gallon

- · Efficient, large capacity waste collection
- Ships fully assembled
- Steel catch bar is compatible with semi-automated lift systems
- Meets ANSI Z245.30-1999 for Types B and G Rollout Carts
- Stable in high winds and on uneven surfaces
- Insert wheel position helps prevent damage to walls and doorways
- Molded-in floor tilter helps maneuver heavy loads
- · One-piece body construction provides superior strength and durability



		•••=•		• •
MODEL #	COLOUR	DESCRIPTION	DIMENSIONS L X W X H	CAPACITY
9W27	Yellow, gray, blue	Rollout container with lid	28.5" x 23.38" x 36.5"h	50 gal.
9W27	Blue	Recycling rollout container with lid	28.5" x 23.4" x 36.5"h	50 gal.
9W21	Blue, gray	Rollout container	32.3" x 25.3" x 41.8"h	65 gal.
9W11	Blue, gray	Rollout container	35.4" x 27.3" x 45.6"h	95 gal.

Info@jbequipment.ca

www.jbequipment.ca

131 SAFETY SIGNS

FLOOR SAFETY SIGNS

- · Lightweight, versatile signs for effective safety communication
- "Closed" and "Caution" warning messages imprinted in English, French and Spanish
- Folds for convenient storage and transport on janitor carts
- Two- and four-sided models available
- ANSI and OSHA compliant colour and graphics

MODEL #	COLOUR	DESCRIPTION	DIMENSIONS L X W X H
6112	Yellow	Floor sign with multi-lingual "Caution" imprint, 2-sided	Open: 26" x 11" x 25" Closed: 26" x 11"
6112	Yellow	Floor sign with "Caution Wet Floor" imprint, 2-sided	Open: 26" x 11" x 25" Closed: 26" x 11"
6112	Yellow	Floor sign with multi-lingual "Closed" imprint, 2-sided	Open: 26" x 11" x 25" Closed: 26" x 11"
6114	Yellow	Floor sign with multi-lingual "Caution" imprint, 4-sided	Open: 38" x 12" x 37" Closed: 38" x 12"
6114	Yellow	Floor sign with "Caution Wet Floor" imprint, 4-sided	Open: 38" x 12" x 37" Closed: 38" x 12"
6114	Yellow	Floor sign with multi-lingual "Closed" imprint, 4-sided	Open: 38" x 12" x 37" Closed: 38" x 12"
6184	Yellow	20' barrier chain for 6114 and safety cones	0.25"dia. x 20"l x 0.88"w





MOBILE BARRIER

- Constructed of steel and aluminum
- Free-standing design allows setting up quickly wherever and whenever they are needed
- Protects workers or customers from injuries
- · Collapsed design also allows unit to store easily
- · Painted black and yellow to provide high visibility

MODEL #	EXPANDED Width	HEIGHT	NUMBER OF Posts	DESCRIPTION
SE921	11'	37"	2	With stationary feet
SEE437	11'	39"	2	With 3" locking casters
SEE438	15'	37"	3	With stationary feet
SEE439	15'	39"	3	With 3" locking casters

BEQUIPMENT





BIN STORAGE

- 133 AkroBins
- 135 Shelf Bins
- 138 AkroGrid
- **139** Nest and Stack Totes
- 140 Bin Storage Systems
- 143 Louvered Hanging Systems
- 144 Bin Cabinets
- 146 Bulk Boxes





133 AKRO BINS

AKRO BINS - INDUSTRY LEADING HANGING AND STACKING BINS

- · Efficient: Control inventories, shorten assembly times, minimize parts handling
- Functional: Heavy-duty bins securely stack atop each other, sit on shelving, and hang from Akro-Mils racks, panels, rails and carts
- **Durable:** Molded of industrial-grade polymers, AkroBins are resistant to weak acids and alkalies. Water, rust and corrosion-proof
- Variety: Available in 14 sizes / standard colours include: red, blue and yellow

Anti-slide stop prevents stacked bins from shifting foward

Full-width hanger lip supports bin on hanging system

> Reinforced side ribs add strength and prevent spreading when stacked

Optional dividers allow you to create customizable compartment sizes

Extra-wide stacking ledge provides stability, saves space and prevents spills

Curved-bottom hopper front makes it easy to retrieve small parts

Large front label area for easy coding and scanning

MODEL#	OUTSIDE DIMENSIONS	BOTTOM DIMENSIONS	CAPACITY/	QUANTITY		ACCESSORIES						
	LWH	LWHX	BIN Capacity	CTN. Quantity	LENGTH Dividers	WIDTH Dividers	DIVIDER Pkg. qty.	BIN LIDS	LID PKG. QTY.	ADHESIVE Labels	CARD Stock	STOP-IT BIN Inserts
30210	5 3/8" x 4 1/8" x 3"	4 3/4" x 3 7/16" x 2 13/16" x 4"	10 lbs.	24	40210(1)	-	6	30211CRY	24	29202	29301	-
30220	7 3/8" x 4 1/8" x 3"	6 3/4" x 3 7/16" x 2 13/16" x 6"	10 lbs.	24	40220(1)	-	6	30221CRY	24	29202	29301	-
30224	10 7/8" x 4 1/8" x 4"	10 1/4" x 3 3/16" x 3 3/4" x 9"	30 lbs.	12	40224(1)	-	-	30225CRY	12	29202	29301	46224
30230	10 7/8" x 5 1/2" x 5"	10 1/4" x 4 3/8" x 4 3/4" x 9"	30 lbs.	12	40230(1)	40230(3)	6	30231CRY	12	29203	29302	46230
30234	143/4" x 5 1/2" x 5"	14 1/16" x 4 3/8" x 4 3/4" x 12 13/16"	50 lbs.	12	40234(1)	-	-	-	-	29203	29302	-
30239	10 3/4" x 8 1/4" x 7"	10" x 6 9/16" x 6 3/4" x 8"	50 lbs.	6	40239(1)	-	6	-	-	29203	29302	-
30240	14 3/4" x 8 1/4" x 7"	14" x 6 9/16" x 6 3/4" x 12"	60 lbs.	12	40245(1)	-	6	-	-	29203	29302	46240
30265	18" x 8 1/4" x 9"	17 1/8" x 6 3/4" x 8 1/4" x 14 1/2"	60 lbs.	6	40265(1)	-	6	-	-	29203	29303	-
30235	10 7/8" x 11" x 5"	10 1/4" x 10" x 4 3/4" x 9"	50 lbs.	6	40230(3)	-	6	30236CRY	6	29203	29302	-
30260	18" x 11" x 10"	17 x 9 3/4" x 9 3/4" x 14 3/16"	60 lbs.	6	40260(3)	-	6	-	-	29203	29303	-
30255	10 7/8" x 16 1/2" x 5"	9 3/4" x 15" x 4 3/4" x 9"	60 lbs.	6	40230(3)	-	6	-	-	29203	29302	-
30250	14 3/4" x 16 1/2" x 7"	14" x 14 3/4" x 6 3/4" x 12"	75 lbs.	6	40245(3)	-	6	-	-	29203	29302	-
30270	18" x 16 1/2" x 11"	17 1/8" x 14 3/4" x 10 1/4" x 14"	75 lbs.	3	40270(3)	-	6	-	-	29203	29303	-
30320	8 5/8" x 33" x 7"	7" x 31 1/2" x 4 3/16" x 6"	80 lbs.	4	40231&	40220(7)	7	30321	4			





SUPER SIZE AKRO BINS 134

SUPER-SIZE AKROBINS

- Capacity: Large-capacity storage to improve organization and work flow
- **Stackable:** Heavy-duty bins securely stack atop each other, sit on shelving, carts or dollies
- **Durable:** Molded of industrial-grade polymers, Super-Size AkroBins are resistant to weak acids and alkalies. Water, rust and corrosion-proof
- Variety: Available in 12 sizes and 4 standard colours: red, blue, yellow and clear

Anti-slide stop prevents stacked bins from shifting foward

Reinforced side ribs add

spreading when stacked

strength and prevent

Divider sides help create separate compartments

Easy to carry with large handle molded onto back of bin

Large label area

on front of bin

ACCESSORIES



Width dividers Available for 7 bin models



Length dividers Keep items separated in bin Available for all sizes!



SUPER-SIZE AKROBIN CARTS

Carts hold a variety of super-size AkroBins

MODEL#	OUTSIDE DIMENSIONS	BOTTOM DIMENSIONS	CAP	ACITY/QUAN	QUANTITY ACCESSORIES				
	LWH	LWHX	BIN Capacity	STACKING Capacity	CTN. Quantity	LENGTH Dividers	WIDTH Dividers	DIVIDER PKG. QTY. W	DIVIDER PKG. QTY. L
30280	20" x 12 3/8" x 6"	16 7/8" x 10 11/16" x 5 3/8" x 15 1/2"	200 lbs.	40 lb./10	4	40280(3)	-	-	2
30281	20" x 12 3/8" x 8"	16 7/8" x 10 11/16" x 7 3/8" x 15 1/2"	200 lbs.	50 lb./7	3	40281(3)	-	-	3
30282	20" x 12 3/8" x 12"	16 7/8" x 10 11/16" x 11 3/8" x 15 1/2"	200 lbs.	60 lb./5	2	40282(3)	-	-	1
30283	20" x 18 3/8" x 12"	16 7/8" x 16 9/16" x 11 3/8" x 15 1/2"	300 lbs.	150 lb./5	1	40282(3)	-	-	1
30284	23 7/8" x 8 1/4" x 7"	20 7/8" x 6 3/8" x 6 1/8" x 19 3/8"	200 lbs.	150 lb./5	4	40286(3)	41284(2)	2	4
30286	23 7/8" x 11" x 7"	20 7/8" x 9 1/8" x 6 1/8" x 19 5/16"	200 lbs.	150 lb./5	4	40286(3)	41286(2)	2	4
30287	23 7/8" x 11" x 10"	20 3/4" x 9" x 9 1/8" x 19 5/16"	300 lbs.	150 lb./5	4	40287(3)	41287(2)	6	6
30288	23 7/8" x 16 1/2" x 11"	20 3/4" x 14 3/8" x 10 1/8" x 19 5/16"	300 lbs.	150 lb./5	1	40287(3)	41288(2)	6	6
30289	23 7/8" x 18 3/8" x 12"	20 3/4" x 16" x 11 1/8" x 19 1/4"	300 lbs.	150 lb./5	1	40289(3)	41289(2)	2	1
30290	29 1/4" x 18 3/8" x 12"	26 1/8" x 169/16" x 11 3/8" x 25 5/16"	300 lbs.	150 lb./5	1	40280(3)	-	-	1
30292	29 7/8" x 11" x 10"	26 3/4" x 9" x 9 1/8" x 25 5/16"	300 lbs.	150 lb./5	4	40282(3)	41287(2)	6	6
30293	29 7/8" x 16 1/2" x 11"	26 3/4" x 14 3/8" x 10 1/8" x 25 5/16"	300 lbs.	150 lb./5	1	40282(3)	41288(2)	6	6








135 SHELF BINS

SHELF BINS

- Efficient: Shelf Bins work with 12", 18" and 24" deep
- **Durable:** Industrial-grade polymer bins outlast corrugated bins paying for themselves in reduced replacement costs. Bins won't spread or crack when loaded. One-piece construction is waterproof and resistant to grease or oil
- · Nestable: Shelf Bins nest when empty to conserve space



	MODEL #	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS	CAPACITY	/QUANTITY	CUPS	/BIN	ACCES	SORIES
ACCESSORIES Dividers		LWH	LWH	BIN Capacity	STACKING Capacity	SMALL 3010	LARGE 30102	OPTIONAL Dividers	DIVIDER PKG. QTY.
Create additional	30110	11 5/8" x 2 3/4" x 4"	10 1/4" x 1 5/8" x 4"	7 lbs.	24	3	-	-	-
storage compartments	30120	11 5/8" x 4 1/8" x 4"	10 1/4" x 3" x 4"	10 lbs.	24	5	2	40120(7)	24
	30130	11 5/8" x 6 5/8" x 4"	10 1/4" x 5 1/2" x 4"	15 lbs.	12	9	4	40130(7)	24
	30150	11 5/8" x 8 3/8" x 4"	101/4" x 7 1/8" x 4"	15 lbs.	12	11	4	40150(7)	24
	30170	11 5/8" x 11 1/8" x 4"	10 1/4" x 10" x 4"	20 lbs.	12	15	6	40170(7)	24
	30128	17 7/8" x 4 1/8" x 4"	16 1/2" x 5 1/2" x 4"	15 lbs.	12	8	3	40120(7)	24
Bin Cups	30138	17 7/8" x 6 5/8" x 4"	16 1/2" x 7 1/8" x 4"	20 lbs.	12	15	6	40130(7)	24
•	30158	17 7/8" x 8 3/8" x 4"	16 1/2" x 10" x 4"	20 lbs.	12	15	6	40150(7)	24
Lift out easily for parts	30178	17 7/8" x 11 1/8" x 4"	16 1/2" x 3" x 4"	20 lbs.	12	25	12	40170(7)	24
retrieval	30124	23 5/8" x 4 1/8" x 4"	22 1/8" x 3" x 4"	20 lbs.	12	11	4	40120(7)	24
	30164	23 5/8" x 6 5/8" x 4"	22 1/8" x 5 1/2" x 4"	20 lbs.	6	21	8	40130(7)	24
	30184	23 5/8" x 8 3/8" x 4"	22 1/8" x 7 1/8" x 4"	20 lbs.	6	25	8	40150(7)	24
	30174	23 5/8" x 11 1/8" x 4"	22 1/8" x 10" x 4"	20 lbs.	6	35	16	40170(7)	24



SHELF MAX BINS 136

SHELF MAX BINS

- **Capacity:** Bins offer 85% more storage than traditional 4" bins
- Works with Akro-Mils steel shelving, wire shelving, pick racks and bench racks
- **Durable:** Superior construction compared to corrugated bins



ACCESSORIES Dividers

Create additional storage compartments



SHELFMAX 6"

MODEL #	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS	STORAGE CAPACITY		ΙΤΥ
	LWH	LWH	CUBIC Inches	BIN LOAD Capacity	CTN. QTY.
30010	11 5/8" x 4 1/8" x 6"	9 3/4" x 91/2" x 5 15/16"	591	35 lbs.	8
30014	23 5/8" x 11 1/8" x 6"	21 3/4" x 9 1/2" x 5 15/16"	1303	35 lbs.	6
30018	17 7/8" x 11 1/8" x 6"	16" x 9 1/2" x 5 15/16"	963	35 lbs.	8
30040	11 5/8" x 4 1/8" x 6"	9 3/4" x 2 1/2" x 5 15/16"	175	20 lbs.	16
30044	23 5/8" x 4 1/8" x 6"	21 3/4" x 5" x 5 15/16"	686	35 lbs.	10
30048	17 7/8" x 4 1/8" x 6"	16" x 2 1/2" x 5 15/16"	280	25 lbs.	8
30080	11 5/8" x 8 3/8" x 6"	9 3/4" x 6 5/8" x 5 15/16"	410	25 lbs.	8
30084	23 5/8" x 8 3/8" x 6"	21 3/4" x 6 5/8" x 5 15/16"	686	35 lbs.	6
30088	17 7/8" x 8 3/8" x 6"	16" x 6 5/8" x 5 15/16"	648	35 lbs.	16
30090	11 5/8" x 6 5/8" x 6"	9 3/4" x 5" x 5 15/16"	310	30 lbs.	10
30094	23 5/8" x 6 5/8" x 6"	9 3/4" x 5" x 5 15/16"	686	35 lbs.	10
30098	17 7/8" x 6 5/8" x 6"	16" x 5" x 5 15/16"	505	35 lbs.	10

SHELFMAX 8"

				WIDTH
MODEL #	OUTSIDE DIMENSIONS L X W X H	INSIDE DIMENSIONS L X W X H	BIN LOAD Capacity	WIDTH Divider
30840	11 5/8" x 4 1/8" x 8"	9 1/4" x 2 1/2" x 7.91"	233	40840
30860	11 5/8" x 5 5/8" x 8"	9 1/4" x 5" x 7.91"	411	40860
30880	11 5/8" x 8 2/7" x 8"	9 1/4" x 6 2/7" x 7.9"	520	40880
30800	11 5/8" x 11 1/8" x 8"	9 1/4" x 9 1/7" x 7.9"	734	40800
30820	11 5/8" x 22 1/2" x 8"	9 1/4" x 20 4/5" x 7.89"	1638	40820
30846	15 5/8" x 4 1/8" x 8"	13 1/4" x 2 4/7" x 7.91"	332	40840
30866	15 5/8" x 6 5/8" x 8"	13 1/4" x 5" x 7.91"	585	40860
30886	15 5/8" x 8 2/7" x 8"	13 1/4" x 6 2/7" x 7.9"	740	40880
30806	15 5/8" x 11 1/8" x 8"	13 1/4" x 9 1/7" x 7.9"	1044	40800
30826	15 5/8" x 22 1/2" x 8"	13 1/4" x 20 1/6" x 7.88"	2213	40820
30848	17 5/8" x 4 1/8" x 8"	15 1/4" x 2 1/2" x 7.91"	382	40840
30868	17 5/8" x 6 5/8" x 8"	15 1/4" x 5" x 7.91"	672	40860
30888	17 5/8" x 8 2/7" x 8"	15 1/4" x 6 2/7" x 7.9"	851	40880
30808	17 5/8" x 11 1/8" x 8"	15 1/4" x 9 1/7" x 7.9"	1200	40800
30818	17 5/8" x 16 1/2" x 8"	15 1/4" x 14 1/3" x 7.88"	1897	40818
30828	17 5/8" x 22 1/2" x 8"	15 1/4" x 20 1/5" x 7.88"	2545	40820
30838	17 5/8" x 33" x 8"	15 1/4" x 30 5/8" x 7.87"	3817	40838
30844	23 5/8" x 4 1/8" x 8"	21 1/4" x 2 1/2" x 7.9"	529	40840
30864	23 5/8" x 6 5/8" x 8"	21 1/4" x 5" x 7.9"	932	40860
30884	23 5/8" x 8 2/7" x 8"	21 1/4" x 6 2/7" x 7.89"	1179	40880
30804	23 5/8" x 11 1/8" x 8"	21 1/4" x 9 1/7" x 7.89"	1662	40800
30814	23 5/8" x 16 1/2" x 8"	21 1/4" x 14 1/3" x 7.87"	2533	40818
30824	23 5/8" x 22 1/2" x 8"	21 1/4" x 21 s1/5" x 7.86"	3523	40820







www.jbequipment.ca

137 SHELF BINS

EARTH SAVER SERIES: SHELF BINS

- Recycled: EarthSaver Shelf Bins made of 100% recycled material. A positive impact on the environment!
- · Versatile: Optional dividers keep items neatly separated
- Accessories: Width Dividers and Extended Label Holders available

MODEL #	OUTSIDE DIMENSIONS L W H	BOTTOM DIMENSIONS L W H X	BIN CTN. Qty.	SMALL CUPS 3101	LARGE Cups 30102
30110RECY	11 5/8" x 2 3/4" x 4"	10 1/4" x 1 5/8" x 4" x 24"	3	-	24
30120RECY	11 5/8" x 4 1/8" x 4"	10 1/4" x 3" x 4" x 24"	5	2	24
30130RECY	11 5/8" x 6 5/8" x 4"	10 1/4" x 5 1/2" x 4" x 12"	9	4	12
30150RECY	11 5/8" x 8 3/8" x 4"	10 1/4" x 7 1/8" x 4" x 12"	11	4	3
30128RECY	17 7/8" x 4 1/8" x 4"	16 1/2" x 3" x 4" x 12"	8	3	4
30138RECY	17 7/8" x 6 5/8" x 4"	16 1/2" x 5 1/2" x 4' x 12"	15	6	-
30124RECY	23 5/8" x 4 1/8" x 4"	22 1/8" x 3" x 4" x 12"	11	4	-
30164RECY	23 5/8" x 6 5/8" x 4"	22 1/8" x 5 1/2" x 4" x 6"	21	8	-



NESTING AND STACKING SHELF BIN

- Versatile: Economy Bins make full use of shelf space on 12" or 18" deep shelving and stack to fill space between shelves
- Exclusive: The only small parts bin that can nest and stack
- Efficient: Generous bin opening allows easy access to items

MODEL #	OUTSIDE DIMENSIONS L W H	BOTTOM DIMENSIONS L W H	CTN. QTY.
30796BLACK	8 7/8" x 6 5/8" x 5"	6 3/25" x 4" x 4 9/10"	10
30716BLACK	11 7/8" x 6 5/8" x 5"	9 3/25" x 4" x 4 9/10"	10
30776BLACK	17 7/8" x 6 5/8" x 7"	14 8/9" x 3 4/5" x 6 9/10"	10
30718BLACK	11 7/8" x 8 3/8" x 5"	9" x 5 3/4" x 4 9/10"	8
30778BLACK	17 7/8" x 8 3/8" x 7"	14 4/5" x 5 1/2" x 6 9/10"	8

STACK-N-STORE BINS

- **Stackable:** Bins stack to form tall, stable storage arrangements on floors or standard industrial shelving
- · Capacity: 75 lb. weight capacity
- **Durable:** Durable, industrial-grade polymer will not rust, corrode or bend out of shape even when fully loaded
- Cost-Effective: Longer service life resulting in lower replacement costs







MODEL #	OUTSIDE DIMENSIONS	BOTTOM DIMENSIONS	ACCESSORIES				
	LWH	LWHD	CU. FT.	GAL.	LBS.	STACK HT.	CTN. QTY.
13014	17 1/2" x 10 7/8" x 12 1/2"	15 5/8" x 8" x 12 1/4" x 13 1/2"	.98	7.4	75	3	4
13017	15 1/4" x 19 7/8" x 12 7/16"	13 5/8" x 17 1/2" x 12 1/4" x 11 1/2"	1.7	12.7	75	3	3
13018	17 1/2" x 16 1/2" x 12 1/2"	15 5/8" x 13 3/4" x 12 1/4" x 13 1/2"	1.6	12	75	3	2







AKRO GRID 138

DIVIDABLE GRID CONTAINERS

- Functional: Compatible with most racks, shelving and automated storage retrieval systems
- **Durable:** Injection-molded from industrial-grade polymers. Resists most solvents and chemicals
- Cost-Effective: Longer service life resulting in lower replacement costs



MODEL#	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS					CAPACITY/QUANTITY			ACCESSORIES					
	LWH	А"	В"	C"	D"	E"	CU. FT.	GAL	LBS.	BIN CTN. Qty.	LONG Divider	SHORT Divider	DIVIDER PKG. QTY.	MAX # OF Compartments	STEEL DOLLIES
33105	10 7/8" x 8 1/4" x 5"	6 11/16	9 5/16	9 1/8	6 1/2	4 5/8	0.16	1.2	25	20	42105(5)	41105(7)	6	48	-
33164	16 1/2" x 10 7/8" x 4"	9 3/8	14 15/16	14 13/16	9 3/16	3 7/8	0.29	2.2	20	12	42164(7)	41164(11)	6	96	-
33166	16 1/2" x 10 7/8" x 6"	9 5/16	14 7/8	14 3/4	9 1/8	5 9/16	0.44	3.3	35	8	42166(7)	41166(11)	6	96	-
33168	16 1/2" x 10 7/8" x 8"	9 5/16	14 15/16	14 5/8	9 1/16	7 9/16	0.59	4.4	40	6	42168(7)	41168(11)	6	96	-
33220	22 3/8" x 17 3/8" x 10"	15 1/4	20 1/8	19 7/8	14 7/8	9 7/8	1.66	12.4	50	2	42220(11)	41220(15)	6	192	RU843HR1621
33223	22 1/2" x 17 3/8" x 3"	15 7/16	20 1/2	20 7/16	15 3/8	2 1/2	0.47	3.5	30	6	42223(11)	41223(15)	6	192	RU843HR1621
33224	22 3/8" x 17 3/8" x 4"	15 1/16	20 1/16	20	15	3 7/8	0.61	4.6	30	6	42224(11)	41224(15)	6	192	RU843HR1621
33226	22 3/8" x 17 3/8" x 6"	15 1/8	20 1/8	19 7/8	14 7/8	5 7/8	0.96	7.2	40	4	42226(11)	41226(15)	6	192	RU843HR1621
33228	22 3/8" x 17 3/8" x 8"	15 1/8	20 1/8	19 7/8	14 7/8	7 7/16	1.3	9.7	50	3	42228(11)	41228(15)	6	192	RU843HR1621
11-155	20 3/4" x 16 3/4" x 5"	-	-	-	-	-	.75	-	-	1	-	-	-	-	-
11-220	24 1/4" x 13" x 7"	-	-	-	-	-	.84	-	-	1	-	-	-	-	-
11-306	22 3/8" x 17 7/8" x 12"	-	-	-	-	-	.98	-	-	1	-	-	-	-	-

MODEL #	FITS GRID #	CTN. QTY.							
CLEAR SNAP-ON LIDS									
33011	33105	10							
33061	33164, 33166, 33168	4							
33023	33220, 33223, 33224, 33226, 33228	3							
LABEL HOLD	DERS								
35010	Fits all except 33164, 33223, 33224	6							
35011	33164, 33224	6							
ADHESIVE L	ABEL								
29203	33223	10 sheets (120 total)							

Dividers

Allow subdivision of the containers down to 11/8" square compartments

Clear Plastic Label Holders

Snap securely on any side
 (except 33223)

Clear Snap-On Lids

Durable injection-molded lids keep contents clean yet visible






Info@jbequipment.ca

139 NEST AND STACK TOTES

NEST AND STACK TOTES

- Extremely durable totes
- Functional: Ideal for shipping, transfer and storage applications
- Stackable and Nestable: Stack with or without lids for storage and shipping. Nested when empty
- Durable: Strong, industrial-grade polymer will not rust, corrode or bend out of shape even when fully loaded
- · Cost-Effective: Long service life resulting in lower replacement costs
- · FDA-Sanctioned: NSTs are manufactured from FDA-sanctioned materials







23 1/2" x 19 1/2" x 13"

23 1/2" x 15 1/2" x 12"

29 1/2" x 19 1/2" x 15"

18 1/8

14 1/4

18 1/4

20 7/8

20 7/8

26 5/8

MODEL #

35010

35011

19 1/2

19 5/8

25 1/8

16 7/8

13

16 5/8

LABEL HOLDERS

PKG. QTY.

6

6

12 7/8

11 7/8

14 7/8

35230

35240

35300

Info@jbequipment.ca

26

1.7

3.7

LABEL SIZE

33/4" x 5"

3" x 5"

194

12.9

27.4

90

75

100

3

3

3

6

6

6

35231

35241

35301

3

3

3

RU843HR1822

RU843HR1422

RU843HR1828

BIN STORAGE SYSTEMS 140

CORRUGATED PARTS, BINS AND DIVIDERS

- · Economical standard duty bins constructed of durable corrugated fiberboard
- · Ideal for storing any loose small parts
- · Assembled easily without staples or tape, just fold
- Qty per case: 100

12" DEEP PARTS BINS									
MODEL #	DIMENSIONS - W X H								
2H	2" x 4 1/2"								
3H	3" x 4 1/2"								
4H	4" x 4 1/2"								
6H	6" x 4 1/2"								
8H	8" x 4 1/2"								
10H	10" x 4 1/2"								
12H	12" x 4 1/2"								

18" DEEP PARTS BINS										
MODEL #	DIMENSIONS - w x h									
18-2H	2" x 4 1/2"									
18-3H	3" x 4 1/2"									
18-4H	4" x 4 1/2"									
18-6H	6" x 4 1/2"									
18-8H	8" x 4 1/2"									
18-10H	10" x 4 1/2"									
18-12H	12" x 4 1/2"									




3 5/8" DEEP DIVIDERS

MODEL #	DIMENSIONS - w x h
D2	1 3/4" x 4 1/8"
D3	2 3/4" x 4 1/8"
D4	3 3/4" x 4 1/8"
D6	5 3/4" x 4 1/8"
D8	7 3/4" x 4 1/8"
D10	9 3/4" x 4 1/8"
D12	11 3/4" x 4 1/8"


SINGLE-SIDED PICK-RACKS

- Units are free standing, but may be bolted to bench top, floor or wall
- 211/2" high bench model
- · Gray enamel finish
- 61" high floor model



DOUBLE-SIDED MOBILE PICK-RACKS

- 22-gauge steel rack components mounted on a 26" x 36" dolly
- 3" casters
- · Each rack accommodates 96-4" wide storage bins and 20-6" wide bins
- · Gray enamel finish
- Shipping knocked down



PARTS STORAGE **SHELVING UNITS**

- Provides a versatile heavy-duty storage facility for parts storage bins
- 76" high unit
- 40" high unit
- · Gray enamel finish
- Shipped knocked down



*Shelving only

MODEL #	BIN TYPE	DIMENSIONS - w x d x h						
RK203	Shelving only	36" x 12" x 40"						
RK241	Shelving only	36" x 12" x 76"						



141 BIN STORAGE SYSTEMS

12" DEEP ANGLED SINGLE-SIDED SHELVES

	12" DEEP SINGLE-SIDED PICK-RACK				DIMENSIO	NS		
	MODEL #	DESCRIPTION	BIN MODEL #	D	L	H	BIN QTY	COLOURS
	APRS110	Rack with shelf bins	30110	11 5/8"	2 3/4"	4"	96	B,R,Y,G,W,SC
	APRS120	Rack with shelf bins	30120	11 5/8"	4 1/8"	4"	64	B,R,Y,G,W,SC
	APRS130	Rack with shelf bins	30130	11 5/8"	6 5/8"	4"	40	B,R,Y,G,W,SC
	APRS150	Rack with shelf bins	30150	11 5/8"	8 3/8"	4"	32	B,R,Y,G,W,SC
247014	APRS170	Rack with shelf bins	30170	11 5/8"	11 1/8"	4"	24	B,R,Y,G,W,SC

APRS170Y

12" DEEP ANGLED DOUBLE-SIDED SHELVES



12" 🛛	12" DEEP DOUBLE-SIDED PICK-RACK				NS		
MODEL #	DESCRIPTION	BIN MODEL #	D	L	H	BIN QTY	COLOURS
APRD110	Rack with shelf bins	30110	11 5/8"	2 3/4"	4"	192	B,R,Y,G,W,SC
APRD120	Rack with shelf bins	30120	11 5/8"	4 1/8"	4"	128	B,R,Y,G,W,SC
APRD130	Rack with shelf bins	30130	11 5/8"	6 5/8"	4"	80	B,R,Y,G,W,SC
APRD150	Rack with shelf bins	30150	11 5/8"	8 3/8"	4"	64	B,R,Y,G,W,SC
APRD170	Rack with shelf bins	30170	11 5/8"	11 1/8"	4"	48	B,R,Y,G,W,SC

APRD170Y

18" DEEP ANGLED SINGLE-SIDED SHELVES



18" DEEP SINGLE-SIDED PICK-RACK			BIN C	DIMENSIO	VS		
MODEL #	DESCRIPTION	BIN MODEL #	D	L	H	BIN QTY	COLOURS
APRS18128	Rack with shelf bins	30128	17 7/8"	4 1/8"	4"	72	B,R,Y,G,W,SC
PRS18138	Rack with shelf bins	30138	17 7/8"	5 5/8"	4"	48	B,R,Y,G,W,SC
APRS18158	Rack with shelf bins	30158	17 7/8"	8 3/8"	4"	36	B,R,Y,G,W,SC
APRS18178	Rack with shelf bins	30178	17 7/8"	11 1/8"	4"	24	B,R,Y,G,W,SC

APRS18128G

18" DEEP ANGLED DOUBLE-SIDED SHELVES

2	18" DEEP DOUBLE-SIDED PICK-RACK		BIN DIMENSIONS					
	MODEL #	DESCRIPTION	BIN MODEL #	D	L	H	BIN QTY	COLOURS
	APRD18128	Rack with shelf bins	30128	17 7/8"	4 1/8"	4"	132	B,R,Y,G,W,SC
	APRD18138	Rack with shelf bins	30138	17 7/8"	5 5/8"	4"	84	B,R,Y,G,W,SC
	APRD18158	Rack with shelf bins	30158	17 7/8"	8 3/8"	4"	72	B,R,Y,G,W,SC
	APRD18178	Rack with shelf bins	30178	17 7/8"	11 1/8"	4"	48	B,R,Y,G,W,SC
181286								

APRD18128G



BIN STORAGE SYSTEMS 142

- Plastic bins included
- Ideal for small parts storage
- Bins included

15 BIN SYSTEM Model # 18367513014 Bins are 11"W x 12"H x 18"D 15 Bins 11" x 12" x 18" deep c/w shelving unit - 6 s/l



10 BIN SYSTEM Model # 18367513018 Bins are 17"W x 12"H x 18"D 15 Bins 11" x 12" x 18" deep c/w shelving unit - 6 s/l



96 BIN SYSTEM

Model # 123367596120 96 Bins 4" x 4" x 12" deep c/w shelving unit -13 s/l

Model # 123367596128 96 Bins 4" x 4" x 18" deep c/w shelving unit -13 s/l



123367596128

60 BIN SYSTEM

Model # 121367560130 60 Bins 6" x 4" x 12" deep c/w shelving unit -13 s/l

Model # 121367560138 60 Bins 6" x 4" x 18" deep c/w shelving unit -13 s/l



48 BIN SYSTEM

Model # 123367548150 48 Bins 8" x 4" x 12" deep c/w shelving unit -13 s/l

Model # 123367548158 48 Bins 8" x 4" x 18" deep c/w shelving unit -13 s/l



123367548158



www.jbequipment.ca

Info@jbequipment.ca

143 LOUVERED HANGING SYSTEMS


CUSTOMIZABLE VERTICAL STORAGE FOR AKRO BINS

- Efficient: Wall-mounted units keep items out of the way, off the floor and off the work table
- Bench Racks: Used on work tables to keep parts within easy reach
- Floor Racks: Can be placed near work areas to improve productivity
- Single-Sided Racks: Can be placed against a wall to save floor space
- Double-Sided Racks: Expand storage options
- Mobile Kit: Available to mobilize two-sided racks

MODEL #	DESCRIPTION	D	L	H
98600	Bench rack	27 15/16"	8 9/16"	19 9/16"
98636	Bench rack	36"	8"	20"
30161	Louvered rack	36"	5/16"	61"
30118	Louvered rack	18"	5/16"	61"
30653	Heavy-duty double-sided floor rack	35 3/4"	32"	75 1/8"
30661	Single-sided rivet floor rack	36 3/16"	13 1/2"	66 3/8"
30676	Double-sided rivet floor rack	36 3/16"	25"	66 3/8"
30651	Heavy-duty single-sided floor rack	35 3/4"	17"	75 1/8"
30653DOLLY	Mobile kit for 30653	-	-	-
LVDMOBILE	Mobile kit for 30676	-	-	-

Heavy-duty 16 gauge, cold rolled steel for strength and durability





BIN CABINETS 144

STANDARD BIN CABINETS

- All-welded cabinets made of 16 gauge steel
- Adjustable shelves hold up to 300 lbs. each
- Louvered back wall panel
- Keyed handle with 3-point locking system



AKROBIN CABINET AC3624Y

Louvered panels on back wall and doors hold up to 138 bins

A	KROBIN CABINET 36"W x 24"D x	BIN				
MODEL #	DESCRIPTION	BIN MODEL #	L	H	W	BIN QTY
AC3624	Cabinet w/louvered panels on back & doors, no bins	-	-	-	-	-
AC3624Y	Cabinet w/louvered panels on	30210YELLO	5 3/8"	4 1/8"	3"	48
	doors with assorted AkroBins	30220YELLO	7 3/8"	6 5/8"	3"	48
		30230YELLO	10 7/8"	8 3/8"	5"	24
		30240YELLO	14 3/4"	11 1/8"	7"	12
		30250YELLO	14 3/4"	16 1/2"	7"	6



AKROBIN CABINET W/3 SHELVES AC3624Y3AS

Louvered panels and 3 full 24" shelves hold up to 102 bins

AKROBIN CABINET W/3 SHELVES 36"W x 24"D x 78"H				BIN DIMENSIONS			
MODEL #	DESCRIPTION	BIN MODEL #	L	H	W	BIN QTY	
AC36243AS	Cabinet w/3 shvelves, louvered panels on back & doors, no bins	-	-	-	-	-	
AC3624YAS	Cabinet w/3 shelves, louvered	30210YELLO	5 3/8"	4 1/8"	3"	48	
panels on doors with assorted	30220YELLO	7 3/8"	6 5/8"	3"	48		
	AkroBins		14 3/4"	16 1/12"	7"	6	









145 BIN CABINETS



ROBIN CABINET	AKROBIN	CABINET W/FLUSH DOORS 36"W x	BIN				
FLUSH DOORS	MODEL #	DESCRIPTION	BIN MODEL #	L	H	W	BIN QTY
3618Y	AC3618	Cabinet w/louvered panels on back wall, no bins	-	-	-	-	-
vered panel on back	AC3618Y	Cabinet w/louvered panels	30230YELLO	10 7/8"	8 3/8"	5"	24
Il holds up to 42 bins	on back wall, with assorted	30240YELLO	14 3/4"	11 1/8"	7"	12	
		AkroBins	30250YELLO	14 3/4"	16 1/12"	7"	6



QUICK-VIEW SECURITY BIN CABINET AC36 180V240

Lexan door panels; louvered back wall panel. Complete with 36 AkroBins. Comes standard in beige

QUICK-VIEV	BIN D	IMENSION	S			
MODEL #	DESCRIPTION	BIN MODEL #	L	H	W	BIN QTY
AC3618QV	Cabinet w/quick view doors, louvered back, no bins	-	-	-	-	-
AC 3618QV240	Cabinet w/quick view doors, louvered back, with AkroBins	30240YELLO	14 3/4"	8 1/4"	7"	36
AC 3618QV250	Cabinet w/quick view doors, louvered back, with AkroBins	30250YELLO	14 3/4"	16 1/2"	7"	18



SECURE-VIEW Security Bin Cabinet AC36 180V250

Steel mesh door panels; louvered back wall panel. Complete with 36 AkroBins

SECURE-VIEW SECURITY BIN CABINET 36"W x 18"D x 78"H				BIN DIMENSIONS			
MODEL #	DESCRIPTION	BIN MODEL #	L	H	W	BIN QTY	
AC3618SV	Cabinet w/secure view mesh doors, louvered back, no bins	-	-	-	-	-	
AC 3618SV240	Cabinet w/secure view mesh doors, louvered back, with AkroBins	30240YELLO	14 3/4"	8 1/4"	7"	36	
AC 3618SV250	Cabinet w/secure view mesh doors, louvered back, with AkroBins	30250YELLO	14 3/4"	16 1/2"	7"	18	

BIN CABINET DOLLIES		BIN	DIMENSIC	INS	POLY.	
MODEL #	DESCRIPTION	L	H	W	CASTERS	WT. CAP.
AC803618M26	18" x 36" bin cabinet dolly	36 1/2"	18 1/2"	5 1/4"	3" x 1 1/4"	1000 lbs.
AC803624M26	24" x 36" bin cabinet dolly	36 1/2"	24 1/2"	6 1/2"	4" x 1 1/4"	1000 lbs.

BIN CABINET DOLLY AC803624M26

Convert large cabinets to mobile units!





BULK BOXES 146

EXTRA DUTY BULK BOX

- Footprint: 48" x 45"
- Drop-doors and four-way forklift entry improve ergonomics and handling efficiency
- Superior durability for reliable performance

EXTRA DUTY Model #	OUTSIDE DIMENSIONS W X D X H	INSIDE DIMENSIONS W X D X H	CAPACITY	LIDS
BN48452520	48" x 45" x 25"	44 1/2" x 41 1/2" x 18 2/5"	2500 lbs.	TS48450300
BN48453420	48" x 45" x 34"	44 1/2" x 41 1/2" x 27"	2500 lbs.	TS48450301

INDUSTRY STANDARD

- Footprints: 32" x 30", 48" x 40" and 48" x 45"
- · Plastic runners for added stacking strength
- Drop-doors and four-way forklift entry improve ergonomics and handling efficiency

HEAVY DUTY Model #	OUTSIDE DIMENSIONS W X D X H	INSIDE DIMENSIONS W X D X H	CAPACITY	LIDS
BS32302520	32 1/10" x 30" x 25"	29 1/10" x 27" x 182/5"	1800 lbs.	TS3230002
BS32303420	32 1/10" x 30" x 34"	29 1/10" x 27" x 272/5"	1800 lbs.	TS3230003
BI48403920	47 1/2" x 39 1/2" x 39 1/2"	44 3/5" x 36 1/5" x 32 1/5"	1600 lbs.	-
BX484544B0	48" x 45" x 44"	44 1/2" x 41 1/2" x 37"	1800 lbs.	TS48450301

HEAVY-DUTY

- Footprints: 48" x 40" and 48" x 45"
- · Feature steel corner hit plates to deflect fork tines
- Three recessed steel base runners for added stacking strength
- Drop-doors and four-way forklift entry improve ergonomics and handling efficiency
- Superior durability for reliable performance

HEAVY DUTY Model #	OUTSIDE DIMENSIONS W X D X H	INSIDE DIMENSIONS W X D X H	CAPACITY	LIDS
BH48402520	47 5/8" x 39 3/4" x 25 1/2"	44" x 36 1/4" x 18 1/4"	2500 lbs.	TH4840002001
BH48403420	47 5/8" x 39 3/4" x 33 9/10"	44" x 36 1/4" x 26 1/2"	2500 lbs.	TH4840002001
BH48452520	47 5/8" x 44 5/8" x 25 1/2"	44 1/4" x 41 1/4" x 19 7/10"	2500 lbs.	TH484502001
BH48453420	47 5/8" x 44 5/8" x 34"	44 1/4" x 41 1/4" x 27 1/10"	2500 lbs.	TH484502002



Extra-Duty Bulk Boxes are rated for load capacities between 2300 and 2500 lbs. They collapse flat in seconds and stack for storage and return shipment



Industry Standard Bulk Boxes are rated for load capacities between 1600 and 1800 lbs. They collapse flat in seconds and stack for storage and return shipment



Heavy-Duty Bulk Boxes are rated for load capacities up to 2500 lbs. They collapse flat in seconds and stack for storage and return shipment optimizing space usage and saving money on returned freight. Hand-hold areas on panels provide a comfortable grip for panel movement







Address • 475 Edward Avenue Unit 20, Richmond Hill, Ontario L4C5E5 Email • Info@jbequipment.ca Telephone • 905.883.0316 Fax • 905.883.0207

